




## Rich's lesson module checklist

- Slides
- WB converted fro PowerPoint
  
- Flash cards
- Properties
- Page numbers
- 1<sup>st</sup> minute quiz
- Web Calendar summary
- Web book pages
- Commands
  
- Lab 3 tested
- Schedule lock of turnin directory and submit
  - at 12:00 am thursday  
chmod 700 /home/cis90/bin/submit  
chmod 700 /home/turnin/cis90  
ctrl-d
  - at 9:00 am thursday  
chmod 750 /home/cis90/bin/submit  
chmod 755 /home/turnin/cis90  
ctrl-d
- Census done
- Microsoft and VMware web store accounts made
- CIS Lab schedule published
- cis90-students alias in /etc/aliases + newaliases command
- Welcome ready for mailing
- Lab 3 historical events ready for mailing
- sun-hwa-iii ice cream and accounts
- rhea setup
  
- 9V backup battery for microphone
- Backup slides, CCC info, handouts on flash drive



### **Student Learner Outcomes**

1. Navigate and manage the UNIX/Linux file system by viewing, copying, moving, renaming, creating, and removing files and directories.
2. Use the UNIX features of file redirection and pipelines to control the flow of data to and from various commands.
3. With the aid of online manual pages, execute UNIX system commands from either a keyboard or a shell script using correct command syntax.

## Introductions and Credits



Jim Griffin

- Created this Linux course
- Created Opus and the CIS VLab
- Jim's site: <http://cabrillo.edu/~jgriffin/>



Rich Simms

- HP Alumnus
- Started teaching this course in 2008 when Jim went on sabbatical
- Rich's site: <http://simms-teach.com>

And thanks to:

- John Govsky for many teaching best practices: e.g. the First Minute quizzes, the online forum, and the point grading system (<http://teacherjohn.com/>)



## Student checklist for laying out screen when attending class

- Browse to the CIS 90 website Calendar page
  1. <http://simms-teach.com>
  2. Click CIS 90 link on left panel
  3. Click Calendar link near top of content area
  4. Locate today's lesson on the Calendar
  
- Download the presentation slides for today's lesson for easier viewing
  
- Click Enter virtual classroom to join CCC Confer session
  
- Connect to Opus using Putty or ssh command





## Student checklist for laying out screen when attending class

Google

CCC Confer

Downloaded PDF of Lesson Slides

The screenshot shows a virtual classroom interface with several windows open:

- Blackboard Course Page:** Displays 'Rich's Cabrillo College CIS 90 Classes' and 'CIS 90 (Spring) Course Home'. A table lists lessons with columns for Lesson and Date.
- CCC Confer Virtual Classroom:** Shows a video feed of 'Rich Simms', a 'PARTICIPANTS' list including 'Benji Simms' and 'Rich Simms', and a 'CHAT' window with messages about textbooks and Amazon prices.
- Google Maps:** Open to 'Cabrillo College, Sanpat Drive, Aptos, CA'.
- Adobe Acrobat Pro:** Displays 'cis90lesson01.pdf - The CIS 90 System Playground' with a slide titled 'Class Activity - Where are you now?'.
- Terminal Window:** Shows a login prompt for 'Opus' with a password field and a 'Welcome to Opus' message.


CIS 90 website Calendar page

One or more login sessions to Opus




## Student checklist for sharing desktop with classmates


1) Instructor gives you sharing privileges



2) Click overlapping rectangles icon. If white "Start Sharing" text is present then click it as well.



3) Click OK button.




4) Select "Share desktop" and click Share button.



## Rich's CCC Confer checklist - setup





[ ] Preload White Board




[ ] Connect session to Teleconference

*Session now connected to teleconference*




[ ] Is recording on?



*Red dot means recording*

[ ] Use teleconferencing, not mic

*Should be greyed out*



*Should show as this live "off hook" telephone handset icon and the Teleconferencing ... message displayed*



## Rich's CCC Confer checklist - screen layout and share



The screenshot displays a Windows desktop environment with several applications open:


- CCC Confer -0 - RIC...:** A teleconference window showing a video feed of Rich Simms, a list of participants (Rich Simms as Moderator), and a chat window.
- foxit for slides:** A Foxit Reader window displaying a PDF document titled 'cis90lesson07.pdf'. A red box labeled 'foxit for slides' points to the application.
- chrome:** A Google Chrome browser window displaying a quiz page from 'simms-teach.com/docs/cis90/cis-90-TEST-1-Fall-12.pdf'. A red box labeled 'chrome' points to the browser.
- putty:** A PuTTY terminal window showing a shell prompt 'simben90@oslab:~' and a file tree structure. A red box labeled 'putty' points to the terminal.
- vSphere Client:** A vSphere Client window showing the vCenter interface for 'CIS 192'. A red box labeled 'vSphere Client' points to the application.

[ ] layout and share apps





## Rich's CCC Confer checklist - webcam setup




- [ ] Video (webcam)
- [ ] Make Video Follow Moderator Focus






### Rich's CCC Confer checklist - Elmo




Elmo rotated down to view side table



Run and share the Image Mate program just as you would any other app with CCC Confer



Elmo rotated up to view white board



The "rotate image" button is necessary if you use both the side table and the white board.

Quite interesting that they consider you to be an "expert" in order to use this button!

## Rich's CCC Confer checklist - universal fix


Universal Fix for CCC Confer:

- 1) Shrink (500 MB) and delete Java cache
- 2) Uninstall and reinstall latest Java runtime
- 3) <http://www.cccconfer.org/support/technicalSupport.aspx>


Control Panel (small icons)




General Tab > Settings...




500MB cache size



Delete these



Google Java download





# Start





# Sound Check

*Students that dial-in should mute their line using \*6 to prevent unintended noises distracting the web conference.*

*Instructor can use \*96 to mute all student lines.*



Instructor: **Rich Simms**

Dial-in: **888-886-3951**

Passcode: **136690**



Chris




Jeremy



Jennifer



Cameron




Joseph



Lisa



May



Sundance




Charlie



Sean



Brenda



Anthony




Will H.



Josh




Michael



Danny



Vic



William D.



Taylor



Thomas




Stewart



Miguel




Akasha



Jairo



Tony



Fadumo



Joaquin

## First Minute Quiz

Please answer these questions **in the order** shown:

Use CCC Confer White Board

**email answers to: [risimms@cabrillo.edu](mailto:risimms@cabrillo.edu)**

**(answers must be emailed within the first few minutes of class for credit)**



# Electronic Mail

## Objectives

- Learn how to use the UNIX communication tools write and mail.
- Overview on end-to-end email.

## Agenda

- Quiz
- Questions
- Subtle stuff
- Mini review
- Practice questions
- Terminals
- Housekeeping
- Course expectations check
- Write command
- Mail basics (send, read, reply, save)
- More on mail (forward, docs, headers, delete, folders)
- End-to-end email
- Other MUAs, MTAs, DA and AAs
- Wrap up



## Class Activity

```
( 'v' )  
//--\\  
( \_ = \_ / )  
  ~ ~   ~ ~
```

```
Welcome to Opus  
Serving Cabrillo College
```

If you haven't already,  
log into Opus



# Questions

# Questions?

Lesson material?

Labs? Tests?

How this course works?

- Graded work in home directories
- Answers in /home/cis90/answers

*Who questions much, shall learn much, and retain much.*

- Francis Bacon

*If you don't ask, you don't get.*

- Mahatma Gandhi

Chinese  
Proverb


他問一個問題，五分鐘是個傻子，他不問一個問題仍然是一個傻瓜永遠。

*He who asks a question is a fool for five minutes; he who does not ask a question remains a fool forever.*

## Monitoring your grades

*Send me your survey to get your LOR code name.*

### The CIS 90 website




<http://simms-teach.com/cis90grades.php>

Percentage	Total Points	Letter Grade	Pass/No Pass
90% or higher	504 or higher	A	Pass
80% to 89.9%	448 to 503	B	Pass
70% to 79.9%	392 to 447	C	Pass
60% to 69.9%	336 to 391	D	No pass
0% to 59.9%	0 to 335	F	No pass

*At the end of the term I'll add up all your points and assign you a grade using this table*


### On Opus

**checkgrades** *codename*  
(where *codename* is your LOR codename)



Written by Jesse Warren a past CIS 90 Alumnus

**grades** *codename*  
(where *codename* is your LOR codename)




Written by Sam Tindell a past CIS 90 Alumnus.  
Try his tips, schedule and forums scripts as well!



## Graded work is copied to your home directories

**ls**




```

simben90@oslab:~/
/home/cis90/simben $ ls
bigfile  Hidden          Lab2.0  log           Poems        proposal3  text.err  what_am_i
bin      lab01-collection Lab2.1  Miscellaneous proposal1  small_town text.fxd
empty    lab01.graded    letter  mission      proposal2  spellk     timecal
/home/cis90/simben $
  
```

*Log in to Opus and use the **ls** and **cat** commands to see your graded work*

**cat lab01.graded**



```


simben90@oslab:~/
/home/cis90/simben $ cat lab01.graded
GRADING RUBRIC (30 points)
  5 points for each correctly scavenged item.
Extra Credit
  1 point for each correct bonus question answer.

Item 1) 5 point(s)
Item 2) 5 point(s)
Item 3) 5 point(s)
Item 4) 5 point(s)
  
```

*Be sure to scroll back to the beginning of the **cat** output*


## The answers/ directory on Opus

```
cat /home/cis90/answers/quiz01
```



```
simben90@oslab:~  
/home/cis90/simben $ cat /home/cis90/answers/quiz01  
1)  
2)  
3)  
  
Note:  
  No credit for quizzes not emailed during the first few minutes of class  
  A correct answer that is out of order will be marked as incorrect
```

```
cat /home/cis90/answers/lab01
```




```
simben90@oslab:~  
/home/cis90/simben $ cat /home/cis90/answers/lab01  
1) star on defiant is: <varies by student>  
2) instrument on lexington is: <varies by student>  
3) movie on enterprise is: <varies by student>  
4) fruit on intrepid is: <varies by student>  
5) book on freedom is: <varies by student>  
6) dog on excalibur is: <varies by student>
```


*The answers to quizzes, tests and labs will be posted to the /home/cis90/answers/ directory after the due date has passed.*

## Subscribe to the CIS 90 forum to get notifications

- 1) Login to the forum
- 2) Go to the CIS 90 forum
- 3) Click the "Subscribe" link at the bottom so that it changes to "Unsubscribe"
- 4) Now you will get notified of replies and new posts by email



*It should look like this when you are subscribed*



# Subtle Stuff

## Who else is logged in?

```
[rsimms@excalibur ~]$ who
simben90 :0                2015-09-16 08:36 (:0)
jadzia pts/0                2015-09-16 08:41 (freedom.cis.cabrillo.edu)
rsimms pts/1                2015-09-16 08:36 (opus.cis.cabrillo.edu)
worf pts/3                 2015-09-16 08:42 (2601:647:cb02:9eed:78d1:ef8f:7225:43e5)
simben90 pts/2            2015-09-16 08:38 (:0)
[rsimms@excalibur ~]$
```

```
[rsimms@excalibur ~]$ who -Hu
NAME      LINE      TIME                IDLE                PID COMMENT
simben90 :0                2015-09-16 08:36 ?                   13924 (:0)
jadzia pts/0                2015-09-16 08:41 00:01              15092 (freedom.cis.cabrillo.edu)
rsimms pts/1                2015-09-16 08:36 .                   14270 (opus.cis.cabrillo.edu)
worf pts/3                 2015-09-16 08:42 .                   15181 (2601:647:cb02:9eed:78d1:ef8f:7225:43e5)
simben90 pts/2            2015-09-16 08:38 00:02              14876 (:0)
[rsimms@excalibur ~]$
```

```
[rsimms@excalibur ~]$ w
08:43:17 up 11 days, 10:10, 5 users, load average: 0.02, 0.14, 0.13
USER      TTY      LOGIN@  IDLE   JCPU   PCPU   WHAT
simben90 :0        08:36  ?xdm? 13:51  0.33s  0.33s gdm-session-worker [pam/gdm-password]
jadzia pts/0     08:41  1:44  0.03s  0.03s -bash
rsimms pts/1     08:36  5.00s  0.04s  0.00s w
worf pts/3     08:42  5.00s  0.02s  0.00s ping netlab.cis.cabrillo.edu
simben90 pts/2     08:38  2:53  0.35s  0.32s top
[rsimms@excalibur ~]$
```



## Putty to: **rsimms@oslab.cis.cabrillo.edu** vs **oslab.cis.cabrillo.edu**

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)	Port
<input type="text" value="rsimms@oslab.cis.cabrillo.edu"/>	<input type="text" value="2220"/>

Connection type:

Raw  Telnet  Rlogin  SSH  Serial

```
172.30.1.1 - PuTTY
Using username "rsimms".
rsimms@oslab.cabrillo.edu's password: █
```

*If you specify the username in Putty you won't be prompted for it, just the password.*

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)	Port
<input type="text" value="oslab.cis.cabrillo.edu"/>	<input type="text" value="2220"/>

Connection type:

Raw  Telnet  Rlogin  SSH  Serial

```
172.30.1.1 - PuTTY
login as: █
```

*If you specify only the hostname in Putty you get prompted for both username and password.*

*Tip: Use the Putty "Saved Sessions" for your Opus connection. Then you don't have to type in the username, hostname and port number each time you connect to Opus.*



## ssh arya-XX vs ssh cis90@arya-XX

(your Opus accounts are NOT on the Arya systems)

```

simben90@oslab:~
/home/cis90/simben $ ssh arya-35
simben90@arya-35's password:
Permission denied, please try again.
simben90@arya-35's password:
Permission denied, please try again.
simben90@arya-35's password:
Permission denied (publickey)
/home/cis90/simben $

cis90@Arya-35: ~
/home/cis90/simben $ ssh cis90@arya-35
cis90@arya-35's password:
Welcome to Ubuntu 14.04.1 LTS (GNU/Linux 3.13.0-35-generic x86_64)

* Documentation:  https://help.ubuntu.com/
  
```

*Benji is logged in as simben90 on Opus tries and fails to ssh into Arya-35 as simben90*

*Benji is logged in as simben90 on Opus tries and succeeds to uses ssh into Arya-35 as cis90*


If you don't specify the username the **ssh** command will use the username you are currently logged in as. This account may not exist on the remote system!

## type and man caveats

**Usually**, to find the location of a command on your path, use the **type** command:

```
/home/cis90/simben $ type hostname  
hostname is /bin/hostname
```

*The hostname program  
file is in the /bin directory*






## type and man caveats

**Usually**, to find the manual page for a command, use the **man** command:

```
/home/cis90/simben $ man hostname
```



```

simmsben@opus:~
HOSTNAME(1)                Linux Programmer's Manual                HOSTNAME(1)

NAME
  hostname - show or set the system's host name
  domainname - show or set the system's NIS/YP domain name
  dnsdomainname - show the system's DNS domain name
  nisdomainname - show or set system's NIS/YP domain name
  ypdomainname - show or set the system's NIS/YP domain name

SYNOPSIS
  hostname [-v] [-a] [--alias] [-d] [--domain] [-f] [--fqdn] [-i]
  [--ip-address] [--long] [-s] [--short] [-y] [--yp] [--nis] [-n]
  [--node]

  hostname [-v] [-F filename] [--file filename] [hostname]

  domainname [-v] [-F filename] [--file filename] [name]

  nodename [-v] [-F filename] [--file filename] [name]

  hostname [-v] [-h] [--help] [-V] [--version]

  dnsdomainname [-v]
  nisdomainname [-v]
  ypdomainname [-v]

DESCRIPTION
  Hostname is the program that is used to either set or display the
  current host, domain or node name of the system. These names are
  used by many of the networking programs to identify the machine.
  The domain name is also used by NIS/YP.
  
```

## Command Review

However,

Sometimes you may get something different than expected with the **type** and **man** commands

## type and man caveats

```
/home/cis90/simmsben $ type ls  
ls is aliased to `ls --color=tty`
```

*If the command is an alias (which we will learn about later) the type command by default doesn't show where the command resides on the path*

```
/home/cis90/simmsben $ type -a ls  
ls is aliased to `ls --color=tty`  
ls is /bin/ls
```

*To get around that use the **-a** option*

*The ls program file resides in the /bin directory*



*The **ls** command is aliased, use the **-a** option on the **type** command to find where the command resides on the path*

## type and man caveats

```
/home/cis90/simben $ type history
history is a shell builtin
```

The **history** command is built into the shell and does not have its own program file

```
/home/cis90/simben $ man history
```

```
simmsben@opus:~
BASH_BUILTINS (1)
NAME
bash, :, ., [, alias, bg, bind, break, builtin, cd, command, compgen,
complete, continue, declare, dirs, disown, echo, enable, eval, exec,
exit, export, fc, fg, getopts, hash, help, history, jobs, kill, let,
local, logout, popd, printf, pushd, pwd, read, readonly, return, set,
shift, shopt, source, suspend, test, times, trap, type, typeset,
ulimit, umask, unalias, unset, wait - bash built-in commands, see
bash(1)
BASH BUILTIN COMMANDS
Unless otherwise noted, each builtin command documented in this section
as accepting options preceded by - accepts -- to signify the end of the
options. For example, the :, true, false, and test builtins do not
accept options. Also, please note that while executing in non-interac-
tive mode and while in posix mode, any special builtin (like ., :,
break, continue, eval, exec, exit, export, readonly, return, set,
shift, source, times, trap, unset) exiting with a non-zero status
causes the shell to stop execution.
: [arguments]
No effect; the command does nothing beyond expanding arguments
and performing any specified redirections. A zero exit code is
```

The **history** command does not have its own man page either!

... but it is included in the man page for bash builtins

Either scroll down or use /history



# Mini Review

**Expectation Check**

Commands you should understand and be comfortable using

Lesson/Lab 1		Lesson/Lab 2	
Commands	Files & Directories	Commands	Files & Directories
cal clear date exit history hostname id ps ssh uname tty who who am i	/etc/issue /etc/*-release	apropos banner bash bc cat cd echo env file finger info file ls passwd set type man whatis	/bin /usr/bin /sbin /usr/sbin /etc/passwd /etc/shadow

*If you have any questions on these commands, post a question on the forum!*

## Class Activity

In what file are all the encrypted passwords kept?

*Put your answer in the chat window*

The **ssh** command is used to login as *username* on a remote UNIX/Linux system named *hostname* via a firewall *port* as follows:

**ssh -p *port* *username*@*hostname***

Examples:

```
ssh -p 2220 simben90@son-of-opus.simms-teach.com
```

```
ssh -p 22 cis90@rhea.cishawks.net
```

Shortcuts:

- If the port is 22, then it does not need to be specified
- If the username is the same on the remote system it can be left off
- If domain suffixes are automatically added they can be left off

For example Benji could use either command below to log into daughter-of-opus from Opus:

```
ssh -p 22 simben90@daughter-of-opus.cis.cabrillo.edu
```

```
ssh daughter-of-opus
```



## Class Activity


ssh to the Rhea system (port 22) and login as the cis90 user.

What terminal device are you using on Rhea?

*Put your answer in the chat window*

# Key components of the Linux/UNIX architecture

*Users interact with the shell to run commands*



*Commands such as ls, cal, date, tty, id, who, etc.*

*Web servers, databases, word processors, etc.*



*The kernel manages processes, memory, file system, and the network stack and interacts with all the hardware components*

## Class Activity


*If you haven't already, ssh to the Rhea system (port 22) and login as cis90.*

What kernel is running on Rhea?

*Put your answer in the chat window*



# Life of the Shell



- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat



## Class Activity

*If you haven't already, ssh to the Rhea system (port 22) and login as cis90.*


1) How many directories are on your path on Rhea?

*Put your answer in the chat window*

2) If the shell was searching for the man command on Rhea, how many directories would it have to search to find it?

*Put your answer in the chat window*

## Inputs and Outputs



The three file descriptors provided to every process are named **stdin**, **stdout** and **stderr**



## Class Activity

*If you haven't already, ssh to the Rhea system (port 22) and login as cis90.*

Does the **banner** command on Rhea get it's input from the command line, the keyboard (stdin) or the operating system?

*Put your answer in the chat window*



# Practice Questions sun-hwa-iii



## My favorite ice cream shop



Source: [http://attractions.uptake.com/blog/files/2008/10/dsc\\_0002.jpg](http://attractions.uptake.com/blog/files/2008/10/dsc_0002.jpg)

## Activity

1) What command could be used on Opus to log into this remote system:

**hostname:** sun-hwa-iii.cis.cabrillo.edu

**username:** *same as your Opus username*

**port:** 22

*Write your command in the chat window*

## Activity

1) What command could be used on Opus to log into this remote system:

**hostname:** sun-hwa-iii.cis.cabrillo.edu

**username:** *same as your Opus username*

**port:** 22

**Answer: ssh sun-hwa-iii**

## Activity

Log into sun-hwa-iii and run the **icecream** command.

*Copy your ice cream flavor into the chat window.*



## Practice Test Questions

On Sun-Hwa-III, is the **icecream** command on your path?

*Write your answer in the chat window*

## Practice Test Questions

On Sun-Hwa-III, is the **icecream** command on your path? If so what directory is it in?

*If the shell can find it when you run it then it is on your path!*

```
[simben90@sun-hwa-iii ~]$ icecream
```

```
Welcome to Sun-Hwa-III Benji!  
You get 10-20 icecream today.  
Hope you like it. Have a great day!
```

*Use the **type** command to find the first directory on your path containing the command*

```
[simben90@sun-hwa-iii ~]$ type icecream  
icecream is /usr/local/bin/icecream  
[simben90@sun-hwa-iii ~]$
```

**Answer:** YES, the **icecream** command is in the `/usr/local/bin` directory



## Practice Test Questions

On Sun-Hwa-III, what kind of a file is the **icecream** command?

*Write your answer in the chat window*

## Practice Test Questions

On Sun-Hwa-III, what kind of file is the **icecream** command?

*Use the **file** command to probe and get extended file type information*

```
[simben90@sun-hwa-iii ~]$ file /usr/local/bin/icecream  
/usr/local/sbin/icecream: Bourne-Again shell script, ASCII text  
executable  
[simben90@sun-hwa-iii ~]$
```

**Answer:** BASH shell script



## Practice Test Questions

On Sun-Hwa-III, how many directories does the shell have to search to locate the **icecream** command on your path?

*Write your answer in the chat window*

## Practice Test Questions

On Sun-Hwa-III, how many directories does the shell have to search to locate the **icecream** command on your path?

*Echo the PATH environment variable to see the order of the directories on the path*

```
simben90@Sun-Hwa-III:~$ type icecream  
icecream is hashed (/usr/local/bin/icecream)
```

```
simben90@Sun-Hwa-III:~$ echo $PATH  
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/g  
ames:/usr/local/games[simben90@sun-hwa-iii ~]$
```

*Note the colon character : is used to delimit one directory from the next*

**Answer:** Two

- 1) /usr/local/sbin
- 2) /usr/local/bin ←



## Practice Test Questions

Is **icecream** a standard UNIX command?

*Write your answer in the chat window*

## Practice Test Questions

On Sun-Hwa-III, is **icecream** a standard UNIX command?

*Use the **man** command to see if there is any documentation on **icecream***

```
[simben90@sun-hwa-iii ~]$ man icecream  
No manual entry for icecream  
See 'man 7 undocumented' for help when manual pages are not available.
```

**Answer:** NO



## Practice Test Questions

Is Sun-Hwa-iii a Linux or UNIX system?

*Write your answer in the chat window*

## Practice Test Questions

Is Sun-Hwa-iii a Linux or UNIX system?

*Use the **uname** command to show the name of the kernel*

```
[simben90@sun-hwa-iii ~]$ uname  
Linux
```

**Answer:** Linux





## Practice Test Questions

What distro has been installed on Sun-Hwa-iii?

*Write your answer in the chat window*



## Practice Test Questions

What distro has been installed on Sun-Hwa-iii?

*Use **cat /etc/issue** or **cat /etc/\*-release**  
to show the distro*

```
[simben90@sun-hwa-iii ~]$ cat /etc/issue  
Ubuntu 14.04 LTS \n \l  
[simben90@sun-hwa-iii ~]$
```

**Answer:** Ubuntu 14.04

# Terminals

## Hardware Terminals



**Teletype (TTY)**




**VT100**




Terminals were used in the old days to interact with "minicomputers" and "mainframe" computers.

Today we use **terminal emulators** instead that are software programs.

# Software Terminals





**Terminal emulators like PuTTY** (with scroll bars, colors, customizable backgrounds, fonts and sizes) for Windows



**Graphical terminals** (with scroll bars, colors, customizable backgrounds, fonts and sizes) built into Linux/Mac computers


## Virtual terminals (use ctrl-alt-fn)

Bare bones, no scroll bars,  
also called a console



# Various terminal devices on an Arya VM

## Terminal emulators (e.g. Putty)




```


cis90@Arya-35:~$ who
cis90  tty4      2014-09-06 17:25
cis90  tty2      2014-09-06 17:25
cis90  pts/2      2014-09-06 17:20 (enterprise.cis.cabrillo.edu)
cis90  :0          2014-09-06 17:20 (:0)
cis90  pts/0      2014-09-06 17:21 (2601:9:6680:53b:4d09:e2b6:e7fc:d999)
cis90  pts/9      2014-09-06 17:22 (:0)
cis90  pts/13     2014-09-06 17:23 (:0)
    
```

*pts=pseudo terminal,  
tty=teletype  
:n=an X window display number*

## Graphical terminals on graphical desktop



## Virtual terminals





# Housekeeping





## Lab 2 due tonight

- Use **history -a** before every **submit**.
  - ❖ If you neglect to do this the history snapshot you send me to grade will not have the latest commands you issued.
- Submit as many times as you wish up to 11:59PM Opus time.
- No credit for late work. Submit what you have for partial credit if you run out of time.
- You can optionally use the **verify** command to see what you submitted for grading.
  - ❖ To grade, I will check your submitted history to see if you used all the commands asked for in Lab 2 as well as your answers to the three questions.



Grades posted on website

<http://simms-teach.com/cis90grades.php>

Current Progress		Quizzes & Tests										Forum					Labs					Extra		Total Grade										
Code	Grading Choice	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	T1	T2	T3	F1	F2	F3	F4	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	Project	Credit	Total	Grade		
Name	Max Points	3	3	3	3	3	3	3	3	3	3	30	30	30	20	20	20	20	30	30	30	30	30	30	30	30	30	30	60	90	560			
amshaha	grade																	24																
anata	grade																	26												2				
anishin	grade																	10																
aragoni	grade																	28												3				
astor	grade																	14																
Befeyond	grade																																	
Biba	grade																	14																
celebrant	grade																	30												6				
clay	grade																	24																
dmahy	grade																	29												2				
elmer	grade																	29												9				
Estelle	grade																	19												5				
flood	grade																	29												5				
garr	grade																																	
gentry	grade																	39												6				
kevin	grade																	14																
kyckes	grade																	36												2				
marlean	grade																	28																
orime	grade																	30																
padano	grade																																	
pappen	grade																	30																
SAABean	grade																	24													4			
sigar	grade																																	
simone	grade																	16																
Shannon	grade																	0																
starr	grade																	11																
theoden	grade																	27																
trebeard	grade																	11													6			
Wilkes	grade																	30																
Witt	grade																																	

Please check your grades and grading option (grade are pass/nopass) is correct.

Send me your student survey from Lesson 1 to get your code name.

Percentage	Total Points	Letter Grade	Pass/No Pass
90% or higher	504 or higher	A	Pass
80% to 89.9%	448 to 503	B	Pass
70% to 79.9%	392 to 447	C	Pass
60% to 69.9%	336 to 391	D	No pass
0% to 59.9%	0 to 335	F	No pass

At the end of the term I'll add up all your points and assign you a grade using this table:

# Extra Credit

SS  
SS

se. **Another 90 points is available** from **extra credit** assignments. Students c  
erall progress on the chart below. Contact the instructor by email with any que

		Forum				Labs										Final
Q	T	F	S	F	L1	L2	L3	L4	L5	L6	L7	L8	L9	L10	Project	
3	30	30	30	20	20	20	20	30	30	30	30	30	30	30	30	60
								30								
								30								

*Note the caps  
on extra credit.*

**Rich's Cabrillo College CIS Classes**  
**CIS 90 Extra Credit**

Home Resources Forums CIS Lab CTC

Login  
Flashcards  
Admin

[CIS 90](#)  
[Previous Classes](#)

**95 days till term ends!**

[Cabrillo College](#)  
[Web Advisor](#)  
[CCC Confer](#)  
[Static IPs](#)  
[Quick Ref](#)  
[VM Repairs](#)  
[GAH!](#)

**CIS 90 Extra Credit**  
[Course Home](#) [Grades](#)

**General Options**  
Any combination of the following can be done to earn extra credit up to the maximum amount shown on the Grades page:

- **Web site content review** - The first person to email the instructor pointing out an error or typo on this website will get one point of extra credit per content error found. This includes any errors found on the instructor's downloaded materials that have been covered in class. It does not include lesson PowerPoints or Labs that have not yet been covered in class but are pre-published on the website. **Up to 20 points total**
- **Develop new Howtos** - Investigate and develop a Howto on a new topic area you are interested in. At the Instructor's discretion and your permission, these Howtos will be published on this web site on the Resources page. Make a proposal first to the instructor on the topic area and to determine the amount of extra credit. Submittals must follow the format of the instructor's Howtos on the Resources web page and be web publishable. **Up to 20 points per Howto**
- **Optional activities in lab assignments** - Some of the lab assignments will have optional activities that can be worked for extra credit.
- **Lab assignments** - Some courses may have one or more extra credit labs. Check the Calendar web page. (Point amount varies)

## Extra Credit Howtos

**Rich's Cabrillo College CIS Classes Resources**

Home Resources Forums CIS Lab CTC

Login  
Flashcards  
Admin

CIS 90  
CIS 192  
Previous Classes

101 days till term ends!

Cabrillo College  
Static IPs

**Links**

<p><b>Instructors</b></p> <ul style="list-style-type: none"> <li>Programming Master Ed</li> <li>Linux Master Jim</li> <li>Web Master John</li> <li>Network Master Gerlinde</li> <li>Network Master Rick</li> </ul> <p><b>Clubs</b></p> <ul style="list-style-type: none"> <li>GNU Linux Users Group</li> </ul> <p><b>Departments</b></p> <ul style="list-style-type: none"> <li>CNSA</li> <li>CIS</li> <li>CS</li> </ul> <p><b>Crib Sheets</b></p> <ul style="list-style-type: none"> <li>Ollie Wright (CIS 90)</li> </ul>	<p><b>Getting Linux</b></p> <ul style="list-style-type: none"> <li>Linux ISOs</li> <li>Kernels</li> <li>RPMs</li> </ul> <p><b>Tools and Software</b></p> <ul style="list-style-type: none"> <li>Apache</li> <li>Bastille</li> <li>cygwin</li> <li>DIAG, diagnostics</li> <li>DOS boot disks</li> <li>John the Ripper</li> <li>MSDN Academic Alliance</li> <li>Netfilter</li> <li>Putty SSH Tools</li> <li>Tripwire</li> <li>VMware Server</li> <li>Wireshark</li> </ul> <p><b>Standards</b></p> <ul style="list-style-type: none"> <li>IETF (RFCs)</li> <li>IEEE</li> </ul>	<p><b>Documentation</b></p> <ul style="list-style-type: none"> <li>TLDP</li> <li>LINFO</li> <li>Commands</li> <li>Summary</li> <li>vi summary</li> </ul> <p><b>Howtos</b></p> <ul style="list-style-type: none"> <li>email</li> <li>DNS</li> <li>Ethernet (NIC drivers)</li> <li>NIS</li> <li>PPP</li> <li>NFS</li> </ul> <p><b>Student Howtos</b></p> <ul style="list-style-type: none"> <li>Marc Romansky (Accessing VMware remotely via Linksys Router)</li> <li>Marc Romansky (Accessing VMware with PuTTY)</li> <li>Marcos Valdebenito (VirtualBox)</li> <li>Michael Wicherski (Permissions)</li> <li>Michael Wicherski (/bin/mail)</li> </ul>
--	---	---

*If you have a strong interest in a topic write a Howto on it to share what you've learned and earn some extra credit at the same time*

**Wifi Penetration**  
Wireless Communication and Computer/Network Forensics

*Understanding /bin/mail :  
Lost Student versus /bin/mail*

**Linux Howtos**  
Accessing VMware remotely via Linksys Router  
Fall 2008

**Assumptions**

- VMware server is installed and functioning on your home system.
- You have a home grade router that allows you to configure port forward
- You are able to determine the IP address of your home based system
- You are able to "hard code" and IP address on your VMware host system
- You are able to determine the IP address of your Virtual Machine


**How to Install Virtual Box**  
Marcos Valdebenito

**I. Introduction**  
This How To will show the installation of the Virtual Box program that can be set up in Windows XP to run a second Operating System in a single computer. Additionally, Linux Operating Systems will be installed to demonstrate the use of the Virtual Box.

**II. What is VirtualBox?**  
Virtual Box is an Open Source software, is freely available, and performs as a *Virtual Machine*. It can be installed on the most popular operating systems such as Windows XP and Vista, Macintosh and Linux hosts, while additionally supporting a large number of guest operating systems such as Red Hat, Fedora, Ubuntu, OpenSuse, Open SUSE, Debian. You can even install Windows Vista or Windows XP Guest in a Linux Host without a dual boot environment... just one key will switch from Host OS to Guest OS. This is a big advantage since you can have two operating systems in the same screen at the same time without restarting your machine!



Got stuck or having trouble getting started in this course?




*If you would like some additional come over to the CIS Lab. There are student lab assistants and instructors there to help you.*

*Tess, Michael F., and Paul are all CIS 90 Alumni.*

*Mike Matera is the other Linux instructor.*

*I'm in there Mondays 11:00-1:30.*





## Use the forum to arrange study group meetings

- Post a message that you would like to work with others on a lab or prepare for a test.
- Face-to-Face: Ask others to meet in the CIS Lab or other location.
- Online: Ask others to email you for Skype (or equivalent) session.
- If you noted you were interested in study groups on your survey Rich may email you to check the forum.
- Check the CIS Lab schedule to see if helpful Lab Assistants will be nearby if your study group has questions.



## Forum

oslab.cishawks.net/forum/viewforum.php?f=93&sid=4f90a29022aeab31bf623a55cf7a6b51

phpBB® creating communities

Cabrillo College: Computer and Information Systems  
Forum for students in the Computer Networking and System Administration and/or  
Computer Support Specialist programs

Search... Search  
Advanced search

Board

CIS 90

Forum rules  
Be nice to others

NEWTOPICS

ANNOUNCEMENTS

TOPICS

- Next week is the 1<sup>st</sup> five post deadline!  
(worth 20 points)
- Only your posts in the **CIS 90** forum will  
earn points
- Make sure your username is your **full  
first** and **last** name, separated by a  
space, so you get credit for your posts

*Email the instructor for username changes or  
to reset your password*

Using step for step to transfer files by Robert Lemon » Tue Feb 11, 2014 11:17 am	1	8	by Rich Simms Tue Feb 11, 2014 1:20 pm
Using virtualbox for fun and education by Jon Wells » Sat Feb 01, 2014 3:55 pm	3	46	by Robert Lemon Tue Feb 11, 2014 11:15 am
Microsoft and VMware academic webstores	0	8	by Rich Simms

## Software for eligible CIS students

The screenshot shows a web browser window with the URL [simms-teach.com/resources.php](http://simms-teach.com/resources.php). The page title is "Rich's Cabrillo College CIS Classes Resources". The navigation menu includes "Home", "Resources" (highlighted in red), "Forums", "CIS Lab", and "Blackboard".

On the left sidebar, there are links for "Login", "Flashcards", "Admin", "CIS 90", "Previous Classes", "95 days till term ends!", "Cabrillo College", "Web Advisor", "Commands and Files", "VLab RDP file", "CIS 90 VLab VM Assignments", "RIP Dennis Ritchie", and "Opus Status: UP".

The main content area is titled "Links" and is divided into several columns:


- Instructors:** Programming Master Ed, Network Master Gerlind, Programming Master Jeffrey, Linux Master Jim, Web Master John, Systems Master Michael, Hardware Master Marcelo, Network Master Rick, Programming Master Steve.
- Getting Linux/UNIX:** Linux ISOs, Kernels, RPMs (rpmfind), RPMs (pbone), OpenSolaris.
- Tools and Software:** Apache, Bastille, CoRD, cygwin, DOS boot disks, Dynamips/Dynagen, John the Ripper, Netfilter, Putty SSH Tools, Quagga routing suite, Tripwire, Wireshark.
- Commands:** Practical, Command Directory, Useful, vi summary, vi cheat sheet.
- Howtos:** HowtoForge, email, DNS, Ethernet (NIC drivers), NFS, NIS, PPP, Putty SSH Keys, Using sed.
- Student Howtos:** Monitor Script by Sean Callahan, WiFi Penetration by Ryan Schell, Logging into Opus from a Mac by Laura Sreckovic, LDAP Implementation by Tim Childers, Install and DualBoot into Microsoft Windows 7 and Linux Ubuntu by Richie Fou.
- Academic Software for CIS Students:** Microsoft Webstore, VMware Webstore (highlighted in red).
- Virtualization:** VirtualBox, VMware ESXi and
- Clubs:** Computer Club, Robotics Club.
- Departments:**



*How to obtain Microsoft and VMware software for academic use*



# Microsoft products for CIS students



*Accounts for students enrolled in CIS 90 have been created using your WebAdvisor email addresses.*

*Link is on website Resources page in Tools and Software section.*

*Licensed for educational use only.*

*Happy downloading!*

# VMware products for CIS students

The screenshot shows a web browser window displaying the VMware website. The page title is "Cabrillo College - Computer and Information Systems". Below the title is a search bar and a navigation menu with "Students" and "Faculty/Staff" tabs. The main content area is titled "VMware, Inc." and features a grid of 16 product tiles. Each tile includes a product icon and its name: VMware Fusion 6 (for Mac OS X), VMware Workstation 10, VMware Study Material Discount Code, VMware Exam Discount Code, VMware eLearning, VMware Fusion 3 (for Mac OS X), VMware Fusion 4 (for Mac OS X), VMware Fusion 5 (for Mac OS X), VMware Player 5, VMware Player 6 Plus, VMware Sales Professional, VMware vCenter Server 5 Standard, VMware vCloud Director, VMware vCloud Suite Standard, VMware vSphere 5, VMware Workstation 7, and VMware Workstation 8. At the bottom of the page, there are logos for Norton Secured, McAfee, OnTheHub, and Powered by Kivuto, along with a version number: v3.15.4753.198 (P2986240).

*Accounts for students enrolled in CIS 90 have been created using your WebAdvisor email addresses.*

*Link is on website Resources page in Tools and Software section*

*Licensed for educational use only.*

*Happy downloading!*



# Course Expectations Check

## Expectation Check

Skills you should be comfortable performing

### Navigating <http://simms-teach.com>

- Enter the CCC Confer Virtual Classroom
- Watch video recordings of previous lessons
- Download and search lessons PDFs
- Review your graded work and monitor your current grade status
- Find out when any assignment is due
- Find when any quiz and test will be held
- Find the answers for graded labs and quizzes
- Read and make forum posts
- Obtain Microsoft and VMware products at no cost for academic use
- Locate your personal Arya system

### Navigating systems

- Log into Opus from home or school using SSH
- Log into Arya and other VMs from Opus using SSH
- Use Arya's graphical desktop via VLab
- Change Virtual (TTY) Terminals on your Arya

### Using the shell

- Use any of the Lesson 1 and 2 commands
- Parse any shell command
- Get documentation on any command
- Identify the four key components of the UNIX/Linux architecture
- Identify the six steps the shell performs for every command
- Temporarily change your shell prompt
- Set and show values of shell variables like PATH, TERM and PS1


*If you have any questions on these skills, post a question on the forum!*

## *Notes to Rich*



If there is enough time do some of the practice questions in the Backup section





# More commands for your toolbox



## Lesson 3 commands for your toolbox

**write**

- "chat" with another user by writing to their terminal

**mesg**

- enable/disable writes to your terminal

**mail**

- send and read email



# Write Command

Use the write command to chat with another user



```

simben90@oslab:~
/home/cis90/simben $ write milhom90
What's up?

Message from milhom90@oslab.cishawks.net on pts/1 at 09:30 ...
Not much ... want to run around and bark for awhile?
Sure, meet you in the park in 5 mins
Ok
EOF
/home/cis90/simben $ ^C
/home/cis90/simben $
  
```

```

write milhom90
What's up?
Sure, meet you in the park in 5 mins
<Ctrl-D>
  
```



```

milhom90@oslab:~
Message from simben90@oslab.cishawks.net on pts/0 at 09:30 ...
What's up?
write simben90
Not much ... want to run around and bark for awhile?
Sure, meet you in the park in 5 mins
Ok
/home/cis90/milhom $ EOF
/home/cis90/milhom $
  
```

```

write simben90
Not much ... want to run around and
bark for awhile?
OK
<Ctrl-D>
  
```

# write command

send a message to another user

## Syntax:

**write** *username* [*ttyname*]

- Use *ttyname* if there are multiple logins by the target username
- The receiver sees:  

```
Message from yourname@yourhost on yourtty at hh:mm ...
```
- Each line you type gets sent to the other user's terminal
- To end sending message type Ctrl-D (Hold down Ctrl and tap D key)
  - The receiver will see an EOF (end of file) at the end
- If the receiver wants to reply then they must use the **write** command as well
- Use **mesg n** (to block incoming messages)
- Use **mesg y** (to allow incoming messages)

# write command

send a message to another user

## Where is the write command?

```
/home/cis90/simben $ type write  
write is /usr/bin/write
```

*Answer: It's in the /usr/bin directory*

## What kind of file is the write command?

```
/home/cis90/simben $ file /usr/bin/write  
/usr/bin/write: setgid ELF 32-bit LSB shared object, Intel  
80386, version 1 (SYSV), dynamically linked (uses shared  
libs), for GNU/Linux 2.6.18, stripped
```

*Answer: It's a binary executable*

*ELF = Executable and Linkable Format*

*LSB=Least Significant Bit type of bit order*

# write command

send a message to another user

```
/home/cis90/simben $ man write
```

```

WRITE (1)                                Linux Programmer's Manual          WRITE (1)
NAME
write - send a message to another user

SYNOPSIS
write user [ttyname]

DESCRIPTION
Write allows you to communicate with other users, by copying lines from your terminal to theirs.

When you run the write command, the user you are writing to gets a message of the form:

    Message from yourname@yourhost on yourtty at hh:mm
    ...

Any further lines you enter will be copied to the specified user's terminal. If the other user wants to reply, they must run write as well.

When you are done, type an end-of-file or interrupt character. The other user will see the message EOF indicating that the conversation is over.

You can prevent people (other than the super-user) from writing to you with the mesg(1) command. Some commands, for example nroff(1) and pr(1), may disallow writing automatically, so that your output isn't overwritten.

```

Use the **man** command to review how the write command works.



# write command

simben90 writes to milhom90



*Benji, uses the **who** command to see the current users logged into Opus. He sees his friend Homer is logged in twice.*

```
/home/cis90/simben $ who
srelau98 pts/0      2012-09-11 06:36 (anice-34-27-241-136.wanadoo.fr)
simben90 pts/1      2012-09-11 06:47 (42-15-94-107.dsl.com)
alvdes98 pts/2      2012-09-11 07:49 (c-25-14-136-111.comcast.net)
milhom90 pts/3      2012-09-11 08:03 (42-15-94-107.dsl.com)
milhom90 pts/4      2012-09-11 08:09 (42-15-94-107.dsl.com)
```



*Homer, ever curious, uses the **tty** command to see what terminal device he is currently using*

```
/home/cis90/milhom $ tty
/dev/pts/4
/home/cis90/milhom $
```

# write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4
```

*1) Benji enters this*



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
```

*2) Homer sees this appear on his terminal*

# write command

simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?
```

1) Benji enters this



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?
```

2) Homer sees this appear on his terminal

# write command

simben90 writes to milhom90



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?  
write simben90
```

*1) Homer enters this*



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
```

*2) and Benji sees this appear on his terminal*

# write command

simben90 writes to milhom90



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?  
write simben90  
What's with the periods on the long listing permissions?
```

*1) Homer enters this*



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...  
What's with the periods on the long listing permissions?
```

*2) and Benji sees this appear on his terminal*

# write command

## simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...  
What's with the periods on the long listing permissions?
```

```
I think it's SELinux
```

*1) Benji enters this*



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?  
write simben90  
What's with the periods on the long listing permissions?  
I think it's SELinux
```

*2) Homer sees this appear on his terminal*

# write command

simben90 writes to milhom90



```
/home/cis90/milhom $  
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...  
What do you think of the new CentOS distro?  
write simben90  
What's with the periods on the long listing permissions?  
I think it's SELinux  
Talk to you later, I'm going to bark a little and take a nap
```

*1) Homer enters this*



```
/home/cis90/simben $ write milhom90  
write: milhom90 is logged in more than once; writing to pts/4  
What do you think of the new CentOS distro?  
  
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...  
What's with the periods on the long listing permissions?  
I think it's SELinux  
Talk to you later, I'm going to bark a little and take a nap
```

*2) and Benji sees this appear on his terminal*



# write command

## simben90 writes to milhom90



```

/home/cis90/milhom $
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
What do you think of the new CentOS distro?
write simben90
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
Ctrl-D ← 1) Homer issues a Ctrl-D (holds down Ctrl
           key, then taps D key)
/home/cis90/milhom $

```



```

/home/cis90/simben $ write milhom90
write: milhom90 is logged in more than once; writing to pts/4
What do you think of the new CentOS distro?

Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
EOF ← 2) and Benji sees this appear on his terminal

```

# write command

## simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90
write: milhom90 is logged in more than once; writing to pts/4
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
EOF
```

**bye** ← 1) *Benji enters this*

---



```
/home/cis90/milhom $
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
What do you think of the new CentOS distro?
write simben90
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
```

/home/cis90/milhom \$ **bye** ← 2) *Homer sees this written to his terminal*

# write command

## simben90 writes to milhom90



```
/home/cis90/simben $ write milhom90
write: milhom90 is logged in more than once; writing to pts/4
What do you think of the new CentOS distro?
```

```
Message from milhom90@oslab.cabrillo.edu on pts/4 at 09:55 ...
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
EOF
bye
Ctrl-D
/home/cis90/simben $
```

*1) Benji issues a Ctrl-D (holds down Ctrl key, then taps D key)*



```
/home/cis90/milhom $
Message from simben90@oslab.cabrillo.edu on pts/1 at 09:52 ...
What do you think of the new CentOS distro?
write simben90
What's with the periods on the long listing permissions?
I think it's SELinux
Talk to you later, I'm going to bark a little and take a nap
/home/cis90/milhom $ bye
```

EOF

*2) and Homer sees this appear on his terminal*

# mesg command


**mesg y** enables and **mesg n** disables writes to your terminal



```
/home/cis90/milhom $ mesg n
```



*1) Homer disables writes to his terminal so he can take his nap*



```
/home/cis90/simben $ write milhom90  
write: milhom90 has messages disabled
```

*2) Benji discovers that Homer is no longer accepting messages*

# who command

The -T option shows who is writeable

*The -T option shows users messages status*

```
/home/cis90/simben $ who -T
srelau98 + pts/0          2012-09-11 06:36 (anice-34-27-241-136.wanadoo.fr)
simben90 + pts/1          2012-09-11 06:47 (42-15-94-107.dsl.com)
alvdes98 + pts/2          2012-09-11 07:49 (c-25-14-136-111.comcast.net)
milhom90 - pts/3          2012-09-11 08:03 (42-15-94-107.dsl.com)
milhom90 - pts/4          2012-09-11 08:09 (42-15-94-107.dsl.com)
```

*+ indicate writes to this user are enabled and - indicates writes to this user are blocked*

```
/home/cis90/simben $ ls -l /dev/pts*
total 0
crw--w----. 1 srelau98 tty 136, 0 Sep 11 08:15 0
crw--w----. 1 simben90 tty 136, 1 Sep 11 08:25 1
crw--w----. 1 alvdes98 tty 136, 2 Sep 11 08:25 2
crw-------. 1 milhom90 tty 136, 3 Sep 11 08:19 3
crw-------. 1 milhom90 tty 136, 4 Sep 11 08:19 4
c------. 1 root root 5, 2 Jul 30 21:25 ptmx
```

*We will learn about file wildcards and permissions later.*

*This is a just a preview showing that write permission is removed from /dev/pts/3 and /dev/pts/4 for the tty group.*

## Class Activity

*Students, login to Opus if you haven't already*

- Use the write command to "chat" with your pair mate.  
e.g. **write** *username*
- Ask your pair mate for their real first name and put that in the chat window.
- End the chat session with Ctrl-D

Note to Rich:

Run **pairs** alias (script in /home/rsimms/cis90/lab03/scripts directory)



# Basic Mail



# Sending Mail



# UNIX mail

## Sending messages

**mail** *recipient1 recipient2 ... recipientN*

The mail command can be used to send an email to one or more recipients. Each argument designates a recipient specified by a username (in /etc/passwd), a normal email address, or an alias (in /etc/aliases).

### Examples:

**mail rsimms**      *username as argument*

**mail simben90 prites90 mcgmon90**      *multiple usernames as arguments*

**mail richsimms@yahoo.com feredu90**      *regular email address and  
username as arguments*

**mail \$LOGNAME**      *your username, specified using a variable, as argument*

**mail cis90-students**      *an alias (used as a distribution list)  
for all CIS 90 students*

# UNIX mail

## Sending messages

```
/home/cis90/simben $ type mail  
mail is /bin/mail
```

*The mail program is on the path and in the /bin directory.*

```
/home/cis90/simben $ file /bin/mail  
/bin/mail: symbolic link to `mailx'
```

*It is a "symbolic link" (we learn about these later) to the mailx program.*

```
/home/cis90/simben $ type mailx  
mailx is /bin/mailx
```

*The mailx program file is also in the /bin directory.*

```
/home/cis90/simben $ file /bin/mailx  
/bin/mailx: ELF 32-bit LSB executable, Intel 80386, version 1  
(SYSV), dynamically linked (uses shared libs), for GNU/Linux  
2.6.18, stripped
```

*The mailx program is a binary executable.*

# UNIX mail

## Sending messages

*As an example, Benji sends an email to Homer (a user on Opus) and Rich (using his Yahoo email address)*

**Homer**  
(milhom90)



**Rich**  
(richsimms@yahoo.com)



**Benji**  
(simben90)

```
/home/cis90/simben $ mail milhom90 richsimms@yahoo.com
Subject: Where is the old bone
I can't find my old bone. Let me know if you see it.
Thanks,
Benji
.
EOT
/home/cis90/simben $
```

*Use Ctrl-D or a single period to end the message (End Of Text)*

*Recipients can be Opus users (just specify their username) or regular email addresses.*

## Class Exercise UNIX mail

- Login to Opus
- Send me a message

```
/home/cis90/simben $ mail rsimms  
Subject: Hello  
This mail program is pretty crazy!  
.  
/home/cis90/simben $
```

## Notes to Rich



[ ] - Send out Welcome letter

use **welcome** alias or

**~rsimms/cis90/lab03/scripts/uhist/mail-welcome**

[ ] - Test cis90-students alias

# Reading Mail

# UNIX mail

## Reading messages

### **Syntax:**

### **mail**

*To read mail, enter the mail command with no arguments. The mail command has its own mini-shell with its own set of mail oriented commands.*

# UNIX Mail

## Reading messages



**Homer**  
(milhom90)

```
/home/cis90/milhom $
```

```
You have new mail in /var/spool/mail/milhom90
```

*Homer notices he has received new mail and runs the mail command to see what has arrived*

```
/home/cis90/milhom $ mail
```

```
Heirloom Mail version 12.4 7/29/08. Type ? for help.
```

```
"/var/spool/mail/milhom90": 1 message 1 new
```

```
>N 1 Benji Simms Tue Sep 11 12:59 22/830 "Where is the old bone"
```

```
& 1
```

*He types 1 to read message 1*

```
Message 1:
```

```
From simben90@oslab.cabrillo.edu Tue Sep 11 12:59:27 2012
```

```
Return-Path: <simben90@oslab.cabrillo.edu>
```

```
From: Benji Simms <simben90@oslab.cabrillo.edu>
```

```
Date: Tue, 11 Sep 2012 12:59:27 -0700
```

```
To: richsimms@yahoo.com, milhom90@oslab.cabrillo.edu
```

```
Subject: Where is the old bone
```

```
User-Agent: Heirloom mailx 12.4 7/29/08
```

```
Content-Type: text/plain; charset=us-ascii
```

```
Status: R
```

```
I can't find my old bone. Let me know if you see it.
```

```
Thanks,
```

```
Benji
```

*The N signifies a new message*

*The & is the mail prompt*



# UNIX mail

## Reading messages sent from UNIX mail



**Rich**  
(richsimms@yahoo.com)

The screenshot shows a web browser window displaying the Yahoo! Mail interface. The address bar shows the URL `us.mg6.mail.yahoo.com/neo/launch?.rand=cgngjcotde4d7`. The page header includes the user's name "Hi, Richard", a search bar, and navigation links. The main content area shows an inbox with a list of emails. The selected email is from Benji Simms with the subject "Where is the old bone", dated Tuesday, September 11, 2012 at 1:02 PM. The email body contains the text: "I can't find my old bone. Let me know if you see it. Thanks, Benji".

FROM	SUBJECT	DATE
Benji Simms	Where is the old bone	1:02 PM
Microsoft Security	Smartphones: Important safety information	12:53 PM
ECT News Network	Holiday Readiness Handbook 2012 - 300 Compa...	10:54 AM
Steve Hodges	Re: Dept Meeting, 9/21-Reschedule	10:01 AM
James Griffin	Re: Dept Meeting, 9/21-Reschedule	9:29 AM
Rick Graziani	Re: Dept Meeting, 9/21-Reschedule	9:04 AM

**Where is the old bone**

FROM: Benji Simms  
 TO: richsimms@yahoo.com, milhom90@oslab.cabrillo.edu

Tuesday, September 11, 2012 1:02 PM

I can't find my old bone. Let me know if you see it.  
 Thanks,  
 Benji

*Rich reads the email from Benji using Yahoo mail (a mail user agent)*

## Class Exercise

### UNIX mail

- Read your own mail by typing the **mail** command by itself
- Enter the number of the message to print a message.  
**1**  
**2**
- Use the **q** command to exit

*Tip: You can just hit the Enter key by itself to read the next unread message.*



# Replying to Mail

# UNIX Mail

## Replying to messages



**Homer**  
(milhom90)

< continued from above >

```
I can't find my old bone.  Let me know if you see it.  
Thanks,  
Benji
```

```
& r 1
```

```
To: milhom90@oslab.cabrillo.edu richsimms@yahoo.com  
    simben90@oslab.cabrillo.edu  
Subject: Re: Where is the old bone
```

```
Benji Simms <simben90@oslab.cabrillo.edu> wrote:
```

```
> I can't find my old bone.  Let me know if you see it.  
> Thanks,  
> Benji
```

```
I think its under the sink  
- Homer
```

```
.
```

```
EOT
```

```
&
```

*After reading the message from Benji, Homer replies with the mail **r** command (for reply to all).*

# UNIX Mail

## Benji gets the reply from Homer



**Benji**  
(simben90)

```
You have mail in /var/spool/mail/simben90
/home/cis90/simben $ mail
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"/var/spool/mail/simben90": 1 message 1 unread
>U 1 Homer Miller          Tue Sep 11 13:35  30/1096  "Re: Where is the old bone"
& 1
Message 1:
From: milhom90@oslab.cabrillo.edu  Tue Sep 11 13:35:30 2012
Return-Path: <milhom90@oslab.cabrillo.edu>
From: Homer Miller <milhom90@oslab.cabrillo.edu>
Date: Tue, 11 Sep 2012 13:35:30 -0700
To: simben90@oslab.cabrillo.edu, richsimms@yahoo.com,
    milhom90@oslab.cabrillo.edu
Subject: Re: Where is the old bone
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: RO

Benji Simms <simben90@oslab.cabrillo.edu> wrote:

> I can't find my old bone.  Let me know if you see it.
> Thanks,
> Benji
I think its under the sink
- Homer

&
```

*Benji notices he has new mail which he reads using the mail command (with no arguments) and then typing the message number he wants to read*



**Rich**  
(richsimms@yahoo.com)

# UNIX Mail

The screenshot shows a web browser window displaying a Yahoo! Mail inbox. The browser tabs include 'Apostrophe - Wikipe...', 'richsimms - Yahoo! |', 'Class Roster', 'Cabrillo College: Cor...', 'Mailx problem - The', and 'Linux From Scratch'. The address bar shows 'us.mg6.mail.yahoo.com/neo/launch?.rand=cgngjcotde4d7'. The page header includes 'Hi, Richard', 'Sign Out', 'Options', 'Help', 'Make Y! My Homepage', and 'Go Mobile'. The main header features the 'YAHOO! MAIL' logo and a search bar. Below the header, there are tabs for 'WHAT'S NEW', 'INBOX (8403)', and 'CONTACTS'. A toolbar contains buttons for 'Compose Message', 'Delete', 'Reply', 'Forward', 'Spam', and settings. The left sidebar lists folders like 'Inbox', 'Conversations', 'Drafts', 'Sent', 'Spam', 'Trash', and 'Folders'. The main content area shows an email list with columns for 'FROM', 'SUBJECT', and 'DATE'. The selected email is 'Re: Where is the old bone' from Homer Miller, dated Tuesday, September 11, 2012 1:38 PM. The message content shows a reply from Benji Simms: '> I can't find my old bone. Let me know if you see it. > Thanks, > Benji I think its under the sink - Homer'. At the bottom, there is a 'Reply to Homer Miller' button and a 'Send' button.

*Since Homer replied to all, Rich also gets a copy*

## Class Exercise

### UNIX mail

- Use **ls /home/cis90** to see all CIS 90 home directories (add "90" to get the usernames) or the **who** command and send an email to three other CIS 90 students (your choice) in one message.

Hint: use **mail** *user1 user2 user3*

- Reply to any emails you get (run **mail** and use the **r** command)



# Saving Mail to a Folder



# UNIX Mail

## Saving messages

```

/home/cis90/simben $ mail
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"/var/spool/mail/simben90": 1 message 1 new
>N 1 Homer Miller          Tue Sep 11 21:04  21/830  "Salsa"
& 1
Message 1:
From milhom90@oslab.cabrillo.edu  Tue Sep 11 21:04:16 2012
Return-Path: <milhom90@oslab.cabrillo.edu>
From: Homer Miller <milhom90@oslab.cabrillo.edu>
Date: Tue, 11 Sep 2012 21:04:16 -0700
To: simben90@oslab.cabrillo.edu
Subject: Salsa
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: R

Don't forget, salsa class tonight at the Palomar
- Homer

& s 1 archives
"archives" [New file] 23/851
& q

```

*Benji checks for new mail*

*Prints the first (and only) message*

*Saves this message to a folder named "archives"*



# Browsing a mailbox file (folder)

# UNIX mail

## Browse mailbox files using the -f option

*use the f option to specify a mailbox file (folder)*



```
/home/cis90/simben $ mail -f archives
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"archives": 5 messages 4 new
  1 Homer Miller      Tue Sep 11 21:04  22/841  "Salsa"
>N 2 Homer Miller      Tue Sep 11 21:25  20/790  "Hola"
  N 3 Rich Simms       Tue Sep 11 21:58  20/752  "Treasure"
    4 Rich Simms       Tue Sep 11 22:01  21/798  "Lab Hours on Monday"
  N 5 Rich Simms       Tue Sep 11 22:01  20/796  "Where were you last
summer?"
&
```

*Opening a mailbox file named archives which has multiple messages*

# More on Mail



# Forwarding Mail

# mail commands

## Forwarding a message with ~m

```
rsimms@opus:~$ mail
Mail version 8.1 6/6/93.  Type ? for help.
"/var/spool/mail/rsimms": 5 messages 1 unread
>U  1 jimg@opus.cabrillo.e  Sun Jun 22 13:53  22/836  "Hot days and servers"
    2 simmsmar@opus.cabril  Thu Jul 24 12:28  19/739  "Don't forget to bring"
    3 simmsben@opus.cabril  Thu Jul 24 12:27  17/708  "Nisene Hike"
    4 rsimms@opus.cabrillo  Thu Jul 24 12:33  21/819  "Re: Hot days and serv"
    5 roddyduk@opus.cabril  Thu Jul 24 15:41  19/702  "Salsa"
& m simmsben
Subject: re: Salsa
Hi Benji,

Did you see this:
~m5
Interpolating: 5
(continue)

Later,

- Rich
.
Cc:
&
```

*This is how  
you forward  
message 5*

```
simmsben@opus:~/home/cis90/simmsben $ mail
Mail version 8.1 6/6/93.  Type ? for help.
"/var/spool/mail/simmsben": 1 message 1 new
>N  1 rsimms@opus.cabrillo  Thu Jul 24 18:51  33/935  "re: Salsa"
& p 1
Message 1:
From rsimms@opus.cabrillo.edu  Thu Jul 24 18:51:55 2008
Date: Thu, 24 Jul 2008 18:51:55 -0700
From: Rich Simms <rsimms@opus.cabrillo.edu>
To: simmsben@opus.cabrillo.edu
Subject: re: Salsa

Hi Benji,

Did you see this:

From roddyduk@opus.cabrillo.edu  Thu Jul 24 15:41:35 2008
Date: Thu, 24 Jul 2008 15:41:35 -0700
From: Duke Roddy <roddyduk@opus.cabrillo.edu>
To: rsimms@opus.cabrillo.edu
Subject: Salsa

You and Elizabeth coming to the Palomar this Friday?
Let me know,
- Duke

Later,

- Rich
&
```

# mail commands

## Alternate ways to forward a message

*There is an easier way to forward a message with the latest version of mailx!*

*I wonder who will be the first person to find out how its done and post the solution to the forum?*





# Mail

# Documentation

# man page for mail

```
/home/cis90/milhom $ man mail
```

```

MAILX(1)                                User Commands                                MAILX(1)
NAME
mailx - send and receive Internet mail

SYNOPSIS
mailx [-BDdEFintv~] [-s subject] [-a attachment] [-c cc-addr] [-b bcc-addr] [-r from-addr] [-h hops] [-A account] [-S variable [=value]] to-addr . . .
mailx [-BDdeEHInNRv~] [-T name] [-A account] [-S variable [=value]] -f [name]
mailx [-BDdeEinNRv~] [-A account] [-S variable [=value]] [-u user]

DESCRIPTION
Mailx is an intelligent mail processing system, which has a command syntax reminiscent of ed(1) with lines replaced by messages. It is based on Berkeley Mail 8.1, is intended to provide the functionality of the POSIX mailx command, and offers extensions for MIME, IMAP, POP3, SMTP, and S/MIME. Mailx provides enhanced features for interactive use, such as caching and disconnected operation for IMAP, message threading, scoring, and filtering. It is also usable as a mail batch language, both for sending and receiving mail.
:

```

*In the bash shell, use the man command for extensive documentation on mail*

# Mail ? command

& ?

	mail commands	
type <message list>		type messages
next		goto and type next message
from <message list>		give head lines of messages
headers		print out active message headers
delete <message list>		delete messages
undelete <message list>		undelete messages
save <message list> folder		append messages to folder and mark as saved
copy <message list> folder		append messages to folder without marking them
write <message list> file		append message texts to file, save attachments
preserve <message list>		keep incoming messages in mailbox even if saved
Reply <message list>		reply to message senders
reply <message list>		reply to message senders and all recipients
mail addresses		mail to specific recipients
file folder		change to another folder
quit		quit and apply changes to folder
xit		quit and discard changes made to folder
!		shell escape
cd <directory>		chdir to directory or home if none given
list		list names of all available commands

A <message list> consists of integers, ranges of same, or other criteria separated by spaces. If omitted, mail uses the last message typed.

&

*Use the ? command to see a short list of common mail commands*



# Listing messages (headers)

# mail h (headers) command

e.g. list my current folder)

```
rsimms@oslab:~/cis90/misc/uhist
& h
> 1 Rich Simms      Fri Feb 19 10:50 17/659  "Test"
  2 Rich Simms      Wed Apr 28 15:52 24/721  "another get well mess"
  3 Jim Griffin     Sat May  1 14:11 28/1131 "Re: Get well soon"
  4 Christopher Botos Wed Sep  1 21:44 152/10825 "Re: Cabrillo CIS 90 u"
  5 Jason Hamil     Wed Sep  1 21:48 191/9909 "RE: Cabrillo CIS 90 u"
  6 Laura Pirkle    Wed Sep  1 22:46 217/9590 "Re: Cabrillo CIS 90 u"
  7 Adriana Plastina Wed Sep  1 22:58 1028/77247 "picture of my face f"
  8 Saulius Zilis   Wed Sep  1 23:12 34/2112 "Re: Cabrillo CIS 90 u"
  9 dennis anti     Thu Sep  2 00:22 178/9983 "Re: Cabrillo CIS 90 u"
 10 francisco cardenas Thu Sep  2 15:15 3166/192496
 11 Jennifer Parrish Tue Sep  7 22:59 3288/201881 "Re: Cabrillo CIS 90"
 12 Rudy Perez     Wed Sep  8 13:15 46/2182 "ccconfer class listin"
 13 francisco cardenas Wed Sep  8 13:15 47/2356 "quiz"
 14 James Garibay   Wed Sep  8 13:32 3153/191560
 15 Jim Griffin     Tue Aug 17 20:20 22/1016 "Opus mail"
 16 Rudy Perez     Thu Sep  2 17:17 2529/192676 "student survey"
 17 Rich Simms     Tue Sep 14 20:26 88/7804 "Re: Saulius"
 18 Mike Delfin    Wed Sep 15 15:06 15/634 "Re: Welcome"
 19 Mike Delfin    Wed Sep 15 15:08 17/636 "Re: Welcome"
&
```

*Use the **h** command to show messages the current folder*

# mail h (headers) command

e.g. list my current folder)

*N = New message, a U = Unread message*

```
simben90@oslab:~  
& h  
N 1 Homer Miller      Tue Sep 11 21:25  20/790  "Hola"  
N 2 Rich Simms        Tue Sep 11 21:58  20/752  "Treasure"  
> 3 Rich Simms        Tue Sep 11 22:01  20/788  "Lab Hours on Monday"  
N 4 Rich Simms        Tue Sep 11 22:01  20/796  "Where were you last summer?"  
&
```

*message numbers*

*& is mail prompt for next command*

*> points to the current message (last one printed)*



# Deleting Messages

# mail commands

## (d)elelete and (u)ndelete

```

rsimms@opus:~
[rsimms@opus ~]$ mail -f mbox
Mail version 8.1 6/6/93.  Type ? for help.
"mbox": 4 messages
>  1 simmsmar@opus.cabril  Thu Jul 24 12:28  19/739  "Don't forget to bring"
  2 simmsben@opus.cabril  Thu Jul 24 12:27  17/708  "Nisene Hike"
  3 rsimms@opus.cabrillo  Thu Jul 24 12:33  21/819  "Re: Hot days and serv"
  4 roddyduk@opus.cabril  Thu Jul 24 15:41  19/702  "Salsa"
& d 4
& h
  1 simmsmar@opus.cabril  Thu Jul 24 12:28  19/739  "Don't forget to bring"
  2 simmsben@opus.cabril  Thu Jul 24 12:27  17/708  "Nisene Hike"
>  3 rsimms@opus.cabrillo  Thu Jul 24 12:33  21/819  "Re: Hot days and serv"
& u 4
& h
  1 simmsmar@opus.cabril  Thu Jul 24 12:28  19/739  "Don't forget to bring"
  2 simmsben@opus.cabril  Thu Jul 24 12:27  17/708  "Nisene Hike"
  3 rsimms@opus.cabrillo  Thu Jul 24 12:33  21/819  "Re: Hot days and serv"
>  4 roddyduk@opus.cabril  Thu Jul 24 15:41  19/702  "Salsa"
&

```

*Messages can be deleted (and undeleted) with **d** and **u** commands*





# Mailbox files (folders)

# UNIX mail

## The dead.letter mail file

```
/home/cis90/simben $ mail bogus
Subject: Dead stuff
I doubt you will get this because you don't exist!
.
EOT
You have mail in /var/spool/mail/simben90
/home/cis90/simben $ /home/cis90/simben/dead.letter... Saved message in
/home/cis90/simben/dead.letter

/home/cis90/simben $ mail -f dead.letter
Heirloom Mail version 12.4 7/29/08.  Type ? for help.
"dead.letter": 1 message
> 1 To bogus          Tue Sep 17 10:04  18/562  "Dead s"
& d 1
& q
"dead.letter" complete
/home/cis90/simben $
```

*Undeliverable mail is placed in your dead.letter file. You can cat this file or open it with the mail command*

# UNIX mail

The mail folders are ascii text files

```
/home/cis90/simben $ ls
archives      empty          Lab2.1  Miscellaneous  proposal2  text.err
bigfile       Hidden         letter  mission        proposal3  text.fxd
bin           lab01.graded  log     Poems          small_town  timecal
dead.letter   Lab2.0         mbox    proposal1      spellk     what_am_i
```

```
/home/cis90/simben $ ls /var/mail/simben90
/var/mail/simben90
```

1 & 4: User's can create there own mail folder files, giving them any name they like, such as archives and mbox

```
/home/cis90/simben $ file archives dead.letter mbox /var/spool/mail/simben90
1) archives:          ASCII mail text
2) dead.letter:       ASCII mail text
3) mbox:              ASCII mail text
4) /var/spool/mail/simben90: ASCII mail text
```

*Mail files are text files that you can **cat** or open with **mail -f***

2) All undeliverable messages go into a user's dead.letter file

3) All incoming new messages are initially placed in the /var/mail/<username> file

# UNIX mail

## The mail folders are ascii text files

*Mail files are ASCII text files. You can cat them out or open them with the mail command.*

```
/home/cis90/simben $ cat archives
From milhom90@oslab.cishawks.net Mon Sep 16 18:52:53 2013
Return-Path: <milhom90@oslab.cishawks.net>
Received: from oslab.cishawks.net (localhost [127.0.0.1])
    by oslab.cabrillo.edu (8.14.4/8.14.4) with ESMTTP id r8H1q rmw008499
    for <simben90@oslab.cishawks.net>; Mon, 16 Sep 2013 18:52:53 -0700
Received: (from milhom90@localhost)
    by oslab.cishawks.net (8.14.4/8.14.4/Submit) id
    for simben90; Mon, 16 Sep 2013 18:52:53 -0700
From: Homer Miller <milhom90@oslab.cishawks.net>
Message-Id: <201309170152.r8H1qrJZ008497@oslab.cishawks
Date: Mon, 16 Sep 2013 18:52:53 -0700
To: simben90@oslab.cishawks.net
Subject: Fwd: Hot Potato
User-Agent: Heirloom mailx 12.4 7/29/08
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit
Status: O
```

```
----- Original Message -----
From: Rich Simms <rsimms@oslab.cishawks.net>
Date: Sun, 15 Sep 2013 15:41:49 -0700
To: milhom90@oslab.cishawks.net
Subject: Hot Potato
```

You got it ... forward it on! - Rich

```
/home/cis90/simben $
```

```
/home/cis90/simben $ mail -f archives
Heirloom Mail version 12.4 7/29/08. Type ? for help.
"archives": 1 message 1 unread
>U 1 Homer Miller Mon Sep 16 18:52 28/1002 "Fwd: H"
& 1
Message 1:
From milhom90@oslab.cishawks.net Mon Sep 16 18:52:53 2013
Return-Path: <milhom90@oslab.cishawks.net>
From: Homer Miller <milhom90@oslab.cishawks.net>
Date: Mon, 16 Sep 2013 18:52:53 -0700
To: simben90@oslab.cishawks.net
Subject: Fwd: Hot Potato
User-Agent: Heirloom mailx 12.4 7/29/08
Content-Type: text/plain; charset=us-ascii
Status: RO
```

```
----- Original Message -----
From: Rich Simms <rsimms@oslab.cishawks.net>
Date: Sun, 15 Sep 2013 15:41:49 -0700
To: milhom90@oslab.cishawks.net
Subject: Hot Potato
```

You got it ... forward it on! - Rich

```
& q
"archives" complete
/home/cis90/simben $
```

## Class Exercise

### UNIX mail

- Send yourself several test messages with different subjects:

**mail \$LOGNAME**

**mail \$LOGNAME**

- Now read your mail

**mail**

- Use the **h** command to list the message headers
- Read all your messages by entering each message number
- Use the **d** command to delete one of the messages
- Use the **s** command to save one message to a folder named archives
- Use **q** to quit mail
- Read the mail in your archives with **mail -f archives**
- Use **q** to quit mail


# end-to-end email





# end-to-end email

**FYI**  
only




compose and send message

open and read message

**FYI**  
only


# end-to-end email





**FYI**  
only

# end-to-end email: example Implementation



SMTP  
Simple  
Mail  
Transport  
Protocol

**MUA**  
/bin/mail

**MUA**  
/bin/mail

```
simben90@oslab:~  
/home/cis90/simben $ mail rsimms  
Subject: Hola  
Please see my post on the forum, thanks, - Benji  
.  
EOT  
/home/cis90/simben $
```

compose and send message


```
rsimms@oslab:~  
Heirloom Mail -18 mail  
Heirloom Mail Version 12.4 7/29/08. Type ? for help.  
~/var/spool/mail/rsimms*: 1 message 1 new  
N 1 Benji Simms Wed Sep 12 09:06 20/814 "Hola"  
4 1  
Message 1:  
From: simben90@oslab.cabrillo.edu Wed Sep 12 09:06:13 2012  
Return-Path: <simben90@oslab.cabrillo.edu>  
From: Benji Simms <simben90@oslab.cabrillo.edu>  
Date: Wed, 12 Sep 2012 09:06:13 -0700  
To: rsimms@oslab.cabrillo.edu  
Subject: Hola  
User-Agent: Heirloom mailx 12.4 7/29/08  
Content-Type: text/plain; charset=us-ascii  
Status: R  
Please see my post on the forum, thanks. - Benji
```

open, read and  
save messages  
to folders

uhistory archives

**FYI**  
only

# end-to-end email: example Implementation




```

simmsben@opus:~
/home/cis90/simmsben $ mail simmsmar richsimms@yahoo.com
Subject: Salsa on Friday
See you at the Palomar dance floor. Bring your dancing shoes!

- Benji
.
Cc:
/home/cis90/simmsben $
    
```

compose and send message



**MUA**  
Yahoo Mail

open and read message 148


# end-to-end email: configuring your MUA (Mail User Agent)

**FYI**  
only

**SMTP**  
Simple  
Mail  
Transport  
Protocol



**MTA**  
Mail  
Transport  
Agent




**SMTP**  
Simple  
Mail  
Transport  
Protocol



**MTA**  
Mail  
Transport  
Agent



**DA**  
Delivery  
Agent



**Message  
Store**



**AA**  
Access  
Agent

**POP**  
Post  
Office  
Protocol

Example MUA: Windows Mail

Set up e-mail servers

Incoming e-mail server type:  
POP3

Incoming mail (POP3 or IMAP) server:  
[Empty text box]

Outgoing e-mail server (SMTP) name:  
[Empty text box]

Outgoing server requires authentication

[Where can I find my e-mail server information?](#)

Next Cancel

*This is why you get asked for the SMTP server and the POP3/IMAP server when you set up email on your PC.*

*Your MUA needs to know this to send and receive messages.*

## How does one MTA get the IP address of the other MTA?

```
[rsimms@oslab ~]$ dig +short mx gmail.com
10 alt1.gmail-smtp-in.l.google.com.
30 alt3.gmail-smtp-in.l.google.com.
20 alt2.gmail-smtp-in.l.google.com.
40 alt4.gmail-smtp-in.l.google.com.
5 gmail-smtp-in.l.google.com.
[rsimms@oslab ~]$
```

```
[rsimms@oslab ~]$ dig +short gmail-smtp-in.l.google.com.
74.125.25.26
[rsimms@oslab ~]$
```



```
[rsimms@oslab ~]$ dig +short mx hp.com
10 smtp.hp.com.
[rsimms@oslab ~]$ dig +short smtp.hp.com.
15.73.96.120
15.73.212.90
15.73.212.88
15.73.212.87
[rsimms@oslab ~]$
```

# Other MUAs MTAs, DAs, AAs



## end-to-end email some of the many players



**MTA**



sendmail, Exim, Microsoft Exchange, Postfix

**DA**



/bin/mail, procmail, smrsh

**AA**



imapd, spop

**MUA**



gmail, /bin/mail, Outlook, Evolution, Yahoo Mail, hotmail



# Assignment





# Lab 3

Unix history  
via command-line email



## *Notes to Rich*



[ ] - Send out UNIX historical events for Lab 3

use **events** alias or

mail-lab03-events script in **~rsimms/cis90/lab03/scripts/uhist** directory

## Lab 3 - Start early and check your Opus email every day!

You will receive a mail message from me with a Unix historical event for a particular year. Save this message to a mailbox called *uhistory*.

The objective of this lab is to use Unix mail to exchange and collect at least 15 individual events with your classmates. There are more students than events so some students will receive the same event.

Start by sending an email to your other classmates with your event and ask them to send you their events. Each time you get a Unix event that you haven't already saved, save it to your *uhistory* mailbox.

Rules:

- Do this lab on Opus using `/bin/mail` (the mail command).
- When someone asks you for the date that you received, you must send it to them with the subject being just the year of the event, e.g. 1972. The email message must contain the complete line of event text for that year.
- Each email saved in *uhistory* must be for a single event/year.
- Each email saved in *uhistory* must have a subject that is just the year of the event.

If you receive an email that is missing the event or does not have the year as the subject, reply to the sender and ask them to resend a corrected version.

When you get all the Unix event messages saved in your *uhistory* mailbox you should have up to 22 messages, each with a different date for the Subject field. Delete any duplicate dates you may have.

*Lab 3 (and all future labs) must be done on Opus*

## Tips for Lab 3

*Start this lab early in the week and check your mail daily to collect all messages*

- Use the **s** command in mail to save a message to your *uhistory* mailbox
- Use **mail -f uhistory** to review your collection
  - Use the **d** command in mail to delete duplicates
- Use the **check3** script to review progress
- You can **submit** your work as many times as you wish up to the deadline. Only the last submittal will be graded. Submit whatever you have completed for partial credit if you run out of time.

*Post and read more tips on the forum*



# Wrap up

## New commands:

### mail

```

type <message list>
next
from <message list>
headers
delete <message list>
undelete <message list>
save <message list> folder
copy <message list> folder
write <message list> file
preserve <message list>
Reply <message list>
reply <message list>
mail addresses
file folder
quit
xit
!
cd <directory>
list

```

A <message list> consists of integers, ranges of same, or other criteria separated by spaces. If omitted, mail uses the last message typed.

### mesg

### write

### - UNIX mail

```

type messages
goto and type next message
give head lines of messages
print out active message headers
delete messages
undelete messages
append messages to folder and mark as saved
append messages to folder without marking them
append message texts to file, save attachments
keep incoming messages in mailbox even if saved
reply to message senders
reply to message senders and all recipients
mail to specific recipients
change to another folder
quit and apply changes to folder
quit and discard changes made to folder
shell escape
chdir to directory or home if none given
list names of all available commands

```

- Enable or disable writes to your terminal

- Write message to another user

## New Files and Directories:

`/var/mail`

- Message store for mail

`/var/mail/username`

- Incoming mailbox for *username*

## Next Class

Assignment: Check Calendar Page on web site to see what is due next week.

**1st five forum posts  
and Lab 3**

Quiz questions for next class:

- What command can you use to "chat" with another user?
- How do you forward a message with /bin/mail?
- What is the dead.letter folder?



# Backup





# Practice Questions Lessons 1 & 2



## Practice Test Questions

What is simben90's uid (user ID) on Opus?

## Practice Test Questions

What is simben90's uid (user ID) on Opus?

*Benji's uid is 1201*

```
/home/cis90/simben $ id simben90  
uid=1201(simben90) gid=190(cis90) groups=190(cis90),100(users)  
/home/cis90/simben $
```



## Practice Test Questions

What day of the week was Sept 11, 2001?



## Practice Test Questions

What day of the week was Sept 11, 2001?

*It was a Tuesday*

```
/home/cis90/simben $ cal 9 2001
    September 2001
Su Mo Tu We Th Fr Sa
                1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30
/home/cis90/simben $
```



## Practice Test Questions


Where (what directory) does the program file for the **ps** command reside?



## Practice Test Questions

Where (what directory) does the program file for the **ps** command reside?

```
/home/cis90/simben $ type ps  
ps is /bin/ps
```



*It's in the /bin directory*



## Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
ls -l /boot/grub/
```

## Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
ls -l /boot/grub/
```

*Command: ls*

*One option: -l (for long listing)*

*One argument: /boot/grub*

## Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
echo "1 2 3" four 5 six
```



## Practice Test Questions

Parse the following command line. What is the command? How many options and how many arguments are there? What are the options and arguments?

```
echo "1 2 3" four 5 six
```

*Command: echo*

*No options*

*4 arguments:*

- *"1 2 3"*
- *four*
- *5*
- *six*



## Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname-x  
-bash: uname-x: command not found  
/home/cis90/simben $
```

## Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname-x  
-bash: uname-x: command not found  
/home/cis90/simben $
```

*It was the bash program. bash is the shell we are using and it could not find a command named uname-x on the path*

## Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname -x  
uname: invalid option -- 'x'  
Try `uname --help' for more information.  
/home/cis90/simben $
```

## Practice Test Questions

Which program gave you this error message?

```
/home/cis90/simben $ uname -x  
uname: invalid option -- 'x'  
Try `uname --help' for more information.  
/home/cis90/simben $
```

*It was the uname program. The uname program was loaded into memory. It started to handle its options and discovered an unknown option. It printed the error message and aborted.*





## Practice Test Questions

What terminal device are you using?



## Practice Test Questions

What terminal device are you using?

Use the `tty` command to find out:

```
/home/cis90/simben $ tty  
/dev/pts/0  
/home/cis90/simben $
```



## Practice Test Questions

What type of terminal are you using?



## Practice Test Questions

What type of terminal are you using?

Use the **echo \$TERM** command to find out:

```
/home/cis90/simben $ echo $TERM  
xterm
```

*This user's terminal type is xterm*



## Practice Test Questions

What directories make up your path?

## Practice Test Questions

What directories make up your path?

*Use echo \$PATH to find out:*

```
/home/cis90/simben $ echo $PATH  
/usr/lib/qt-3.3/bin:/usr/local/bin:/bin:/usr/bin:  
/usr/local/sbin:/usr/sbin:/sbin:/home/cis90/simben/../bin:  
/home/cis90/simben/bin:.
```

```
/usr/lib/qt-3.3/bin  
/usr/local/bin  
/bin  
/usr/bin  
/usr/local/sbin  
/usr/sbin  
/sbin  
/home/cis90/simben/../bin  
/home/cis90/simben/bin  
.
```

*There are 10 directories specified on this user's path*



## Practice Test Questions

Are the **yum**, **useradd**, and **yell** commands on your path?

## Practice Test Questions

Are the **yum**, **useradd**, and **yell** commands on your path?

```
/home/cis90/simben $ type yum Yes, on path  
yum is /usr/bin/yum
```

```
/home/cis90/simben $ type useradd Yes, on path  
useradd is hashed (/usr/sbin/useradd)
```

```
/home/cis90/simben $ type yell No, not on path  
-bash: type: yell: not found
```

*Note: "is hashed" means bash has previously searched the path and run this command. The location of the command has been saved in the hash table to speed up subsequent searches.*





## Practice Test Questions

What is the name of the environment variable that defines your shell prompt?

## Practice Test Questions

What is the name of the environment variable that defines your shell prompt?

*It's PS1*

```
/home/cis90/simben $ echo $PS1  
$PWD $
```

```
/home/cis90/simben $ echo "The PWD variable =" $PWD  
The PWD variable = /home/cis90/simben  
/home/cis90/simben $
```

*Both PS1 and PS2 are environment variables*



## Practice Test Questions

How do you change the shell prompt to "Enter next command: " ?



## Practice Test Questions

How do you change the shell prompt to "Enter next command: " ?

*Set PS1 to new value using "=" sign*

```
/home/cis90/simben $  
/home/cis90/simben $ PS1="Enter next command: "  
Enter next command:  
Enter next command: echo $PWD  
/home/cis90/simben  
Enter next command: echo $PS1  
Enter next command:  
Enter next command:
```

## Practice Test Questions

How do you restore the original shell prompt so it displays the current directory followed by a \$ and a blank?

## Practice Test Questions

How do you change the shell prompt to "Enter next command: "  
then change it back again?

*To restore the original prompt use:*

```
Enter next command: PS1='$PWD $ '
/home/cis90/simben $
```



# More Review (variables)

# Environment Variables

Use `$` for the "value" of a variable

Analogy: Each variable is a named location. The contents of any location is the "value" of that variable.

```
$ echo $LOGNAME
simmsben
```

```
$ echo HOME
HOME
```

```
$ echo $HOME
/home/cis90/simmsben
```

```
$ echo $SHELL
/bin/bash
```

```
$ echo $HOSTNAME
opus.cabrillo.edu
```





# Make your own shell variables

*Imagine creating a new variable for use as the fan speed in your car*



```

$ echo $FAN
$ FAN=HI
$ echo $FAN
HI
$ echo "The fan is set to: " $FAN
The fan is set to: HI
$ FAN=LO
$ echo "The fan is set to: " $FAN
The fan is set to: LO
    
```

*Initially it's not defined so if echoed it has a null value*

*Create a variable named FAN and set the value to "HI"*

*Now set the FAN variable to "LO"*

## Activity

```
/home/cis90/simben $ weather=rain
/home/cis90/simben $ country=Spain
/home/cis90/simben $ location="the plain"
/home/cis90/simben $ echo The $weather in $country stays mainly in $location
The rain in Spain stays mainly in the plain
/home/cis90/simben $
```


When **echo** is loaded into memory and starts to run:

- 1) How many arguments does it receive from the bash shell?
- 2) Does **echo** see "\$weather" or "rain" as one of the arguments it receives?

*Write your answers in the chat window*

# More Review (shell)

## The Shell




- Allows users to interact with the computer via a **"command line"**.
- **Prompts** for a command, parses the command, finds the right program and gets that program executed.
- Is called a **"shell"** because it hides the underlying operating system.
- Multiple shell programs are available: **sh** (Bourne shell), **bash** ("bourne-again" shell), **cs** (C shell), **ksh** (Korn shell).
- The shell is a **user interface** and a **programming language** (scripts).
- GNOME and KDE desktops could be called **graphical shells**



# Command Syntax

Shell prints  
this to prompt  
user to enter a  
command

Shell parses this command line



## Examples

**Options** modify the  
behavior of the command

**Arguments** are what the  
command works upon

**Redirection** is  
covered later in  
the course


```

/home/cis90/simben $
/home/cis90/simben $ ls
/home/cis90/simben $ ls -l
/home/cis90/simben $ ls -l -t
/home/cis90/simben $ ls -li Poems/
/home/cis90/simben $ ls -a Poems/ bin/
/home/cis90/simben $ ls -d Poems/ bin/ > mylist
    
```

**Spaces (blanks)** are used to separate the command,  
options and arguments. Additional blanks are ignored.



# The six steps of the Shell



- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat





## Life of the Shell

### Example:

```
/home/cis90/simben $ ls -lt proposal1 proposal2
-rw-r--r--. 1 simben90 cis90 1074 Aug 26 2003 proposal1
-rw-r--r--. 1 simben90 cis90 2175 Jul 20 2001 proposal2
/home/cis90/simben $
```

#### Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

*Lets take a deep dive into how a command gets executed.*

***Note it is always a team effort by both the shell and the command.***



# Life of the Shell

## Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

## 1) Prompt user for a command

Example: *The shell begins by outputting the prompt (which is based on the PS1 variable)*

```
/home/cis90/simben $ ls -lt proposal1 proposal2
```

*Then you type the command*

FYI, you can mimic outputting the prompt yourself with these commands:

```
/home/cis90/simben $ echo $PS1 to show value of PS1 variable
```

```
$PWD $
```

```
/home/cis90/simben $ echo $PWD $ echo the output of the previous command
```

```
/home/cis90/simben $ was output by the echo command above
```

```
/home/cis90/simben $ echo my prompt is: $PWD $  
my prompt is: /home/cis90/simben $
```





## Life of the Shell

### Shell Steps

- 1) Prompt
- 2) **Parse**
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

## 2) Parse command user typed

Example:

```
ls -lt proposal1 proposal2
```

- Command = ls
- 2 Options = l, t
- 2 Arguments = proposal1, proposal2
- Redirection = NA

*The shell uses the command syntax rules to break down the command line into options, arguments and redirection.*

*Parsing includes expanding variables and properly handling any metacharacters.*

*The shell doesn't actually distinguish between options and arguments. To the shell it is just another argument comprised of a string of text separated by blanks. We will distinguish between options and arguments to better understand command syntax and how it controls what commands do.*



# Life of the Shell

## Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

## 3) Search for program on the path

**ls** -lt proposal1 proposal2

*Use this command to see the path directories (separated by ':'s) on your path*

```
/home/cis90/simben $ echo $PATH
/usr/lib/qt-3.3/bin:/usr/local/bin:/bin:/usr/bin:
/usr/local/sbin:/usr/sbin:/sbin:
/home/cis90/simben/../../bin:/home/cis90/simben/bin:.
```

*The shell will search each directory in order for an ls command*

```
/usr/lib/qt-3.3/bin no
/usr/local/bin no
/bin YES! - it was found in the /bin directory
/usr/bin
/usr/local/sbin
/usr/sbin
/sbin
/home/cis90/simben/../../bin
/home/cis90/simben/bin
.
```

*Note: If the shell cannot find the command on the path it will output "command not found"*

```
Try mimicking what the shell does to search for ls:
/home/cis90/simben $ ls /usr/lib/qt-3.3/bin/ls
ls: cannot access /usr/lib/qt-3.3/bin/ls: No
such file or directory

/home/cis90/simben $ ls /usr/local/bin/ls
ls: cannot access /usr/local/bin/ls: No such
file or directory

/home/cis90/simben $ ls /bin/ls
/bin/ls
```



# Life of the Shell


## Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) **Execute**
- 5) Nap
- 6) Repeat

## 4) Execute the command

```
ls -lt proposal1 proposal2
```

*Invokes the kernel to load the program into memory (which becomes a process), passes along any parsed options & expanded arguments, hooks up any redirection requests then goes to sleep till the new process has finished*





## Life of the Shell

### Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) **Nap**
- 6) Repeat

# 5) Nap while the command (process) runs to completion

(The shell, itself a loaded process, goes into the sleep state and waits till the command process is finished)

```
/home/cis90/simben $ ls -lt proposal1 proposal2
-rw-r--r--. 1 simben90 cis90 1074 Aug 26 2003 proposal1
-rw-r--r--. 1 simben90 cis90 2175 Jul 20 2001 proposal2
```



## Life of the Shell

**6) And do it all over  
again ... go to step 1**

### Shell Steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

## Practice Test Questions

Knowing the steps the shell performs, which of the two processes shown below is "taking a nap"?

```
/home/cis90/simben $ ps
  PID TTY          TIME CMD
 21559 pts/0    00:00:00 bash
 22012 pts/0    00:00:00 ps
```

### Shell's steps

- 1) Prompt
- 2) Parse
- 3) Search
- 4) Execute
- 5) Nap
- 6) Repeat

## Practice Test Questions

Knowing the steps the shell performs, which of the two processes shown below is "taking a nap"?

```
/home/cis90/simben $ ps
  PID TTY          TIME CMD
 21559 pts/0    00:00:00 bash
 22012 pts/0    00:00:00 ps
```

Shell's steps
1) Prompt
2) Parse
3) Search
4) Execute
5) Nap
6) Repeat

**Answer:** bash (the shell) is sleeping

```
/home/cis90/simben $ ps -l
F S  UID      PID  PPID  C  PRI  NI ADDR  SZ  WCHAN  TTY          TIME CMD
0 S  1001    21559 21558  0   80   0  -  1275  -      pts/0    00:00:00 bash
0 R  1001    22013 21559  0   80   0  -  1213  -      pts/0    00:00:00 ps
```

*Status column, R=running, S=sleeping*

# More Review (inputs)





Program  
(a file on the hard drive)




Loads into RAM

### Commands can get input from:

- A Command line
- B Keyboard
- C Operating System

## Inputs to commands

**Command line**  
(parsed by shell):  
Options: ... A  
Args: ...




read ↑ ↓ write


**Operating System** C

Information available only from the OS. E.g. files, directories, date & time, process info, user info, tty info etc.

**stdout**



console screen  
(default)




**stdin**

console keyboard  
(default)



**Keyboard** B

Additional data command needs from user. E.g. passwords, math expressions, ...



**stderr**




console screen  
(default)

## echo gets input from the command line

```
/home/cis90/simben $ echo I am $LOGNAME
I am simben90
```

The **echo** command gets its input from the command line.

Note: *echo* never saw the "\$LOGNAME" typed by the user. *bash* expanded this before passing it to the *echo* command




*stdin* and *stderr* were never used for this command

## This ls command got input from the OS

```
/home/cis90/simmsben $ ls Poems/
ant Blake nursery Shakespeare twister Yeats
```

*In this example, the ls command gets input from the command line and the operating system*





*stdin and stderr were never used for this command*

This bc command gets input from the keyboard

```
[rsimms@nosmo ~]$ bc  
<snipped>  
2+2  
4
```

*In this example, the **bc** command gets input only from the keyboard*



*stderr was never used for this command*



# Using CIS VLab (Virtual Lab)

Third driving lesson

# The CIS 90 System Playground

Configured for  
Command Line Only



**Opus**




**Sun-Hwa and Sun-Hwa-II**

**Other UNIX/Linux servers**



Configured for  
Graphics and Command Line



**Arya-01**




*Each student gets their own Arya VM for the term*

**Arya-75**

*All the systems are virtual machines (VMs) running on the CIS Lab servers. They are available from on or off-campus*

## Accessing CIS VLab VMs



CIS Lab servers on the Aptos campus




Home




School



Travel







**Rich's Cabrillo College CIS Classes Home Page**

Home Resources Forums CIS Lab Blackboard

Login  
Flashcards  
Admin

CIS 90  
Previous Classes

0 days till term starts!


Cabrillo College  
Web Advisor  
Commands and Files

VLab RDP file

**CIS 90 VLab VM Assignments**

RIP Dennis Ritchie

**Rich Simms**




**Contact**

- Email: [risimms@cabrillo.edu](mailto:risimms@cabrillo.edu)
- Office hours: [directory page](#)

**Fall 2013 Cabrillo Linux Classes**

- Introduction to UNIX/Linux (CIS 90) - Rich teaching
- UNIX/Linux System Administration (CIS 191AB) - [Michael Matzra](#) teaching

Metal Sitemap W3C XHTML 1.0 W3C CSS Credits Earth



CIS 90 VLab Assignments	
VM001	VM001
VM002	VM002
VM003	VM003
VM004	VM004
VM005	VM005
VM006	VM006
VM007	VM007
VM008	VM008
VM009	VM009
VM010	VM010
VM011	VM011
VM012	VM012
VM013	VM013
VM014	VM014
VM015	VM015
VM016	VM016
VM017	VM017
VM018	VM018
VM019	VM019
VM020	VM020
VM021	VM021
VM022	VM022
VM023	VM023
VM024	VM024
VM025	VM025
VM026	VM026
VM027	VM027
VM028	VM028
VM029	VM029
VM030	VM030
VM031	VM031
VM032	VM032
VM033	VM033
VM034	VM034
VM035	VM035
VM036	VM036
VM037	VM037
VM038	VM038
VM039	VM039
VM040	VM040
VM041	VM041
VM042	VM042
VM043	VM043
VM044	VM044
VM045	VM045
VM046	VM046
VM047	VM047
VM048	VM048
VM049	VM049
VM050	VM050
VM051	VM051
VM052	VM052
VM053	VM053
VM054	VM054
VM055	VM055
VM056	VM056
VM057	VM057
VM058	VM058
VM059	VM059
VM060	VM060
VM061	VM061
VM062	VM062
VM063	VM063
VM064	VM064
VM065	VM065
VM066	VM066
VM067	VM067
VM068	VM068
VM069	VM069
VM070	VM070
VM071	VM071
VM072	VM072
VM073	VM073
VM074	VM074
VM075	VM075
VM076	VM076
VM077	VM077
VM078	VM078
VM079	VM079
VM080	VM080
VM081	VM081
VM082	VM082
VM083	VM083
VM084	VM084
VM085	VM085
VM086	VM086
VM087	VM087
VM088	VM088
VM089	VM089
VM090	VM090
VM091	VM091
VM092	VM092
VM093	VM093
VM094	VM094
VM095	VM095
VM096	VM096
VM097	VM097
VM098	VM098
VM099	VM099
VM100	VM100

To see which Arya VM is yours use the link on the class website




## Accessing CIS VLab

1) Download the vcenter.rdp file to your desktop and then open it to access VLab.


2) Mac users will **need to install CoRD**.

3) When entering your username and password you must preface your username with the "cislab\", for example Benji VM would use: `cislab\simben90`



Locate and select your assigned VM

## CIS VLab Home View



*Click VMs and Templates to get to your course VMs*

## Selecting and powering on your VM

The screenshot shows the vCenter - vSphere Client interface. The left pane displays a tree view with 'vCenter' expanded to 'CIS VLab' > 'CIS 90' > 'Student VMs'. A list of VMs from Arya-01 to Arya-21 is shown, with 'Arya-04' selected. The main pane shows the 'Arya-04' VM details, including a 'Getting Started' tab and a 'Basic Tasks' section with a 'Shut down the virtual machine' button. A toolbar at the top contains various icons, including a power icon. A diagram on the right illustrates the vSphere architecture with 'vCenter Server', 'vSphere Client', 'Cluster', 'Datacenter', and 'Virtual M'.

**1) Find and select your Arya VM**

**2) If it is not powered on them then click the Power On icon on the toolbar. This icon will be grayed out if your VM is already running.**

**Recent Tasks**

Name	Target	Status	Details	Initiated by	vCenter Server	Requested Start Ti...	Start Time
Initiate guest OS shutd...	Arya-11	Completed		CISLAB\simb...	vCenter	8/24/2014 12:35:17 ...	8/24/2014 12:35:1...
Initiate guest OS shutd...	Arya-10	Completed		CISLAB\simb...	vCenter	8/24/2014 12:35:13 ...	8/24/2014 12:35:1...

*Note that the Arya-10 and Arya-11 VMs above are not powered on*


## Launching a graphical console

2) Use the Launch Virtual Machine Console icon on the toolbar for the selected VM

The screenshot shows the vCenter - vSphere Client interface. The left pane displays a tree view with 'vCenter' expanded to 'CIS VLab' > 'CIS 90' > 'Student VMs', where 'Arya-04' is selected. The main pane shows the 'Arya-04' console, which is currently displaying a 'Getting Started' page with text about virtual machines. A callout box with a blue arrow points to the 'Launch Virtual Machine Console' icon (a monitor with a play button) in the toolbar. The console window also shows a login prompt for 'CIS 90 Student' with a 'Password' field and 'Guest Session' text. The background of the console is an Ubuntu 14.04 LTS desktop environment.




Log in as  
**CIS 90 Student**





## The Arya VM



Shutdown using  
⚙️ > **Shut Down...**



To get a graphical terminal  
**Terminal icon (under System Settings)**



*Use right click > Profiles  
to customize colors*

*Use **exit** command to  
quit graphical terminal*

## Command Line vs Graphical Desktop

Access the UNIX/Linux systems using:

**ssh** when:



- You just need a command line
- Have a low or high speed network connection
- Note: Windows users can use Putty

**VLab** when:

- You want a graphical desktop
- You want to use virtual terminals (the very basic black consoles)
- Note: High speed network connection is needed
- Note: Mac users can use CoRD
- Note: you may need a fix applied to your VM if you experience the dreaded "unintended repeating key" issue

*VLab = using the VMware vSphere Client via a Remote Desktop (RDP) connection*

## Class Activity



Try logging into CIS VLab with your **own credentials**

- Find your VM
- Power it on (if it's not already)
- Open a separate console for your VM
- Login as CIS 90 Student into the graphical desktop
- Run a terminal on the graphical desktop





# Virtual Terminals (consoles)


Fourth driving lesson





## Virtual Terminals

- 1) While holding down Ctrl--Alt keys, tap Space, then tap Fn key
- 2) or try: **chvt n**
- 3) or try: **sudo chvt n**
- 4) or try: **<alt-key> n**  
(in an Ubuntu virtual terminal)




-Alt-Space-F2 (for tty2)'."/>


-Alt-Space-F3 (for tty3)'."/>




-Alt-Space-F4 (for tty4)'."/>

-Alt-Space-F7 (for pts/0)'."/>



## Changing Virtual TTY Terminals using VMware vSphere





While holding down Ctrl--Alt keys, tap Space, then tap Fn key\*



## Windows PC Keyboard





\*On some PC keyboards it is not necessary to use the  key

*Note: This is for vSphere only. The  key and Space bar are not pressed for physical (non-VM) servers*



# Changing Virtual Terminals on VMware Linux VMs

VMware operations	
On PC Keyboard:	While holding down the Ctrl-  -Alt keys, tap spacebar then tap f1, f2, ... or f7.
On Mac keyboard:	Hold down Control and Option keys, tap the spacebar, hold down fn key (in addition to Control and Option keys) and tap f1, f2, ... or f7.

Pressing the  on some Windows keyboards may not be necessary


F7 is graphics mode for the Ubuntu VMs.

The Centos VMs do not have a graphics mode components installed (run level 3 only)


*Note: the spacebar does not need to be tapped on a physical (non-VM) system. This is only required when changing virtual terminals on VMware VMs.*

# VMware VM Operations

## Changing Virtual Terminals with a PC keyboard



On PC keyboard:

While holding down the **Ctrl--Alt** keys,  
tap **Spacebar** then tap **F $n$**  key

(where  $n=1-7$  to specify a function key)

# VMware VM Operations

## Changing Virtual Terminals with a Mac keyboard




On Mac keyboard:

While holding down the **control-option** keys  
tap **Spacebar** then tap **fn-F $n$**  keys  
(where  $n=1-7$  to specify a function key)



Class Activity



On your VM:

- Try changing between the graphical desktop and the TTYS
- Login as cis90 on tty1 and tty2
- Run a terminal on the graphical desktop
- Use the who command to see how many logins there are