



Rich's lesson module checklist

Last updated 8/29/2017

- 24 hours before first class
 - Login credentials document updated and secured
 - Send out welcome email
 - Publish updated Canvas course with links and announcement

- Opus-II accounts made (with TBDs for walk-ins) and populated
- Accounts made: Aryas, Scavenger Hunt systems, Lights XC
- Last forum archived, new forum created with welcome post
- Scavenger Hunt Lab 1 tested (fix Mac Freedom and log rotate issues)
- Lesson 1 supplemental videos updated and posted
- CIS 90 VLab VMs created and configured
- Surveys and PW sheet posted

- Rosters printed
- Add codes printed
- Head-up to CCC Confer on incoming recordings

- Slides and lab posted
- WB converted from PowerPoint
- Print out agenda slide and annotate page numbers

- Flash cards
- Properties
- Page numbers
- 1st minute quiz
- Web Calendar summary
- Web book pages
- Commands

- Backup slides, whiteboard slides, CCC info, handouts on flash drive
- Spare 9v battery for mic
- Key card for classroom door



Student checklist for attending class

Rich's Cabrillo College CIS Classes
CIS 90 Calendar

CIS 90 (Fall 2014) Calendar

Course Dates: [Calendar](#)

[CIS 90](#)

| Lesson | Date | Topics | Link |
|--------|------|--|------|
| | | Class and Litera Overview <ul style="list-style-type: none"> Understand how the course will work High-level overview of computers, operating systems and virtual machines Overview of LINUX/Linux market and architecture Using SSH for remote network logs Using terminals and the command line | |
| | 9/2 | Methods Presentation slides (download) | |
| | | Supplemental <ul style="list-style-type: none"> PowerPoint: Logging into Opus (command) | |
| | | Assignments <ul style="list-style-type: none"> Student Survey Lab 1 | |
| | | CCS Confer Enter virtual classroom | |
| | | Quiz 1 | |
| | | Comments | |

1. Browse to:
<http://simms-teach.com>
2. Click the **CIS 90** link.
3. Click the **Calendar** link.
4. Locate today's lesson.
5. Find the **Presentation slides** for the lesson and **download** for easier viewing.
6. Click the **Enter virtual classroom** link to join CCC Confer*
7. Log into Opus-II with Putty or ssh command.

* First time online students should use:
<http://www.cccconfer.org/support/Readiness>
to verify their computer is ready for CCC Confer.

Note: Blackboard Collaborate Launcher only needs to be installed once. It has already been downloaded and installed on the classroom PC's.



Student checklist for suggested screen layout

Google

CCC Confer

Downloaded PDF of Lesson Slides

The screenshot displays a virtual classroom interface. On the left is a Blackboard navigation menu for 'Rich's Cabrillo College CIS 90 Classes'. The main area features a Google map titled 'Class Activity - Where are you now?'. A 'CCC Confer' window shows a video of 'Rich Simms' and a list of participants including 'Benji Simms' and 'Rich Simms'. A 'cis90lesson01.pdf' window is open, showing 'Slide 2' with the title 'The CIS 90 System Playground' and a diagram of server racks. A terminal window at the bottom right shows a login prompt: 'edu's password: 14:21 2015 from c-71-204-162-14' followed by ASCII art and the text 'Welcome to Opus serving Cabrillo College'.


CIS 90 website Calendar page

One or more login sessions to Opus-II




Student checklist for sharing desktop with classmates


1) Instructor gives you sharing privileges.



2) Click overlapping rectangles icon. If white "Start Sharing" text is present then click it as well.



3) Click OK button.




4) Select "Share desktop" and click Share button.



Rich's CCC Confer checklist - setup





[] Preload White Board



[] Connect session to Teleconference

Session now connected to teleconference




[] Is recording on?



Red dot means recording

[] Use teleconferencing, not mic

Should be grayed out



Should change from phone handset icon to little Microphone icon and the Teleconferencing ... message displayed



Rich's CCC Confer checklist - screen layout



The screenshot displays a Windows desktop with several applications open:

- CCC Confer - 0 - RIC...:** A video conferencing window showing a participant named Rich Simms. It includes controls for audio and video, a list of participants, and a chat window.
- foxit for slides:** A Foxit Reader window displaying a PDF document titled 'cis90lesson07.pdf'. A red box labeled 'foxit for slides' points to the document.
- chrome:** A Google Chrome browser window displaying a PDF document from 'simms-teach.com/docs/cis90/cis-90-TEST-1-Fall-12.pdf'. A red box labeled 'chrome' points to the browser window.
- putty:** A PuTTY terminal window showing a login session for 'simben90@oslab:~'. The terminal output includes:

```
login as: simben90
simben90@oslab.cabrillo.edu's password:
Access denied
simben90@oslab.cabrillo.edu's password:
Last login: Mon Oct  8 18:58:43 2012 from 10.10.10.10
```


A red box labeled 'putty' points to the terminal window.
- vSphere Client:** A vSphere Client window showing the management interface for a vCenter server. A red box labeled 'vSphere Client' points to the interface.

[] layout and share apps







Rich's CCC Confer checklist - webcam setup



- [] Video (webcam)
- [] Make Video Follow Moderator Focus



Rich's CCC Confer checklist - Elmo




The "rotate image" button is necessary if you use both the side table and the white board.

Quite interesting that they consider you to be an "expert" in order to use this button!

Elmo rotated down to view side table



Elmo rotated up to view white board



Run and share the Image Mate program just as you would any other app with CCC Confer

Rich's CCC Confer checklist - universal fixes


Universal Fix for CCC Confer:

- 1) Shrink (500 MB) and delete Java cache
- 2) Uninstall and reinstall the latest Java runtime
- 3) <https://www.cccconfer.org/Support>


Control Panel (small icons)




General Tab > Settings...




500MB cache size



Delete these




Google Java download





Rich's CCC Confer checklist - Putty Colors



Putty Colors

Default Foreground 255 255 255
 Default Bold Foreground 255 255 255
 Default Background 51 51 51
 Default Bold Background 255 2 85
 Cursor Text 0 0 0
 Cursor Color 0 255 0
 ANSI Black 77 77 77
 ANSI Black Bold 85 85 85
 ANSI Red 187 0 0
 ANSI Red Bold 255 85 85
 ANSI Green 152 251 152
 ANSI Green Bold 85 255 85
 ANSI Yellow 240 230 140
 ANSI Yellow Bold 255 255 85
 ANSI Blue 205 133 63
 ANSI Blue Bold 135 206 235
 ANSI Magenta 255 222 173
 ANSI Magenta Bold 255 85 255
 ANSI Cyan 255 160 160
 ANSI Cyan Bold 255 215 0
 ANSI White 245 222 179
 ANSI White Bold 255 255 255

<http://looselytyped.blogspot.com/2013/02/zenburn-pleasant-color-scheme-for-putty.html>



Start

Sound Check

*Students that dial-in should mute their line using *6 to prevent unintended noises distracting the web conference.*

*Instructor can use *96 to mute all student lines.*

Volume

**4 - increase conference volume.*

**7 - decrease conference volume.*

**5 - increase your voice volume.*

**8 - decrease your voice volume.*

Class and Linux Overview

Objectives

- Understand how this course works
- Overview of computers and UNIX/Linux
- Learn how to login via ssh
- Learn first UNIX/Linux commands

Agenda

- Introductions
- Why take this class
- How this class works
- Lab resources
- Computers
- UNIX/Linux Overview
- Logging in via SSH
- First login
- First commands
- Housekeeping
- Navigating systems
- Assignment
- Wrap up



Introductions

Introductions and Credits



Jim Griffin

- Created this Linux course
- Created Opus and the CIS VLab
- Jim's site: <http://cabrillo.edu/~jgriffin/>



Rich Simms

- HP Alumnus
- Started teaching this course in 2008 when Jim went on sabbatical
- Rich's site: <http://simms-teach.com>

And thanks to:

- John Govsky for many teaching best practices: e.g. the First Minute quizzes, the online forum, and the point grading system (<http://teacherjohn.com/>)



Marvin



Alexander P.




Instructor: **Rich Simms**

Dial-in: **888-886-3951**

Passcode: **136690**



Oscar



Jacobs



Vincent C.



Alexander F.



William




Daniel C.




Hayden



Nick



Ramon



Camille



Manuel



Damien



Adam



Willow



Daniel P.




Jason




Josue



Vincent P.




Kyle



Sam X.



Edgar




Jonathan




Claudius




Sean



Kevin




Michael J.




Joshua




Moises



Samuel B.



David



Gabriel



Benjamin



Joseph



Natasha




Emmanuel




Alejandro




Victor




Michael C.




Tyler



Neil





Nicholas



tbd


First Activity

Use the chat window in CCC Confer to say Hi to your adjacent "virtual classmates"



If your name is not listed above you can chat Hi to anyone you want!

What is this
class about?



Student Learner Outcomes

1. Navigate and manage the UNIX/Linux file system by viewing, copying, moving, renaming, creating, and removing files and directories.
2. Use the UNIX features of file redirection and pipelines to control the flow of data to and from various commands.
3. With the aid of online manual pages, execute UNIX system commands from either a keyboard or a shell script using correct command syntax.

How this class works

Attending class

How to attend class each week

Wednesdays - 1:00PM to 4:05PM

- Section 98169 meets online in [this virtual classroom](#)
- Section 98170 meets simultaneously in room 828 on the Aptos Main Campus

Option 1: **Online "synchronous"** - from anywhere connect online to the "live" virtual classroom using CCC Confer. Use the "Enter virtual classroom" link on: <http://simms-teach.com/cis90calendar.php>

Option 2: **Traditional** - drive to campus, find parking, walk to the 800 building and take a seat in the classroom.

Option 3: **Online archives "asynchronous"** - watch the archived class recording online using CCC Confer at a time that works for you. Use the "Class archives" link on: <http://simms-teach.com/cis90calendar.php>

*It doesn't matter which section you enrolled in. You can use **any** method of attending for **any** of the classes.*

Attending Class

(supplemental)


Option 1: **Online (synchronous)** - from anywhere connect online to the "live" virtual classroom using CCC Confer.

The screenshot shows a web browser window with the URL simms-teach.com/cis90calendar.php. The page title is "Rich's Cabrillo College CIS Classes CIS 90 Calendar". On the left sidebar, there are several navigation links: "Home", "CIS 90", "CIS 90 Lab 1", "CIS 90 Lab 2", "CIS 90 Lab 3", "CIS 90 Lab 4", "CIS 90 Lab 5", "CIS 90 Lab 6", "CIS 90 Lab 7", "CIS 90 Lab 8", "CIS 90 Lab 9", "CIS 90 Lab 10", "CIS 90 Lab 11", "CIS 90 Lab 12", "CIS 90 Lab 13", "CIS 90 Lab 14", "CIS 90 Lab 15", "CIS 90 Lab 16", "CIS 90 Lab 17", "CIS 90 Lab 18", "CIS 90 Lab 19", "CIS 90 Lab 20", "CIS 90 Lab 21", "CIS 90 Lab 22", "CIS 90 Lab 23", "CIS 90 Lab 24", "CIS 90 Lab 25", "CIS 90 Lab 26", "CIS 90 Lab 27", "CIS 90 Lab 28", "CIS 90 Lab 29", "CIS 90 Lab 30", "CIS 90 Lab 31", "CIS 90 Lab 32", "CIS 90 Lab 33", "CIS 90 Lab 34", "CIS 90 Lab 35", "CIS 90 Lab 36", "CIS 90 Lab 37", "CIS 90 Lab 38", "CIS 90 Lab 39", "CIS 90 Lab 40", "CIS 90 Lab 41", "CIS 90 Lab 42", "CIS 90 Lab 43", "CIS 90 Lab 44", "CIS 90 Lab 45", "CIS 90 Lab 46", "CIS 90 Lab 47", "CIS 90 Lab 48", "CIS 90 Lab 49", "CIS 90 Lab 50", "CIS 90 Lab 51", "CIS 90 Lab 52", "CIS 90 Lab 53", "CIS 90 Lab 54", "CIS 90 Lab 55", "CIS 90 Lab 56", "CIS 90 Lab 57", "CIS 90 Lab 58", "CIS 90 Lab 59", "CIS 90 Lab 60", "CIS 90 Lab 61", "CIS 90 Lab 62", "CIS 90 Lab 63", "CIS 90 Lab 64", "CIS 90 Lab 65", "CIS 90 Lab 66", "CIS 90 Lab 67", "CIS 90 Lab 68", "CIS 90 Lab 69", "CIS 90 Lab 70", "CIS 90 Lab 71", "CIS 90 Lab 72", "CIS 90 Lab 73", "CIS 90 Lab 74", "CIS 90 Lab 75", "CIS 90 Lab 76", "CIS 90 Lab 77", "CIS 90 Lab 78", "CIS 90 Lab 79", "CIS 90 Lab 80", "CIS 90 Lab 81", "CIS 90 Lab 82", "CIS 90 Lab 83", "CIS 90 Lab 84", "CIS 90 Lab 85", "CIS 90 Lab 86", "CIS 90 Lab 87", "CIS 90 Lab 88", "CIS 90 Lab 89", "CIS 90 Lab 90", "CIS 90 Lab 91", "CIS 90 Lab 92", "CIS 90 Lab 93", "CIS 90 Lab 94", "CIS 90 Lab 95", "CIS 90 Lab 96", "CIS 90 Lab 97", "CIS 90 Lab 98", "CIS 90 Lab 99", "CIS 90 Lab 100".

The main content area shows the "CIS 90 (Fall 2014) Calendar" with a "Calendar" link highlighted. Below this is a table with columns for "Lesson", "Date", "Topics", "Prerequisites", and "Due". The first row shows "Lesson 1" on "9/2" with topics including "Class and Time", "Prerequisites", "Supplemental", "Assignment", and "Quiz 1". A link "Enter virtual classroom" is highlighted in the bottom right of the table.

1. Browse to **http://simms-teach.com**
2. Click the **CIS 90** link
3. Click the **Calendar** link
4. Click any **Enter virtual classroom** link

Option 2: **Traditional** - drive to campus, find parking, walk to the 800 building and take a seat in the classroom.



Enjoy the ocean view from the classroom windows!

Option 3: **Online archives (asynchronous)** - watch the archived class recording online using CCC Confer at a time that works for you.

The screenshot shows a web browser window with the URL simms-teach.com/cis90calendar.php. The page title is "Rich's Cabrillo College CIS Classes CIS 90 Calendar". The page contains a sidebar with various links, a main content area with a "Calendar" link, and a table of class sessions. A callout box on the right contains a numbered list of instructions.

1 simms-teach.com/cis90calendar.php

2 [CIS 90](#)

3 [Calendar](#)

4 [Class archives](#)

1. Browse to <http://simms-teach.com>

2. Click the [CIS 90](#) link

3. Click the [Calendar](#) link

4. Click any [Class archives](#) link

CCC Confer

CCC Confer - Attending class online

The screenshot displays the CCC Confer application window titled "CCC Confer - 0 - RICH SIMMS". The interface includes a menu bar (File, Edit, View, Tools, Window, Help) and a toolbar with icons for audio, video, and chat. On the left, the "AUDIO & VIDEO" section shows a video feed for "Rich Simms" with "Talk" and "Video" buttons. Below it, the "PARTICIPANTS" list shows "Benji" and "Rich Simms (Moderator)". A red box highlights the interaction icons (smiley face, hand, microphone, checkmark) in the participants list. At the bottom left, the "CHAT" area shows a log of messages: "- You joined the Main Room. (2:23 PM) -" and "- Rich Simms joined the Main Room. (2:24 PM) -". Another red box highlights the chat area. The main window displays a slide titled "CIS Linux Classes" with the Cabrillo College logo. The slide content includes: "Instructor: Rich Simms", "Dial-in: 888-886-3951", and "Passcode: 136690". A grid of 30 placeholder icons labeled "tbd" is visible. A blue callout box with a red arrow points to the interaction icons, containing the text: "Show your state of mind, let others know you stepped away, raise your hand, and indicate responses using these controls". Another blue callout box with a red arrow points to the chat area, containing the text: "Ask and answer questions using the chat area".

CCC Confer - Attending class online

When dialed in by phone you can use:

- *0 Contact the operator for assistance.
- *6 Mute/unmute your individual line with a private announcement.

This only applies if you dialed in using a phone

Help the Instructor with CCC Confer

Students who attend class on the Aptos campus should still use CCC Confer.

- If you notice **an online student with their electronic hand up that the instructor missed** please let the instructor know.
- If you notice the instructor **forgot to Share the presentation** material please let the instructor know.
- If you notice the instructor **forgot to turn on recording** please jump up and down and wave your arms to let the instructor know!

CCC Confer (supplemental)

simms-teach.com

Find the CCC Confer virtual room

1 simms-teach.com/cis90calendar.php

Rich's Cabrillo College CIS Classes CIS 90 Calendar

2 **CIS 90**

3 **Calendar**


| Lesson | Date | Topics | Prereq | Dir |
|--------|------|--|--------|-----|
| | 9/2 | Class and Line <ul style="list-style-type: none">• Understand high-level systems architecture• Overview of using SSH• Using terminals Prerequisites <ul style="list-style-type: none">• Presentation• Login Credentials Supplemental <ul style="list-style-type: none">• HW #14 Assignment <ul style="list-style-type: none">• Student Survey• Lab 1 | | |
| | | Enter virtual classroom <ul style="list-style-type: none">• Class archives | | |
| | | Quiz 1 | | |
| | | Comments | | |

4 **Enter virtual classroom**

1. Browse to **<http://simms-teach.com>**
2. Click the **[CIS 90](#)** link
3. Click the **[Calendar](#)** link
4. Click the **[Enter virtual classroom](#)** link



- Listen using your computer's speakers/headset or with your phone using the dial-in number



- Ask questions using the chat window or just speak if dialed in with your phone (or Skype)

Dialing in by phone (or Skype) is best because you can ask and answer questions by speaking rather than use the chat window

CCC Confer - Is your computer ready?

<http://www.cccconfer.org/support/Readiness>

The screenshot shows a web browser window displaying the CCC Confer website. The page title is "Readiness" and the URL is "http://www.cccconfer.org/support/Readiness". The website features the CCC Confer logo and a navigation menu with links for Home, Meetings, Training, Support, MyConfer, MyMeetings, Request Meeting, More, and Log out. A prominent "Support" button is visible. Below the navigation, there is a section titled "Readiness" with the sub-heading "Is Your Computer Ready?". This section contains a numbered list of instructions for downloading and running the Blackboard Launcher. The instructions are: 1. Run the Wizard to download the Blackboard Launcher on Windows and Mac Computers (10.8.4+). 2. Follow the prompts from Blackboard Collaborate to download the file and run the launcher. 3. Once the launcher is downloaded you can advance to opening the meeting.collab (file type for live sessions) and nativeplayback.collab (for recorded archives). Below the instructions, contact information for CCC Confer Client Services is provided: Telephone: 760-744-1150 ext 1537, 1554 or 1542; Email: clientservices@cccconfer.org. At the bottom of the page, there are links for Home, About Us, Products, Contact Us, Accessibility, Privacy & Terms, and social media icons for Facebook and YouTube. A footer note states: "This site is provided as a service to the administrators, staff and faculty of the California Community Colleges system. CCC Confer is funded by an e-conferencing grant from the California Community Colleges Chancellor's Office. ©2016 CCC Confer. All Rights Reserved."

Browse to the link above anytime before the first class. The first time setup for CCC Confer can take several minutes!

CCC Confer - Java may be downloaded
the first time you use CCC Confer



*CCC Confer uses Java which requires a download
and installation of the Java Runtime Environment
from java.com (Oracle)*




Instructor Note:

*Switch to
preloaded
whiteboard*


Class Activity

What kind of computer did you use to join CCC Confer?



|  |  |  | Other |
|---|---|---|-------|
| | | | |

Class Activity – Where are you now?



Roll Call

If you are attending class by watching the recordings in the archives email the instructor at: risimms@cabrillo.edu to provide roll call attendance.

Login Credentials

Username and passwords



The Login Credentials slides are not included in these lesson slides.

To locate a copy, login into Canvas (<https://cabrillo.instructure.com>) and read my Welcome announcement.

Instructor Note:

*Turn Recording On
Switch back to
shared slides*

Syllabus, Calendar and Grades


simms-teach.com Find the syllabus

The screenshot shows a web browser window with the URL <https://simms-teach.com>. The page title is "Rich's Cabrillo College CIS Classes CIS 90 Home". The navigation menu includes "Home", "Lessons", "Assignments", "CIS 90", and "File Sharing". The main content area features a sidebar with "CIS 90" highlighted in a red box, and a main section with "Course Home", "Grades", and "Calendar" links. A white box with a blue border contains the following instructions:

1. Browse to <http://simms-teach.com>
2. Click the [CIS 90](#) link
3. Click the [Course Home](#) link

Optional CIS 90 Textbook

*This textbook is **optional** but nice to have if you want to dig deeper into the material provided by the lesson slides.*



I really like the very first sentence in Harley Hahn's book:

"This book will change your life."

Optional Textbook:

Harley Hahn's Guide to Unix and Linux
by Harley Hahn
McGraw-Hill ISBN: 0073133612

Optional CIS 90 Gear

If you like "hands-on" you will love a Raspberry Pi

If you find your really enjoy learning UNIX/Linux and want your own private server then you should consider:



- \$39.95 Raspberry Pi 2 - Model B - ARMv7 with 1G RAM
- \$7.95 5V 2A Switching Power Supply w/ 20AWG 6' MicroUSB Cable
- \$11.95 8GB Card with NOOBS 1.4
- \$11.95 Miniature WiFi (802.11b/g/n) Module

CIS 90 Fall 2017

Class meets in room **828** and **online** every **Wednesday afternoon**:

- 15 lessons: **1:00-4:05 PM**, from **Aug 30th** to **Dec 6th**
- Final exam: **1:00-3:50PM**, on **Monday Dec 11th**, in room **828**

| July | | | | | | | August | | | | | | | September | | | | | | | |
|------|----|----|----|----|----|----|--------|----|----|----|----|----|----|-----------|----|----|----|----|----|----|---|
| Su | Mo | Tu | We | Th | Fr | Sa | Su | Mo | Tu | We | Th | Fr | Sa | Su | Mo | Tu | We | Th | Fr | Sa | |
| | | | | | | 1 | | | 1 | 2 | 3 | 4 | 5 | | | | | | | 1 | 2 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 27 | 28 | 29 | 30 | 31 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | | | |
| 30 | 31 | | | | | | | | | | | | | | | | | | | | |

| October | | | | | | | November | | | | | | | December | | | | | | | |
|---------|----|----|----|----|----|----|----------|----|----|----|----|----|----|----------|----|----|----|----|----|----|---|
| Su | Mo | Tu | We | Th | Fr | Sa | Su | Mo | Tu | We | Th | Fr | Sa | Su | Mo | Tu | We | Th | Fr | Sa | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | 1 | 2 | 3 | 4 | | | | | | | 1 | 2 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | |
| 29 | 30 | 31 | | | | | 26 | 27 | 28 | 29 | 30 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | | | |
| | | | | | | | | | | | | | | | | | | | | 31 | |

FALL 2017 FINAL EXAMINATIONS SCHEDULE DECEMBER 11 TO DECEMBER 16

DAYTIME FINAL SCHEDULE

Daytime Classes: All times in bold refer to the beginning times of classes. **MW/Daily** means Monday alone, Wednesday alone, Monday and Wednesday **or any 3** or more days in any combination. **TTH** means Tuesday alone, Thursday alone, or Tuesday and Thursday. **Classes meeting other combinations of days and/or hours not listed must have a final schedule approved by the Division Dean.**

| STARTING CLASS TIME / DAY(S) | EXAM HOUR | EXAM DATE |
|----------------------------------|-------------------|------------------------|
| <i>Classes starting between:</i> | | |
| 6:30 am and 8:55 am, MW/Daily | 7:00 am-9:50 am | Monday, December 11 |
| 9:00 am and 10:15 am, MW/Daily | 7:00 am-9:50 am | Wednesday, December 13 |
| 10:20 am and 11:35 am, MW/Daily | 10:00 am-12:50 pm | Monday, December 11 |
| 11:40 am and 12:55 pm, MW/Daily | 10:00 am-12:50 pm | Wednesday, December 13 |
| 1:00 pm and 2:15 pm, MW/Daily | 1:00 pm-3:50 pm | Monday, December 11 |

The typical week

<http://simms-teach.com>



Use the


Forum

to collaborate
with classmates
at any time



Work on labs or practice tests
during the week.

All assignments and due dates
are on the **Calendar** page



Calendar

All due dates are
found here

Wednesday

"First minute" quiz

Lecture on new lesson material


Class activities

Previous week lab assignments
due 11:59PM (Opus-II time)



Thursday

is grading day



Check the **Grades**
page to see grades
on labs, quizzes
and tests



Peek at the **Extra Credit**
page if you need more
points

Contacting the instructor

- Use the forum for the fastest response on technical or class related questions.
- Use email for personal matters. If it's not personal I will probably encourage you to post your question on the forum so I can answer it there. This is preferable because your other classmates can benefit from the answer.
- Weekly office hours:
<http://babyface.cabrillo.edu/salsa/listing.jsp?staffId=1426>
- Avoid leaving a message on voice mail. Checked rarely so don't expect a fast response (if any)!



simms-teach.com Find the Calendar page

The screenshot shows a web browser window with the URL <https://simms-teach.com>. The page title is "Rich's Cabrillo College CIS Classes CIS 90 Calendar". The page content includes a navigation menu with links for "Course Home", "Grades", and "Calendar". A sidebar on the left contains a list of links, including "CIS 90". A table of contents is visible, listing lessons and topics.

1. <https://simms-teach.com>

2. [CIS 90](#)

3. [Calendar](#)

| Lesson | Date | Topics | Chapter | Page |
|--------|------|---|---------|------|
| | | Class and Linux Overview <ul style="list-style-type: none">Understand how this course will workHigh-level overview of computers, operating systems and virtual machinesOverview of UNIX/Linux market and architectureUsing SSH for remote network loginsUsing terminals and the command line | | |
| | | Midterm | 1-15 | |

| Lesson | Date | Topics | Chapter | Page |
|--------|------|---|---------|------|
| | | QUIZ 1 Commands <ul style="list-style-type: none">Understand how the UNIX login operation worksMeet John the Ripper and learn how vulnerable a poor password isCustomize basic computer system and | | |

1. Browse to <http://simms-teach.com>
2. Click the [CIS 90](#) link
3. Click the [Calendar](#) link

Course Calendar

| Lesson | Date | Topics | Chapter | Due* |
|--------|------|--|---|-------|
| 5 | 3/10 | <p>Quiz 4</p> <p>Review</p> <ul style="list-style-type: none"> Review lessons 1-4 Practice skills Learn about filename expansion characters <p>Materials</p> <ul style="list-style-type: none"> Presentation slides (download) Practice test (download) <p>Assignment</p> <ul style="list-style-type: none"> NA <p>CCC Confer</p> <ul style="list-style-type: none"> Enter virtual classroom Class archives | | Lab 4 |
| 6 | 3/17 | <p>Managing Files</p> <ul style="list-style-type: none"> Creating Copying Moving Renaming Removing Linking <p>Materials</p> <ul style="list-style-type: none"> Presentation slides (download) <p>Test #1</p> <ul style="list-style-type: none"> Test (download) <p>Assignment</p> <ul style="list-style-type: none"> Lab 5 <p>CCC Confer</p> <ul style="list-style-type: none"> Enter virtual classroom Class archives | <p>5 8.13-8.16 (Gillay)</p> <p>25 p715-729 (Hahn)</p> | |

Lesson # and Date

Lesson slides, feel free to download during class for local viewing

Lab assignment

CCC Confer links to join class online or review archives

First minute quiz


What is due by 11:59PM (Opus-II time) on that date (LATE WORK IS NOT ACCEPTED)

Links to virtual classroom and archived recordings

References to material in the textbook

Test

simms-teach.com Find the Grades page



1 <https://simms-teach.com>

2 [CIS 76](#)

3 [Grades](#)

Rich's Cabrillo College CIS Classes
CIS 90 Grades

CIS 90 (Fall 2014) Grades
Course Home [Grades](#) [Calendar](#)

Points can be earned from the following activities:

- First minute quizzes - 90 points (9%)
- Tests - 90 points (14%)
- Forum posts - 60 points (14%)
- Lab assignments - 300 points (54%)
- Project - 60 points (11%)

How your grade is determined:
A student can earn up to 500 points over the 15 weeks. The grade is a base on the number of points earned.

| Percentage | Grade |
|---------------|-------|
| 90% or higher | A |
| 80% to 89.9% | B |
| 70% to 79.9% | C |
| 60% to 69.9% | D |
| 0% to 59.9% | F |

Choice of Grade
You indicate your grade choice selection.

Recommendation
The instructor may assign graded and non-graded areas of performance. Non-graded performance areas may include teamwork, helping others, quality, planning & organization skills, communication, documentation, innovation, and the desire to go above and beyond expectations. The forum is an excellent way to demonstrate teamwork and communication skills.

Current Progress

| Code Name | Grading Choices | Quizzes & Tests | | | | | | | | | | | | | | | Forum | Labs | | | | | | | | | | Extra Credit | Total Grade | | | | | | | | | | | | | | | | | | | | |
|--------------|--------------------|-----------------|----|----|----|----|----|----|----|----|-----|----|----|----|----|----|-------|------|----|----|-----|----|----|----|----|----|----|-----------------|----------------|----|----|----|-----|---------|----|----|----|----|----|----|----|----|----|----|-----|--|--|--|--|
| | | Q1 | Q2 | Q3 | Q4 | Q5 | Q6 | Q7 | Q8 | Q9 | Q10 | T1 | T2 | T3 | T4 | T5 | T6 | T7 | T8 | T9 | T10 | L1 | L2 | L3 | L4 | L5 | L6 | | | L7 | L8 | L9 | L10 | Project | | | | | | | | | | | | | | | |
| max | Points | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 30 | 30 | 30 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 60 | 50 | 500 | | | | |
| alpha | grade | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

1. Browse to <http://simms-teach.com>
2. Click the [CIS 76](#) link
3. Click the [Grades](#) link

Course Grading

Monitor this page to track your progress in the course.

Rich's Cabrillo College CIS Classes
CIS 90 Grades

Home | Assignments | My Grades | CIS 90 Grades | Recommendations

CIS 90 (Spring 2014) Grades
Course Home | Calendar

Points can be earned from the following activities:

- First minute quizzes - 30 points (5%)
- Tests - 90 points (16%)
- Forum posts - 80 points (14%)
- Lab assignments - 300 points (54%)
- Project - 60 points (11%)

How your grade is determined:
A student can earn up to 560 total points doing the activities listed above. The course grade is based on the number of points earned.

| Percentage | Total Points | Letter Grade | Pass/No Pass |
|---------------|---------------|--------------|--------------|
| 90% or higher | 504 or higher | A | Pass |
| 80% to 89.9% | 448 to 503 | B | Pass |
| 70% to 79.9% | 392 to 447 | C | Pass |
| 60% to 69.9% | 336 to 391 | D | No pass |
| 0% to 59.9% | 0 to 335 | F | No pass |

For some flexibility, personal preferences or family emergencies there is an additional 90 points available of **extra credit** activities.

Choice of Grade or Pass/No Pass
You indicate your grading choice on the Student Survey form passed out during the first class. You can verify your grading choice selection on the table below. Contact the instructor by email with any questions or to request a change in grading choice.

Recommendations
The instructor may provide letters of recommendation upon request. When writing a recommendation the instructor will include both graded and non-graded areas of performance. Non-graded performance areas may include teamwork, helping others, quality, planning & organization skills, communication, documentation, motivation, and the desire to go above and beyond expectations. The forum is an excellent way to demonstrate teamwork and communication skills.

Current Progress

| Code | Grading | Quizzes & Tests | | | | | | | | | | Forum | | | | Labs | | | | | | | | | | Extra | Total | Grade | | | | |
|------------|---------|-----------------|----|----|----|----|----|----|----|----|-----|-------|----|----|----|------|----|----|----|----|----|----|----|----|----|-------|-------|-------|---------|--------|-------|-------|
| Name | Choice | Q1 | Q2 | Q3 | Q4 | Q5 | Q6 | Q7 | Q8 | Q9 | Q10 | T1 | T2 | T3 | F1 | F2 | F3 | F4 | L1 | L2 | L3 | L4 | L5 | L6 | L7 | L8 | L9 | L10 | Project | Credit | Total | Grade |
| Max Points | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 30 | 30 | 30 | 20 | 20 | 20 | 20 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 60 | 90 | 560 | |
| adaldnda | grade | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Your grade is based solely on the number of points you earn. It offers flexibility and gives you control.

Use extra credit to earn up to 90 additional points

Your default grading choice will be a letter grade. This can be changed to Pass/No Pass by emailing a request to the instructor.

Each student is assigned a secret LOR code name

More on Grading

[Course Home](#) [Calendar](#)

Points can be earned from the following activities:

- First minute quizzes - 30 points (5%)
- Tests - 90 points (16%)
- Forum posts - 80 points (14%)
- Lab assignments - 300 points (54%)
- Project - 60 points (11%)

How your grade is determined:

A student can earn up to 560 total points doing the activities listed above. The course grade is based on the number of points earned.

| Percentage | Total Points | Letter Grade | Pass/No Pass |
|---------------|---------------|--------------|--------------|
| 90% or higher | 504 or higher | A | Pass |
| 80% to 89.9% | 448 to 503 | B | Pass |
| 70% to 79.9% | 392 to 447 | C | Pass |
| 60% to 69.9% | 336 to 391 | D | No pass |
| 0% to 59.9% | 0 to 335 | F | No pass |

For some flexibility, personal preferences or family emergencies there is an additional 90 points available of **extra credit** activities.


You control your grade. The more points you earn the higher your grade will be.

Grading - Lab Assignments

- 10 labs, 30 points each
- Due at **11:59PM** (Opus-II time) on the date shown on the course Calendar.
- **Late work is not accepted.** There is no credit for any work turned in after the deadline. If you don't complete a lab assignment, please turn in what you have, by the due date, for partial credit.
- Students may work together and collaborate on labs but they must submit their own work to get credit.
- Lab resources, instructors, and assistants are available in the CIS lab. In addition the Linux Opus-II server and the CIS VLab may be accessed from anywhere over the Internet.

*A lab assignment due at 11:59PM will get **no credit** if turned in **one minute late** at 12:00AM which is midnight the next day!*

Grading - First Minute Quizzes



- 10 quizzes, 3 points each
- The quiz questions are shown on CCC Confer at **1:00PM** sharp. Answers are emailed to the instructor. The order of the questions will not be known until the quiz is given! Emailed answers that are **not in order will be marked as incorrect.**
- The quiz questions are given out in advance and students can use the forum to collaborate on answers prior to class.
- Quizzes are open book/notes. Students may not give or ask others for assistance while taking a quiz.
- There are **NO makeup's** for these quizzes and they must be taken and turned in within the first few minutes of class. Answers emailed **after** the first few minutes of class **will not get credit.**
- Students that attend by watching the archives can do some extra credit work instead. In the past many working students have joined the class briefly at the start just to take the quiz and then return to work.

An incentive to start class on time

Grading - Tests



- 3 tests, 30 points each
- Tests are timed. 😞
- A practice test will be made available a week before the actual test. 😊
- Test 1 and 2 will be held during the last hour of class on the days shown on the Calendar.
- Working students have the option to take test 1 and test 2 later in the day but they must be completed no later than 11:59PM (Opus-II time) on the day of the test.
- Test 3 is the final exam and is mandatory. The time of the final exam is shown on the Calendar.
- Tests are open notes, open book, and open computer.
- **Students may not give or ask others for assistance while taking a test.**
- Tests may be taken remotely online.

Timed tests are more difficult due to the time pressure! They do help me understand what you have learned so I can adjust the course as needed.

If you get anxious, freeze up, or your mind just doesn't work on timed tests then come see me. I'll be happy to work with you on how to successfully take them.

Grading - Forum Posts

- 4 points per post, up to 20 points maximum per "posting quarter".
- The end date for each posting quarter is shown on the course calendar.
- The posts for the quarter will be due at **11:59PM** (Opus-II time) on the date shown on the course Calendar.
- **Extra posts in one quarter do not carry over to the next quarter.**
- **Only posts in the CIS 90 class forum will be counted.**

As far as earning points, forum posts are "low hanging fruit" !!

Grading - Extra Credit

- Up to 90 points
- You need to attend to a family emergency and can't turn in a lab assignment on time ... don't worry!
- Your schedule/commute doesn't allow you to take any of the "first minute" quizzes don't worry!
- You get anxious, panic and forget everything you know on a test ... don't worry!
- You just don't like making forum posts ... don't worry!

There are ample extra credit opportunities which provide you with the flexibility to get the grade you want.

There is a cap on extra credit points so plan carefully!

Making the fine print LARGE (and red)

Please remember:

- 1) **NO makeup's** for missed quizzes.
- 2) Quiz answers in the **wrong order** or not emailed **in the first few minutes will not be accepted.**
- 3) **Late work will not be accepted.** For example, a lab assignment due at 11:59PM will get no credit if turned in **one minute late** at 12:00AM (midnight) the next day.


Tip: if you have not completed a lab assignment, **please turn in what you have done for partial credit.**

Don't panic though -- there are ample extra credit opportunities for students wanting or needing any extra points.


Final word on Grading

- You control your grade for this course!
- Use the **Grades** web page to plan for the grade you wish to receive and track your progress.
- Use the **Calendar** web page to see due dates for ALL lab assignments, extra credit labs and forum posts. See when EVERY quiz and test is scheduled.

Grades



Calendar



| Percentage | Total Points | Letter Grade | Pass/No Pass |
|---------------|---------------|--------------|--------------|
| 90% or higher | 504 or higher | A | Pass |
| 80% to 89.9% | 448 to 503 | B | Pass |
| 70% to 79.9% | 392 to 447 | C | Pass |
| 60% to 69.9% | 336 to 391 | D | No pass |
| 0% to 59.9% | 0 to 335 | F | No pass |


At the end of the course the instructor will count the number of points you have earned and use this table on the Grades web page to determine your grade.

HELEN'S
RESTAURANT

WHERE GOOD
FRIENDS
MEET TO EAT

Help
Forum

Online Help Forum



- Post questions and answers
- Get clarifications on assignments
- Collaborate with classmates on assignments, quizzes and practice tests.
- Share UNIX/Linux information and ideas
- Post class notes for classmates who miss class
- **Since this is a public forum on the Internet:**
 - **Never post passwords!**
 - **Be nice, be respectful, be professional.**



As an incentive to use the forum - students can earn 4 points per CIS 90 forum post (capped at 20 points for each posting period)

Class Forum

Textbook

POSTREPLY ↩

Search this topic...

Search


3 posts • Page 1 of 1

Textbook

by Benji Simms on Thu May 15, 2008 2:57 pm

What is the textbook for this course? I want to get it ahead of time and start reading through it.

- Usernames cannot be anonymous and must be:
 - Your real **first** and **last name** separated by a **space** e.g. Rich Simms
 - During activation if your username matches a name on the roster, but is not your full first and last name **it will be modified** to be so.
 - During activation if your username does not match a name on roster **it gets deleted**.
- Uploading an avatar is optional. Identifying photos are preferred so students can get to know each other.




Benji Simms

Posts: 5
Joined: Thu May 15, 2008 2:40 pm



Rich Simms
Site Admin

Posts: 340
Joined: Thu May 15, 2008 1:44 pm



Benji Simms

Posts: 5
Joined: Thu May 15, 2008 2:40 pm

Class Activity Forum Registration

Click the Forums link on
<http://simms-teach.com>

Rich's Cabrillo College CIS Classes CIS 90 Calendar

Home

Resources

Forums

CIS Lab

Canvas

: Computer and Information Systems

Computer Networking and System Administration and/or
list programs

Search...

Search

Advanced search

∨ A ^


FAQ

Register

Login

It is currently Sun Jan 17, 2010 9:43 am

To Register:

1. Browse to the forum
2. Click on  Register
3. Review and agree to terms
4. Your **Username** must:
 - be your **first** and **last name** separated by a space
 - e.g. Benji Simms
 - match a name on the class roster

Note: All registrations are manually approved by the instructor. If your username is incomplete or does not match a name of the class roster it will be modified or deleted.

To get notifications of new forum posts

Subscribe to the forum to get email notifications of new posts

After logging in:

1. Go to the CIS 90 class forum.
2. At the bottom of the page, click the "Subscribe forum" link on the lower left. When subscribed you get email notifications when new posts are made.
3. To unsubscribe, click it again.

[Home](#) < [Board index](#) [Subscribe forum](#)

*Unsubscribed
looks like this.*

[Home](#) < [Board index](#) [Unsubscribe forum](#)

*Subscribed
looks like this.*




Lab Resources

The CIS 90 System Playground


Configured for
Command Line Only



Other UNIX/Linux servers




Configured for
Graphics and Command Line



Each student gets their own Arya VM for the term

All the systems are virtual machines (VMs) running on the CIS Lab servers. They are available from on or off-campus

Option 1: Work on assignments online from anywhere



CIS Lab servers on the Aptos campus



The CIS 90 systems, e.g. Opus-II and Sun-Hwa, are virtual machines hosted on physical servers in the CIS Lab




Home



School





Travel



Option 2: Work on assignments in the CIS Lab

Building 800 - Room 830 (in the STEM Center)



Rich's Cabrillo College CIS Classes
CIS 90 Grades

Home

Resources

Forums

CIS Lab

Blackboard

Instructors, lab assistants and equipment are available CIS students.

Great place to collaborate with classmates and a place for study groups to meet.

Use this link to see the schedule and location

The CIS 90 System Playground




My micro lab on my desk at home. Watch the forum for an extra credit activity using this tiny lab.

Computers


What is a computer?



Hardware



Software



At a high level all computers have the same basic hardware and software components



Hardware

Computer hardware has many form factors



smart phone



tablet



Raspberry Pi



mobile "laptop"



desktop



blade server



"heavy iron" server



Virtual Machine



supercomputer



"pizza box" 1U rack server



smart watch


Computers come in a wide variety of form factors



Apple App Store



Software



Software can be divided into programs (apps) and operating systems

Users



Applications "Apps" (programs)

- Interface to users via graphics (GUI) or command line (CLI)
- Use the OS for all access to hardware resources

Examples: word processors, spreadsheets, smartphone apps, web servers, compilers, games, email, web browsers, media players, databases, CAD/CAM, contact management, anti-virus, accounting, enterprise applications, custom software, and millions more!

Operating System (OS)

- Shares hardware resources
- Loads and executes programs
- Manages processes (running programs)
- Manages memory
- Manages the file system
- Provides input/output services
- Monitors the system
- Network stack services

Examples: Windows, Mac, Linux, Unix

Hardware



Software Licensing

Public Domain (paid for by the taxpayer)

- Source code is available
- No license, no copyright, maybe modified and redistributed
- Examples: USGS mapping software, NASA aerodynamics software

Open Source

- See: <http://opensource.org>
- Source code is available
- Community of developers doing online collaboration
- Pragmatic redistribution licenses
- Examples: Apache, Firefox, Android, OpenOffice, OpenBSD, LibreOffice

Free Software Foundation

- See: <https://www.fsf.org>
- Source code is available
- GNU ("GNU is not UNIX") General Public License, COPyleft
- Examples: GNU/Linux, gimp, emacs, nano, gcc, zebra, Files


Proprietary (closed source)

- Source code is not available
- Considered intellectual property
- Must be licensed to use
- Examples: Adobe Photoshop, Microsoft Windows, Mac OS X, AT&T UNIX System V, Cisco IOS

UNIX/Linux overview

In 1971 Ken Thompson and Dennis Ritchie developed Unix at AT&T's Bell Labs





In 1971 Ken Thompson and Dennis Ritchie developed Unix at AT&T's Bell Labs



Dennis Ritchie and Kenneth Thompson: they set the style for software development – and for software developers



Isn't UNIX/Linux an antique Operating System dating back to the early 70's that belongs in a museum?



Heck NO !!

UNIX/Linux is widely used, constantly improved and growing fast!

- Cloud infrastructure – Amazon AWS, OpenStack, etc.
- Embedded in smartphones, tablets and many other appliances.
- Internet services - Web, DNS, DHCP, Net News, Mail, etc.
- Enterprise and mission critical applications - Large databases, Enterprise Resource Management (ERM), Customer Relationship Management (CRM), data warehouse, manufacturing, supply chain management, etc.
- Hollywood - feature animation, visual effects, rendering farms.
- Number-crunching super computers for research.
- Businesses like Amazon, Paypal, Facebook, NYSE, Google, Home Depot run their businesses on UNIX/Linux

UNIX/Linux Overview


Supplemental



Businesses and organizations that run on Linux



WIKIPEDIA
The Free Encyclopedia



Internet service providers use UNIX/Linux to provide web, DNS, DHCP, Mail, etc. services to their customers.



Film Studios



Film studios like DreamWorks have huge Linux "rendering farms" to produce the animation and special effects



Televisions

The Open-Source Car

Summary: Toyota is joining the Linux Foundation.



By Steven J. Vaughan-Nichols for Linux and Open Source | July 5, 2011 -- 10:13 GMT (03:13 PDT)

Follow @sjvn

Besides a V6 as your engine, your car is very likely to soon be running Linux under the hood. The Linux Foundation will be announcing today that Toyota is joining the Foundation.



Some of you may be wondering, "What the heck is a car company doing joining the Linux Foundation?" The answer is easy. As the Foundation puts it, "A major shift is underway in the automotive industry. Car-makers are using new technologies to deliver on consumer expectations for the same connectivity in their cars as they've come to expect in their homes and offices. From dashboard computing to In-Vehicle-Infotainment (IVI), automobiles are becoming the latest wireless devices - on wheels."


And, what's one of the most popular systems for dashboard computing, heads-up driving displays and IVI? It's Linux, of course.

< *snipped* >


<http://www.zdnet.com/blog/open-source/the-open-source-car/9193>

The top screenshot shows the Sony Linux TV source code distribution service search page. It features a search bar and two main sections: 'Search by Model/Module' and 'Search by Category'. The 'Search by Category' section is expanded to show two categories: 'Japan' and 'Americas'. Under 'Japan', there are three items: 'Digital TV', 'Network TV Box', and 'Media Player'. Under 'Americas', there are also three items: 'Digital TV', 'Internet TV', and 'Media Player'.

The bottom screenshot shows the search results for the 'Japan' category. It lists a long string of model numbers: 'KDL-60NX800/KDL-52NX800/KDL-46NX700/KDL-40NX700/KDL-55HX701/KDL-46HX701/KDL-48HX701/KDL-52EX703/KDL-52EX703/KDL-48EX703/KDL-48EX703/KDL-48EX701/KDL-52EX701/KDL-48EX701/KDL-69EX700/KDL-52EX700/KDL-46EX700/KDL-40EX700/KDL-32EX700/KDL-32EX308/KDL-22EX308/KDL-46NX800/KDL-40EX408/KDL-32EX408/KDL-60NX801/KDL-52NX807/KDL-52EX707/KDL-48EX707/KDL-40EX707/KDL-32EX707/KDL-46EX807/KDL-40EX907/KDL-32EX907/KDL-40EX507/KDL-32EX507/KDL-40EX407/KDL-32EX407/XBR-60LX900/XBR-52LX900/XBR-52LX900/XBR-46LX900/KDL-60NX810/KDL-55NX810/KDL-48NX710/KDL-40NX710/KDL-55EX710/KDL-46EX710/KDL-46LX900/XBR-40LX900/KDL-60NX810/KDL-55NX810/KDL-48NX710/KDL-40NX710/KDL-55EX710/KDL-46EX710/KDL-40EX710/KDL-32EX710/KDL-46NX810/KDL-55EX713/KDL-46EX713/KDL-40EX713/KDL-46NX711/KDL-40NX711/KDL-55NX811/KDL-60NX817/KDL-55NX817/KDL-46NX717/KDL-40NX717/KDL-55EX717/KDL-46EX717/KDL-40EX717/KDL-32EX717/KDL-55EX711/KDL-46EX711'. Below the list, there is a section for 'Package:' which includes a list of source code packages such as 'cairo-1.8.6.tgz', 'directfb_modules.zip', 'exceptionmonitor.tgz', 'glib-2.16.6.tgz', 'kernel26.tgz', 'libjs-1.5.tgz', 'pango-1.24.2.tgz', 'pump-autop-0.8.15-5_0_DTV10_20090911.tar.gz', 'sony-target-srel-iboybox-1.4.2-05000302.src.rpm', 'sony-target-srel-directfb-1.3.0-05000306.src.rpm', 'sony-target-srel-dosfstools-2.11-05000301.src.rpm', and 'sony-target-srel-iptables-1.4.0-05000301.src.rpm'. At the bottom, there are 'BACK' and 'Back to Search' buttons, and a footer with 'Terms of Use', 'About This Site', and 'Copyright 2014 Sony Corporation'.

A close-up photograph of tree bark, showing a complex, cracked texture. The bark is covered with patches of bright orange lichen and greyish-white lichen. The overall appearance is rough and weathered.

Unix family trees



It all started at Bell Labs

BSD family

GNU/Linux


Commercial UNIX family




Unix family Trees

Supplemental

UNIX/Linux Family Tree






Kleine UNIX-Geschichte

Dargestellt sind nur die Ursprungslinien. Die verschiedenen Endfasse sind nur bei Apple abgebildet, da sie die Übersichtlichkeit stark beeinträchtigen.

Weitere Daten sind: Hersteller, Betriebssystem-Namen sowie das Erscheinungsjahr. Die einzelnen Versionen sind nur bei UNIX aufgelistet.

Detailliertere Liste unter:
<http://www.levenez.com/unix/>



www.levenez.com/unix/

Unix History

Unix Timeline

Below, you can see the preview of the **Unix History** (move on the white zone to get a bigger image):

This is a simplified diagram of unix history. There are numerous derivative systems not listed in this chart, maybe 10 times more! In the recent past, many electronic companies had their own unix releases. This diagram is only the tip of an iceberg, with a penguin on it ;-).

| System | Version | Date |
|----------------|------------|--------------------|
| Oracle Solaris | 11.1 | October 4, 2012 |
| Android | Jelly Bean | July 9, 2012 |
| Android | 4.1.2 | October 9, 2012 |
| Android | 4.2 | October 29, 2012 |
| Android | 4.2.1 | November 27, 2012 |
| Linux | 3.5 | July 21, 2012 |
| Linux | 3.6 | September 30, 2012 |
| Linux | 3.7 | December 10, 2012 |

www.levenez.com/unix/redirect_unix_a4_pdf.html


UNIX

Commercial

UNIX

The commercial "UNIX" descendants


The UNIX trademark is owned and managed by The Open Group on behalf of the industry to signify products that are certified to conform to the Single UNIX Specification.



SCO UNIX
PC servers



Sun Solaris
Servers and workstations



IBM AIX
Servers, mainframes and
workstations



HP HP-UX
Servers and workstations



Apple OS X
Mac computers

BSD

Berkeley

Software


Distribution

BSD Unix and its "UNIX-like" Descendants

UC Berkeley had a source license from AT&T so they could make their own modifications and additions like TCP/IP which enabled Unix for the Internet. BSD Unix was very popular with university and government users.



Because the original BSD Unix was based on ATT's UNIX code it had to be re-written from scratch so it could be distributed freely as open source. These "UNIX-like" descendants are not allowed to use the UNIX trademark.



Source: <http://en.wikipedia.org/wiki/OpenBSD>

Apple iOS



The Apple iOS, internally known as Darwin, like Mac OS X, runs on a Unix-like kernel (Mach kernel + BSD components)

Sources: [http://en.wikipedia.org/wiki/Darwin_\(operating_system\)](http://en.wikipedia.org/wiki/Darwin_(operating_system))
[http://en.wikipedia.org/wiki/IOS_\(Apple\)](http://en.wikipedia.org/wiki/IOS_(Apple))

GNU / Linux

GNU is Not Unix

GNU/Linux



Shells
System commands
Utilities
Libraries
Much more ...



Richard Stallman started the GNU project in 1983 to create a free UNIX-like OS. He founded the Free Software Foundation in 1985. In 1989 he wrote the first version of the GNU General Public License



Kernel



Linus Torvalds, as a student, initially conceived and assembled the Linux kernel in 1991. The kernel was later re-licensed under the GNU General Public License in 1992.

Various GNU/Linux "Distros" (Distributions)

Red Hat Enterprise Linux



CentOS



Fedora




OpenSUSE



Debian




Ubuntu



Mint



Mageia




*Note: A distribution is built by a company or organization. They start with the **Linux kernel** then add a custom mix of open source components. They may then add some of their own unique software to differentiate their distribution.*



Tux, the penguin, is the Linux kernel mascot

iso.linuxquestions.org

15 Most Popular Linux Distro Downloads

| 15 Most Downloaded Distribution Versions (last 30 Days) |  15 Most Downloaded Distributions (Ever) |
|--|---|
| 1. BackTrack 5 R3 (563598) | 1. Fedora |
| 2. CentOS 6.5 (24485) | 2. Red Hat Enterprise Linux |
| 3. Linux Mint 17.1 (10509) | 3. Mandriva |
| 4. Fedora 20 (7214) | 4. Ubuntu |
| 5. Wifislax 4.9 (6778) | 5. SUSE |
| 6. Puppy Linux 6.0 "Tahrpup" (4429) | 6. CentOS |
| 7. CentOS 7.0-1406 (4029) | 7. Damn Small Linux |
| 8. KNOPPIX 7.4.2 (3455) | 8. Knoppix |
| 9. linuX-gamers Live 0.9.7 (2675) | 9. BackTrack |
| 10. FreeBSD 9.3 (2312) | 10. Debian |
| 11. Puppy Linux 4.3.1 (1912) | 11. Slackware |
| 12. Ubuntu 12.04.4 (1584) | 12. Linux Mint |
| 13. Damn Small Linux 4.4.10 (1207) | 13. PCLinuxOS |
| 14. Xubuntu 14.04.1 (1052) | 14. Puppy Linux |
| 15. Zorin OS 6 "Lite" (968) | 15. MEPIS |

Jan 21, 2015

There are hundreds of Linux distributions. The one thing they have in common is they all use the Linux kernel.

Embedded Linux (just a few)



Katana
Robotic Arm



Erle-Copter
drone



Nest Cam



Amazon
Kindle



Stir smart desk



Asus RT-AC66U
wireless router



Tivo



Yamaha Disklavier
Mark IV



Android
Cell Phones



Some TomTom
GPS models



Garmin
Nuvi 5000



Buffalo
NAS storage



Virgin America
Personal
Entertainment



TripBPX
Phone
System



MikroTik
Routers



Sony TVs



Android Tablets



Raspberry Pi



Polycom
VOIP
Phone




Unix/Linux Architecture simplified

UNIX/Linux Architecture Simplified View

Users




Software



Hardware




The Shell (Command Line)



- Allows users to interact with the computer
- Called a "shell" because it hides the underlying operating system.
- Prompts user for a command, parses the command, then locates the command (a program or script) and runs it.
- Many shell programs are available: sh (Bourne shell), bash (Bourne Again shell), csh (C shell), ksh (Korn shell).
- The shell is a user interface and a programming language (scripts).
- GNOME and KDE desktops could be called graphical shells.


System Commands



- 100's of system commands and utilities.
- We will learn how to use the following commands in this lesson:
 - cal
 - clear
 - date
 - exit
 - hostname
 - id
 - ps
 - ssh
 - tty
 - uname

UNIX/Linux Architecture


Applications



- Could be included in the distribution or optionally installed.
- Could be an add-on program developed by an ISV (Independent Software Vendor) or Open Source organization.
- Could be an in-house developed custom application.
- Examples are **Apache** (web server), **GIMP** (GNU image manipulation program), **OpenOffice** (word processing, spreadsheets, presentations), **Oracle** (commercial database), ... etc.



The Kernel




- Lowest level, inner-most core of the operating system.
 - Process management - what programs are called when they are loaded and running.
 - Memory management - handles all the reads and writes to memory (RAM and virtual memory).
 - File System - handle all the reads and writes to files on drives.
 - Network stack - provides the communication layers to exchange packets with other computers.





GNU/Linux Operating System Architecture



Richard Stallman started the GNU project in 1983 to create a free UNIX-like OS. He Founded the Free Software Foundation in 1985. In 1989 he wrote the first version of the GNU General Public License



Linus Torvalds, as a student, initially conceived and assembled the Linux kernel in 1991. The kernel was later re-licensed under the GNU General Public License in 1992.

¹See "Anatomy of the Linux kernel" by M. Tim Jones at <http://www-128.ibm.com/developerworks/linux/library/l-linux-kernel/>



UNIX/Linux Design “Observations”

- Multi-tasking and multi-user capabilities
- Unlike Windows, the GUI does not run in the kernel (adds stability)
- Unlike Windows, multiple graphical desktops available
- Linux kernel is “monolithic”, not a modular “microkernel”
- Dynamic - can load and unload modules on the fly
- Programs restricted to the privileges of the user running them (more secure)
- Scalable - scales up to handle the largest enterprise and mission-critical applications
- Portable - runs on a variety of hardware platforms
- Reliable and robust
- Powerful, **but NOT friendly !!**

The image features seven bowls of cherry tomatoes arranged in a grid-like pattern on a light-colored surface. The top row consists of three white bowls with blue rims. The middle row consists of three white bowls with blue rims. The bottom row consists of two black bowls. The text 'Market Share' is overlaid in the center of the image in a large, white, sans-serif font. The tomatoes are mostly red, with some green and orange ones scattered throughout. Some bowls contain a small amount of yellow liquid, possibly oil or dressing, and some have green leaves or herbs scattered around the tomatoes.

Market Share

Market Share

Supplemental

Worldwide Server Market



FRAMINGHAM, Mass., June 1, 2016 – According to the International Data Corporation (IDC) **Worldwide Quarterly Server Tracker**, vendor revenue in the worldwide server market decreased 3.6% year over year to \$12.4 billion in the first quarter of 2016 (1Q16). This ended a seven quarter streak of year-over-year revenue growth as server market demand slowed due to a pause in hyperscale server deployments as well as a clear end to the enterprise refresh cycle. Worldwide server shipments decreased 3.0% to 2.2 million units in 1Q16 when compared with the same year-ago period.

Source: IDC, <https://www.idc.com/getdoc.jsp?containerId=prUS41424716>

| Quarter | 2012Q1 | 2012Q2 | 2012Q3 | 2012Q4 | 2013Q1 | 2013Q2 | 2013Q3 | 2013Q4 | 2014Q1 | 2014Q2 | 2014Q3 | 2014Q4 | 2015Q1 | 2015Q2 | 2015Q3 |
|--------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| OS | Units | Units | Units | Units | Units | Units | Units | Units | Units | Units | Units | Units | Units | Units | Units |
| i5/OS | 376 | 376 | 479 | 560 | 348 | 303 | 394 | 452 | 172 | 201 | 220 | 278 | 317 | 154 | 171 |
| Linux | 552,776 | 580,481 | 704,734 | 731,987 | 633,291 | 748,081 | 764,935 | 882,012 | 755,867 | 821,566 | 953,219 | 995,669 | 867,441 | 881,780 | 1,019,325 |
| NetWare | | | | | | | | | | | | | | | |
| OpenVMS | 121 | 302 | 238 | 275 | 193 | 230 | 209 | 94 | 46 | 103 | 103 | 98 | 29 | 37 | 43 |
| Others | 1,260 | 1,099 | 1,010 | 1,013 | 1,071 | 911 | 1,039 | 825 | 696 | 469 | 535 | 580 | 417 | 300 | 360 |
| Unix | 44,831 | 45,290 | 40,209 | 41,593 | 31,063 | 34,446 | 31,035 | 32,064 | 24,739 | 27,022 | 25,303 | 26,571 | 19,969 | 22,855 | 21,994 |
| Windows | 1,434,667 | 1,444,014 | 1,524,330 | 1,520,144 | 1,367,995 | 1,413,723 | 1,456,832 | 1,557,954 | 1,295,665 | 1,373,838 | 1,404,824 | 1,519,288 | 1,365,814 | 1,391,140 | 1,448,711 |
| z/OS | 441 | 452 | 401 | 998 | 646 | 688 | 678 | 911 | 541 | 940 | 486 | 713 | 819 | 1,148 | 687 |
| TOTAL | 2,034,470 | 2,072,014 | 2,271,402 | 2,296,570 | 2,034,607 | 2,198,382 | 2,255,122 | 2,474,312 | 2,077,727 | 2,224,138 | 2,384,688 | 2,543,197 | 2,254,806 | 2,297,414 | 2,491,291 |

Source: Jorge Vela at IDC

Website hits by browser OS

Jul 2010¹

| Operating Systems | | |
|-------------------|---------------|--------|
| 1 | Windows XP | 48.17% |
| 2 | Windows 7 | 17.02% |
| 3 | Windows Vista | 16.60% |
| 4 | Mac OS X | 4.84% |
| 5 | Linux | 1.45% |
| 6 | Windows 2003 | 1.02% |
| 7 | iPhone OSX | 0.56% |
| 8 | Windows 2000 | 0.31% |
| 9 | WAP | 0.12% |
| 10 | Android | 0.08% |

6.9%

Jan 2013²

| Operating Systems | | |
|-------------------|---------------|--------|
| 1 | Windows 7 | 44.13% |
| 2 | Windows XP | 23.70% |
| 3 | iOS | 8.79% |
| 4 | Apple OS X | 8.52% |
| 5 | Windows Vista | 5.48% |
| 6 | Android | 3.75% |
| 7 | Windows 8 | 2.28% |
| 8 | Linux | 1.74% |
| 9 | BlackBerry | 0.61% |
| 10 | SymbianOS | 0.23% |

22.8%

Jul 2017³

| Top 10 Platforms | | |
|------------------|-------------|--------|
| 1 | Android 6 | 21.02% |
| 2 | Android 5 | 13.72% |
| 3 | Windows 7 | 13.30% |
| 4 | Windows 10 | 10.81% |
| 5 | Android 4 | 10.71% |
| 6 | iOS 10 | 10.45% |
| 7 | Android 7 | 6.56% |
| 8 | Windows 8.1 | 2.66% |
| 9 | Mac OS X | 2.01% |
| 10 | Linux | 1.64% |

66.1%

1-This report was generated 07/31/2010 based on the last 15,000 page views to each website tracked by W3Counter. W3Counter's sample currently includes 38,996 websites. The browser market share graph includes data from all versions of the named browser families, not only the top 10 as listed below.

2-This report was generated 01/31/2013 based on the last 15,000 page views to each website tracked by W3Counter. W3Counter's sample currently includes 63,187 websites. The browser market share graph includes data from all versions of the named browser families, not only the top 10 as listed below.

This report was generated 07/31/2017 based on the past month's traffic to all websites that use W3Counter's free web stats.

```

▶ Frame 181: 357 bytes on wire (2856 bits), 357 bytes captured (2856 bits) on interface 0
▶ Ethernet II, Src: Vmware_bb:31:58 (00:0c:29:bb:31:58), Dst: AsustekC_85:3e:e8 (2c:56:dc:85:3e:e8)
▶ Internet Protocol Version 4, Src: 192.168.1.56, Dst: 208.113.154.64
▶ Transmission Control Protocol, Src Port: 46618 (46618), Dst Port: 80 (80), Seq: 1, Ack: 1, Len: 303
▼ Hypertext Transfer Protocol
  ▶ GET / HTTP/1.1\r\n
    Host: smilesantacruz.com\r\n
    User-Agent: Mozilla/5.0 (X11; Linux i686; rv:44.0) Gecko/20100101 Firefox/44.0 Iceweasel/44.0.2\r\n
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8\r\n
    Accept-Language: en-US,en;q=0.5\r\n
    Accept-Encoding: gzip, deflate\r\n
    Connection: keep-alive\r\n
  
```

Kali Linux (Iceweasel)

```

▶ Frame 655: 627 bytes on wire (5016 bits), 627 bytes captured (5016 bits) on interface 0
▶ Ethernet II, Src: Apple_b2:aa:8b (ac:bc:32:b2:aa:8b), Dst: Netgear_5c:a7:cc (2c:30:33:5c:a7:cc)
▶ Internet Protocol Version 4, Src: 172.30.1.55, Dst: 208.113.154.64
▶ Transmission Control Protocol, Src Port: 49428, Dst Port: 80, Seq: 1, Ack: 1, Len: 573
▼ Hypertext Transfer Protocol
  ▶ GET / HTTP/1.1\r\n
    Host: smilesantacruz.com\r\n
    Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8\r\n
    Upgrade-Insecure-Requests: 1\r\n
  ▶ Cookie: __utma=222560537.1964456004.1485290514.1485290514.1485297432.2; __utmb=222560537.1.10.1485297432; __utmc=222560537; __utmt=1;
    User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10_12_2) AppleWebKit/602.3.12 (KHTML, like Gecko) Version/10.0.2 Safari/602.3.12\r\n
    Accept-Language: en-us\r\n
    Accept-Encoding: gzip, deflate\r\n
    Connection: keep-alive\r\n
    \r\n
    [Full request URI: http://smilesantacruz.com/]
  
```

Mac OS X 10.12 (Safari)



When you surf websites you leave information such as your IP address, operating system and browser app.

```

> Frame 169: 591 bytes on wire (4728 bits), 591 bytes captured (4728 bits) on interface 0
> Ethernet II, Src: GoodWayI_7f:66:04 (00:50:b6:7f:66:04), Dst: AsustekC_85:3e:e8 (2c:56:dc:85:3e:e8)
> Internet Protocol Version 4, Src: 192.168.1.237, Dst: 208.113.154.64
> Transmission Control Protocol, Src Port: 58706, Dst Port: 80, Seq: 1, Ack: 1, Len: 537
▼ Hypertext Transfer Protocol
  ▶ GET / HTTP/1.1\r\n
    Accept: text/html,application/xhtml+xml,image/jxr,*/*\r\n
    Accept-Language: en-US\r\n
    User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.79 Safari/537.36 Edge/14.14393\r\n
    Accept-Encoding: gzip, deflate\r\n
    Host: smilesantacruz.com\r\n
    Connection: Keep-Alive\r\n
  ▶ Cookie: __utma=222560537.1126876212.1485282896.1485282896.1485282896.1; __utmb=222560537.2.10.1485282896; __utmc=222560537; __utmz=222560537.1485282896.1.1
    \r\n
    [Full request URI: http://smilesantacruz.com/]
    [HTTP request 1/2]
    [Response in frame: 191]
    [Next request in frame: 247]
  
```

Windows 10 (Edge)



Smartphones




Table 2. Worldwide Smartphone Sales to End Users by Operating System in 1Q17 (Thousands of Units)

| Operating System | 1Q17 Units | 1Q17 Market Share (%) | 1Q16 Units | 1Q16 Market Share (%) |
|------------------|------------------|-----------------------|------------------|-----------------------|
| Android | 327,163.6 | 86.1 | 292,746.9 | 84.1 |
| iOS | 51,992.5 | 13.7 | 51,629.5 | 14.8 |
| Other OS | 821.2 | 0.2 | 3,847.8 | 1.1 |
| Total | 379,977.3 | 100.0 | 348,224.2 | 100.0 |

Source: Gartner (May 2017)

Operating System Share June 2017



Linux dominates the Supercomputer market

| Operating System | Count | System Share (%) | Rmax (GFlops) | Rpeak (GFlops) | Cores |
|-------------------------------------|-------|------------------|---------------|----------------|------------|
| Linux | 294 | 58.8 | 295,077,397 | 468,341,453 | 18,458,180 |
| CentOS | 83 | 16.6 | 68,234,142 | 126,617,437 | 6,455,356 |
| Cray Linux Environment | 48 | 9.6 | 147,748,346 | 210,095,979 | 5,363,588 |
| SUSE Linux Enterprise Server 11 | 17 | 3.4 | 31,380,602 | 43,168,669 | 1,188,944 |
| TOSS | 10 | 2 | 14,228,087 | 16,573,455 | 496,584 |
| bullx SCS | 9 | 1.8 | 12,939,575 | 16,288,430 | 435,548 |
| Scientific Linux | 4 | 0.8 | 2,993,488 | 4,203,277 | 98,552 |
| RHEL 7.2 | 4 | 0.8 | 4,738,901 | 5,395,687 | 149,300 |
| Redhat Enterprise Linux 6.4 | 3 | 0.6 | 2,039,492 | 2,937,808 | 81,866 |
| Bullx Linux | 3 | 0.6 | 5,911,620 | 7,935,130 | 204,000 |
| Ubuntu 14.04 | 3 | 0.6 | 4,434,300 | 6,712,960 | 82,960 |
| SUSE Linux Enterprise Server 12 SP1 | 3 | 0.6 | 7,395,969 | 9,209,709 | 197,288 |
| AIX | 2 | 0.4 | 869,600 | 1,017,856 | 35,840 |
| RHEL 6.8 | 2 | 0.4 | 1,384,140 | 1,556,890 | 46,336 |
| bullx SUpErCOmputer Suite A.E.2.1 | 2 | 0.4 | 2,596,000 | 3,191,270 | 147,744 |
| Redhat Enterprise Linux 6 | 2 | 0.4 | 2,433,470 | 3,032,783 | 295,656 |
| Redhat Enterprise Linux 6.5 | 2 | 0.4 | 2,987,745 | 4,115,251 | 105,216 |
| Kylin Linux | 2 | 0.4 | 35,934,090 | 57,976,934 | 3,294,720 |
| Sunway RaiseOS 2.0.5 | 1 | 0.2 | 93,014,594 | 125,435,904 | 10,649,600 |
| Redhat Enterprise Linux 7.2 | 1 | 0.2 | 459,830 | 508,032 | 15,120 |
| Redhat Linux | 1 | 0.2 | 460,200 | 694,886 | 4,736 |
| RHEL 6.2 | 1 | 0.2 | 773,700 | 961,126 | 46,208 |
| RHEL 7.3 | 1 | 0.2 | 802,400 | 1,417,152 | 17,760 |
| Ubuntu Linux | 1 | 0.2 | 3,307,000 | 4,896,512 | 60,512 |
| SUSE Linux | 1 | 0.2 | 6,227,200 | 9,957,427 | 148,176 |



Tianhe-2 supercomputer in China



Cray XK7 Titan at Oak Ridge National Lab



Sequoia, IBM BlueGene/Q at Lawrence Livermore Lab



Fujitsu K computer in Japan



Mira, IBM BlueGene/Q at Argonne Lab


Logging in via ssh

SSH
(secure shell)



Getting the car keys

Remote Server



Solution: SSH is a network protocol that enables secure connections between computers

Picture credit: <http://www.cs.umd.edu/faq/ssh.html>

Problem: We need a secure (encrypted) way to login and enter commands to a remote server over the network.

Old way: **telnet**
Sniffer view of a Telnet session

The screenshot shows a VMware Remote Console window titled 'server2'. It displays a telnet session with the following text:

```
root@ server2-01:~
telnet-session - Ethereal
Contents of TCP stream
login: rssiimmmssr
Password: nimbus2000r
Last login: Sun Jul 6 18:47:03 from 192.168.1.254r
[rsimms@server2-01 rsimms]$ ccaatt sseeccrreett r
The D-Day invasion is set for June 6th at Normandyr
[rsimms@server2-01 rsimms]$ eexxiitt r
logout r
≥[H≥[J
```

A green box at the bottom of the screenshot contains the text: **Telnet uses clear text**

With telnet, everything is transferred in clear text over the network (not good!)

New way: **ssh**
Sniffer view of a SSH session

The screenshot shows a VMware Remote Console window titled 'server2'. It displays an ssh session with the following text:

```
root@ server2-01:~
ssh-session - Ethereal
Contents of TCP stream
0000035E 1a 20 b1 b0 fa f3 93 2f 93 13 32 20 a3 32 b3 33 ...+...
000005AE 80 72 2b 72 d4 3b 46 a6 7b 67 6b d4 df a2 b2 8c ,r+r,;F,
000005BE 01 7c 39 78 bd c4 95 f2 61 93 73 a1 76 49 cf 00 ,19x...
000005CE 68 c2 85 71 b0 75 c6 72 b5 18 27 10 4b 57 ed 88 h.,q,u,r
000005DE 17 df 2b a1 dd 81 4f 0a 58 51 f5 f7 54 3e cc 89 ...+...0,
000005EE 55 70 e9 73 b4 0a 6f 3f af 5b f7 3c 4e 30 92 39 Up,s..o?
000005FE 62 fc fd a6 fd b9 45 e2 56 12 d1 90 0c d9 ce 34 b.....E,
0000060E 6d 1f 8b 44 a7 50 3c 59 aa 0b 2a c2 04 c1 da 43 m..D,P<Y
0000061E 21 87 2d 32 67 48 d3 47 2f 43 25 5b ee 65 89 76 l.-2gH,G
0000062E 83 1c 74 91 b1 f5 3e 8b 57 ee d9 fc f5 45 e3 b6 ...t...>,
0000063E ef 9c f0 89 eb f7 1d c9 fd 29 69 44 a9 75 98 5a .....
0000064E b2 ba d5 62 9f 35 e1 1a ee 06 8b 79 fe e9 f0 0a ...b,5.,
0000065E df .....<
0000066E ea .....P
0000067E 06 .....<
0000068E 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
0000069E 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
000006AE 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
000006BE 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
000006CE 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
000006DE 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
000006EE 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
000006FE 8c 8f a3 07 6e 69 62 02 a7 3f e0 e1 9b ec af d0 ...nib,
```


A green box at the bottom of the screenshot contains the text: **SSH is encrypted**

With ssh, everything is encrypted. This is how we will access all UNIX/Linux systems in CIS 90.

username
password
cat secret
exit

Local computer at home or on campus

SSH (secure shell) is a standards based protocol. We will use it for remotely logging into and running commands on UNIX/Linux systems.



- See RFCs 4250 to 4254 at www.ietf.org for the gory details
- “RFC” = Request for Comment
- “IETF” = Internet Engineering Task Force









SSH apps may need to be installed

- ✓ Linux and Mac already have SSH built in (i.e. the **ssh** command)
- ❑ Android smartphones and tablets can use SSH apps such as the free **ConnectBot** or **Juice** apps
- ❑ Apple iPhones and iPads can use ssh apps such as the **iSSH** app
- ❑ Windows users can download and install the **Putty** program



Putty is written and maintained primarily by Simon Tatham.
<http://www.chiark.greenend.org.uk/~sgtatham/>
Thank you Simon!

Class Activity – Install SSH software if necessary

| <p>Operating System</p> |  <p>Students in the classroom</p> |  <p>Students at home</p> |
|---|--|--|
|  <p>Windows</p> |  <ul style="list-style-type: none"> Find and run the Putty program |  <ul style="list-style-type: none"> Google “putty download” Download the <u>putty.exe</u> binary to your desktop Run the downloaded putty.exe program <p>http://www.chiark.greenend.org.uk/~sgtatham/putty/download.html</p> |
|  <p>Linux or Mac</p> | | <ul style="list-style-type: none"> Search for and run the terminal app |

First Login

A white sedan is parked on an asphalt surface. The driver-side door is open, revealing the interior. A silver Thule roof rack is mounted on the roof. The car is positioned in front of a backdrop of red rock formations and green trees. The text "Get into the car" is overlaid in large white font.

Get into
the car

SSH connection to a UNIX/Linux Server

To connect and login to a remote system you must know:

- The **hostname or IP Address** of the remote server (hostnames must be *fully qualified domain names* when going over the Internet)
- The **port** number the SSH service is listening on (the default is port 22)
- Your login credentials (**username** and **password**) on the remote server

How people access a home somewhere

<http://modernwarpoetry.com/wp-content/uploads/2014/09/Vertical-Siding-Brick-wall-white-house-with-a-big-house.jpg>

1) You need an address to find someone's home on a map.




2) When you get there some doors are open and some are closed. You can only enter if the door is open.

3) Authentication is required for access:
Homer owner: Who the heck are you?
Visitor: My name is Rich and I live next door in the small shack

How users access a server somewhere

1) You need an IP address or hostname to find a server on the Internet.




<http://product-images.www8-hp.com/digmedialib/prodimg/lowres/c03120597.png>


2) When you get there some ports are open and some are closed. You can only connect if the port is open.

3) Authentication is required for access:
Server: Enter username & password
Visiting user: rsimms & <secret>



SSH connection to a UNIX/Linux Server - from Windows (specify hostname, username, password and port)



On Windows run Putty



Click Open



Click Yes

The first time a connection is made to a server this warning is displayed.

SSH connection to a UNIX/Linux Server - from Windows

*Use your own
username,
not Benji's!*

Enter username
(if prompted)

Enter password
(not echoed)


```
simben90@opus-ii:~  
login as: simben90  
simben90@opus-ii.cis.cabrillo.edu's password:  
Last login: Sat Aug 19 11:51:23 2017 from c-71-198-222-56.hsd1.ca.comcast.net  
  
      ( '~ ' )  
    \ /--\ /  
   ( \_ _ / )  
    ~ ~ ~ ~  
Welcome to Opus II  
Serving Cabrillo College  
  
Terminal type? [xterm]  
Terminal type is xterm.  
/home/cis90/simben $ exit
```

The screenshot shows a terminal window titled 'simben90@opus-ii:~'. The prompt 'login as:' is followed by the username 'simben90', which is highlighted with a red box and an arrow pointing to the text 'Enter username (if prompted)'. The prompt 'simben90@opus-ii.cis.cabrillo.edu's password:' is followed by a red box, with an arrow pointing to the text 'Enter password (not echoed)'. Below the password prompt, there is a decorative ASCII art logo and a welcome message: 'Welcome to Opus II Serving Cabrillo College'. The prompt 'Terminal type? [xterm]' is followed by 'Terminal type is xterm.', with an arrow pointing to a text box that says 'Hit Enter to accept default terminal type'. Finally, the prompt '/home/cis90/simben \$ exit' is followed by a green cursor, with an arrow pointing to a text box that says 'Enter exit command to end session'.

Note: If you specified the username in Putty or on the ssh command you will not be prompted for the username again.

SSH connection to a UNIX/Linux Server - from Linux or Mac

(specify hostname, username, password and port)




On a Mac or Linux terminal type:

ssh -p 2220 username@opus-ii.cis.cabrillo.edu

An RSA fingerprint is a cryptographic hash of the server's public key.

```
The authenticity of host '[opus-ii.cis.cabrillo.edu]:2220
([2607:f380:80f:f425::244]:2220)' can't be established.
RSA key fingerprint is 00:51:a2:ca:8a:08:30:9c:09:2e:e4:8a:bb:1f:94:b1.
Are you sure you want to continue connecting (yes/no)? yes
```



Enter yes if you get this authenticity warning on the first connection.

SSH connection to a UNIX/Linux Server - from Linux or Mac

The screenshot shows a terminal window titled "simben90@opus-ii:~". The terminal output is as follows:

```
File Edit View Search Terminal Help
[rsimms@RHEL7-server ~]$ ssh simben90@opus-ii.cis.cabrillo.edu
simben90@opus-ii.cis.cabrillo.edu's password: 
Last login: Sat Aug 19 12:00:42 2017 from 2601:647:cb02:a38f:elba:d17b:d68c:47d8

      ( 'v' )
     \-=-\ /
    ( \ _ _ / )
     ~~~~


Welcome to Opus II
Serving Cabrillo College

Terminal type? [xterm-256color]
Terminal type is xterm-256color.
/home/cis90/simben $ exit
```

Annotations with red arrows:

- "Enter password (not echoed)" points to the password input field.
- "Hit Enter to accept default terminal type" points to the terminal type selection prompt.
- "Enter exit command to end session" points to the "exit" command.

1) On Windows run Putty:



Respond "yes" to authenticity warning if it appears

Class Activity

Log into Opus-II using SSH (specify hostname, username, password, and port)

2) Enter your credentials (not Benji's)

username
(if prompted)

password
(not echoed)



Hit Enter to accept default terminal type

Enter exit command to end session

1) On a Mac or Linux terminal type:

`ssh -p 2220 username@opus-ii.cis.cabrillo.edu`

Additional Resources

- How to open the terminal window on a mac


https://www.youtube.com/watch?v=zw7Nd67_aFw



- Howto #146: Logging into Opus-II

<https://simms-teach.com/howtos/146-opus-access.pdf>





First Commmands

A long, straight asphalt road stretches into the distance in a desert landscape. The road is flanked by sparse, low-lying green and brown shrubs. In the background, there are rolling hills and mountains under a clear, bright blue sky. The overall scene is bright and open.

First driving lesson



Lesson 1 commands for your toolbox

- cal** - show calendar
- date** - show current time and date
- clear** - clear the terminal screen

- hostname** - show the host name of the computer being accessed
- ps** - show processes, including the name of the shell being run
- uname** - show the kernel name
- cat /etc/issue** - usually shows distro (distribution) name
- cat /etc/*-release** - usually shows distro (distribution) name

- who** - shows current login sessions
- who am i** - identifies which login session you are using
- tty** - shows your terminal device
- id** - show user info including username/UID and group/GID

- history** - show previous commands

- ssh** - Connect and login to remote system
- exit** - terminate your shell and log off

Terminal type

```
login as: simben90  
simben90@oslab.cabrillo.edu's password:  
Last login: Sat Aug 19 11:02:46 2017 from oslab.cis.cabrillo.edu
```

```
  _  
 ( 'v' )  
 \/-==-\/  
 ( \ _ = _ / )  
  ~ ~ ~ ~
```

```
Welcome to Opus II  
Serving Cabrillo College
```

```
Terminal type? [xterm]  Hit Enter key here to accept  
default terminal type  
Terminal type is xterm.  
/home/cis90/simben $
```

The terminal type in this case is "xterm". The terminal type is different than the terminal device (more on this later).

Shell Prompt

```
login as: simben90  
simben90@oslab.cabrillo.edu's password:  
Last login: Sat Aug 19 11:02:46 2017 from oslab.cis.cabrillo.edu
```

```
  _  
 ( 'v' )  
 \/-==-\/  
 ( \ _ _ / )  
  ~ ~ ~ ~
```

```
Welcome to Opus II  
Serving Cabrillo College
```

```
Terminal type? [xterm]  
Terminal type is xterm.
```

*Hit Enter key here to accept
default terminal type*

```
/home/cis90/simben $  
/home/cis90/simben $
```

*Shell prompt - used by the shell to prompt the
user to enter a command. The shell will display
this prompt every time you hit the Enter key.*

Question: What is your exact prompt string on this system?
Answer: /home/cis90/simben \$

First Commmands supplemental examples

cal command

prompt *command*

```
/home/cis90/simben $ cal  
    August 2017  
Su Mo Tu We Th Fr Sa  
    1  2  3  4  5  
  6  7  8  9 10 11 12  
13 14 15 16 17 18 19  
20 21 22 23 24 25 26  
27 28 29 30 31
```

*The **cal** command outputs the calendar for the current month.*

cal command continued

prompt
command
arguments

```

/home/cis90/simben $ cal 12 2012
    December 2012
Su Mo Tu We Th Fr Sa
          1
  2  3  4  5  6  7  8
  9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30 31
    
```

*Adding the month and year arguments to the **cal** command lets you specify a specific month and year*

Question: What day of the week (e.g Su Mo, Tu ...) was December 25, 2012?

Answer: Tu

date command

prompt
/home/cis90/simben \$ *command* **date**
Tue Aug 26 08:11:31 PDT 2014

The **date** command outputs the current date and time.

Day-of-the-week Month Day-of-the-month Hours:Minutes:Seconds Time-Zone Year

Question: What time is it on this system? (use HH:MM format and don't dawdle!)

Answer: 08:11

Command Line Interface (CLI) terminology

*This portion is the shell **prompt***

```
/home/cis90/simben $ cal 12 2012
```

```
December 2012
Su Mo Tu We Th Fr Sa
                1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30 31
```

*This is the **command** which includes two **arguments** 12 and 2012*

```
/home/cis90/simben $ cal 12 2012
```

```
December 2012
Su Mo Tu We Th Fr Sa
                1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30 31
```

*These are **arguments** for the command to process*

*This is the **output** of the command*

```
/home/cis90/simben $ cal 12 2012
```

```
December 2012
Su Mo Tu We Th Fr Sa
                1
 2  3  4  5  6  7  8
 9 10 11 12 13 14 15
16 17 18 19 20 21 22
23 24 25 26 27 28 29
30 31
```

clear command

prompt command
 /home/cis90/simben \$ **clear**

The clear command will clear the screen.

(On scrollable terminals you are still able to scroll back to see previous commands entered)

```

simben90@oslab:~$ who
lopecs172:x:1356:172:Cesar Lopez:/home/cis172/lopecs:/bin/bash
maljas172:x:1357:172:Jason Malone:/home/cis172/maljas:/bin/bash
mccpat172:x:1359:172:Patrick McCabe:/home/cis172/mccpat:/bin/bash
oreefr172:x:1359:172:Efraim Orellana:/home/cis172/oreefr:/bin/bash
quifra172:x:1360:172:Francisco Quintero:/home/cis172/quifra:/bin/bash
rayty172:x:1361:172:Tyler Raymond:/home/cis172/rayty1:/bin/bash
rickel172:x:1362:172:Kellen Rice:/home/cis172/rickel:/bin/bash
rosari172:x:1363:172:Aries Rose:/home/cis172/rosari:/bin/bash
schmar172:x:1364:172:Mark Schatz:/home/cis172/schmar:/bin/bash
schjas172:x:1365:172:Jason Schell:/home/cis172/schjas:/bin/bash
smitre172:x:1366:172:Trevor Smith:/home/cis172/smitre:/bin/bash
sormic172:x:1367:172:Micah Sorkin:/home/cis172/sormic:/bin/bash
zamhum172:x:1368:172:Humberto Zamora:/home/cis172/zamhum:/bin/bash
boyjef172:x:1369:172:Jeffrey Boylan:/home/cis172/boyjef:/bin/bash
/home/cis90/simben $ who
root          tty1          2014-08-13 17:07
root          tty2          2014-08-13 17:07
rsims        pts/0          2014-08-12 18:10 (2601:9:6680:53b:1918:ae5:1785:79f4)
simben90     pts/1          2014-08-13 16:39 (2601:9:6680:53b:1918:ae5:1785:79f4)
simben90     pts/2          2014-08-12 10:41 (2601:9:6680:53b:edf7:ab23:af8b:7b73)
milhom90     pts/3          2014-08-13 16:39 (2601:9:6680:53b:1918:ae5:1785:79f4)
rsims        pts/4          2014-08-13 16:40 (ec2-54-193-87-225.us-west-1.compute.amaz
gnaws.com)
/home/cis90/simben $ clear
    
```

before

```

simben90@oslab:~$ clear
/home/cis90/simben $
    
```

after

Question: What happens when you use the clear command?
Answer: The terminal window is cleared (scrolled up and out of sight)

hostname command

prompt *command*

```
/home/cis90/simben $ hostname  
opus-ii.cis.cabrillo.edu
```

The **hostname** command outputs the hostname of the system you are interacting with.

Question: What is the hostname of this system?

Answer: opus-ii.cis.cabrillo.edu

ps command

The **ps** command outputs the processes (programs loaded into memory and running) belonging to your username.

```

/home/cis90/simben $ ps
  PID TTY          TIME CMD
 21629 pts/0    00:00:00 bash
 21674 pts/0    00:00:00 ps
  
```

prompt (bracketed over the path and prompt)

command (bracketed over **ps**)

name of the shell being run (arrow pointing to **bash**)

name of the ps command running that produces this output (arrow pointing to **ps**)

There are a number of different shells such as **bash** (Bourne Again shell), **sh** (original Bourne shell), **ksh** (Korn shell), **dash** (Debian Almquist shell), **tcsh** (TENEX C Shell) and **csch** (C shell).

Question: What is the name of the shell running on this system?

Answer: bash

uname command

```
/home/cis90/simben $ uname  
Linux
```

*The **uname** command outputs the name of the kernel being used.*

Question: What is the name of the kernel running on this system?
Answer: Linux

cat command (to show the name of the distribution)

```
/home/cis90/simben $ cat /etc/issue
\S
Kernel \r on an \m
```

*These two **cat** commands will usually (but not always) output something that contains the name of the distribution being used.*

```
/home/cis90/simben $ cat /etc/*-release
CentOS Linux release 7.3.1611 (Core)
NAME="CentOS Linux"
VERSION="7 (Core)"
ID="centos"
ID_LIKE="rhel fedora"
VERSION_ID="7"
PRETTY_NAME="CentOS Linux 7 (Core)"
ANSI_COLOR="0;31"
CPE_NAME="cpe:/o:centos:centos:7"
HOME_URL="https://www.centos.org/"
BUG_REPORT_URL="https://bugs.centos.org/"

CENTOS_MANTISBT_PROJECT="CentOS-7"
CENTOS_MANTISBT_PROJECT_VERSION="7"
REDHAT_SUPPORT_PRODUCT="centos"
REDHAT_SUPPORT_PRODUCT_VERSION="7"

CentOS Linux release 7.3.1611 (Core)
CentOS Linux release 7.3.1611 (Core)
```

Question: Which distro has been installed on this system? (single word answer please)

Answer: CentOS

cat command (to show the name of the distribution)

```
simben90@doc:~$ cat /etc/issue
Ubuntu 13.04 \n \l
```

*These two **cat** commands will usually (but not always) output something that contains the name of the distribution being used.*

```
simben90@doc:~$ cat /etc/*-release
DISTRIB_ID=Ubuntu
DISTRIB_RELEASE=13.04
DISTRIB_CODENAME=raring
DISTRIB_DESCRIPTION="Ubuntu 13.04"
NAME="Ubuntu"
VERSION="13.04, Raring Ringtail"
ID=ubuntu
ID_LIKE=debian
PRETTY_NAME="Ubuntu 13.04"
VERSION_ID="13.04"
HOME_URL="http://www.ubuntu.com/"
SUPPORT_URL="http://help.ubuntu.com/"
BUG_REPORT_URL="http://bugs.launchpad.net/ubuntu/"
```

Question: Which distro has been installed on this system? (single word answer please)

Answer: Ubuntu

who command

```

/home/cis90/simben $ who
root      tty1      2014-08-13 17:07
root      tty2      2014-08-13 17:07
rsimms    pts/0     2014-08-12 18:10 (2601:9:6680:53b:1918:aee5:1785:79f4)
simben90  pts/1     2014-08-13 16:39 (2601:9:6680:53b:1918:aee5:1785:79f4)
simben90  pts/2     2014-08-12 10:41 (2601:9:6680:53b:edf7:ab23:af8b:7b73)
milhom90  pts/3     2014-08-13 16:39 (2601:9:6680:53b:1918:aee5:1785:79f4)
rsimms    pts/4     2014-08-13 16:40 (ec2-54-193-87-225.us-west-1.compute.amazonaws.com)

```

username

*terminal
device
used for
login
session*

*date and time
of login*

*where user logged in from (remote hostname
or IP address) . If empty the user logged on
locally rather than over the network.*

Show information about current login sessions

who command

```

/home/cis90/simben $ who
local { root      tty1      2014-08-13 17:07
      root      tty2      2014-08-13 17:07
remote { rsimms    pts/0     2014-08-12 18:10 (2601:9:6680:53b:1918:ae5:1785:79f4)
      simben90 pts/1     2014-08-13 16:39 (2601:9:6680:53b:1918:ae5:1785:79f4)
      simben90 pts/2     2014-08-12 10:41 (2601:9:6680:53b:edf7:ab23:af8b:7b73)
      milhom90 pts/3     2014-08-13 16:39 (2601:9:6680:53b:1918:ae5:1785:79f4)
      rsimms    pts/4     2014-08-13 16:40 (ec2-54-193-87-225.us-west-1.compute.amazonaws.com)

```

Users in the same room as the system can login locally. Everyone else must login remotely over the network. The IP address or hostname in the last column indicates a remote login session.

who command

```
/home/cis90/simben $ who
root      tty1      2014-08-13 17:07
root      tty2      2014-08-13 17:07
rsimms    pts/0     2014-08-12 18:10 (2601:9:6680:53b:1918:aee5:1785:79f4)
simben90  pts/1     2014-08-13 16:39 (2601:9:6680:53b:1918:aee5:1785:79f4)
simben90  pts/2     2014-08-12 10:41 (2601:9:6680:53b:edf7:ab23:af8b:7b73)
milhom90  pts/3     2014-08-13 16:39 (2601:9:6680:53b:1918:aee5:1785:79f4)
rsimms    pts/4     2014-08-13 16:40 (ec2-54-193-87-225.us-west-1.compute.amazonaws.com)
```

Question: How many login sessions (including yours) are there on this system?

Answer: 7

Question: Regarding the users logged in REMOTELY (over the network rather than local). Who has been logged in the longest?

Answer: simben90

Question: Where did that REMOTE user (the one logged in longest) login from?

Answer: 2601:9:6680:53b:edf7:ab23:af8b:7b73 (this is an IPv6 address)

who am i command

The **who am i** command lists just the session you are using

```
/home/cis90/simben $ who am i
simben90 pts/1      2014-08-13 16:39 (2601:9:6680:53b:1918:aee5:1785:79f4)
```

| | | | |
|-----------------|---|-----------------------------------|--|
| <i>username</i> | <i>terminal device used for login session</i> | <i>date and time of login</i> | <i>where user logged in from (remote hostname or IP address) . If empty the user logged on locally rather than over the network.</i> |
|-----------------|---|-----------------------------------|--|

This is a good way to distinguish which session you are currently interacting with when you have logged in more than once on the same system.

tty command

```
/home/cis90/simben $ tty  
/dev/pts/0
```

The **tty** command shows the terminal device being used for the login session.

Every login session uses a unique terminal device.

The terminal device is different than the terminal type you accepted during login.

Question: **Which terminal device are you using to connect to this system?**
Answer: **/dev/pts/0**

tty command

```
/home/cis90/simben $ who am i
simben90 pts/1      2014-08-13 16:39 (2601:9:6680:53b:1918:aee5:1785:79f4)
/home/cis90/simben $
/home/cis90/simben $
/home/cis90/simben $ tty
/dev/pts/1
```

*The terminal device is abbreviated in **who** output. The **tty** command on the other hand shows the entire terminal device.*

Question: Run the who am i and tty commands.
What portion of the output from these commands is identical?

Answer: pts/1

id command

*The **id** command outputs information about the user*

```
/home/cis90/simben $ id  
uid=1201(simben90) gid=190(cis90) groups=190(cis90),100(users)  
context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023
```

Question: What is your uid (user ID) number on oslab?

Answer: 1201

Question: What is your username on oslab?

Answer: simben90

Question: What is your gid (group ID) number on oslab?

Answer: 190

history command

```
/home/cis90/simben $ history
```

```
<snipped>
```

```
54 cal
55 cal 12 2012
56 date
57 clear
58 hostname
59 ps
60 uname
61 cat /etc/issue
62 cat /etc/*-release
63 who
64 who am i
65 tty
66 id
67 id milhome90
68 id milhom90
69 id rsimms
70 history
```

*The **history** command shows all previously entered commands.*

The list can span multiple login sessions.

Question: What happens when you use the history command?
Answer: Shows previously entered commands

ssh command

(to securely log into a remote UNIX/Linux system)

Basic command syntax:

Optional. Specifies the port on the remote system. The default is port 22.

If a username is specified the "@" is used to separate the username from the hostname.

ssh -p nnnn username@hostname

Optional. Specifies the account username on the remote system. The default is the username on the local system.

Required. This can be the hostname or IP address of the remote system. If a hostname is used for a server on the Internet it must be the entire fully qualified domain name (FQDN).

Example **ssh** command Logging into a Pxx-Arwen system from Opus-II

```

username → short hostname
/home/cis90/simben $ ssh cis90@arya-03
The authenticity of host 'arya-03 (172.20.90.3)' can't be established.
RSA key fingerprint is 8b:a0:ef:d2:52:e4:f3:a3:c2:41:b5:93:89:c3:1d:58.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added 'arya-03,172.20.90.3' (RSA) to the list of known
hosts.
password is typed but not echoed
cis90@arya-03's password:
Welcome to Linux Mint 15 Olivia (GNU/Linux 3.8.0-26-generic x86_64)

Welcome to Linux Mint
 * Documentation: http://www.linuxmint.com
Last login: Mon Jan 27 17:13:33 2014 from opus.cis.cabrillo.edu
cis90@arya-03:~ > exit
logout
Connection to arya-03 closed.
/home/cis90/simben $

```

Note how the prompt changes (highlighted above) when on a different system

Example **ssh** command Logging into son-of-opus from Opus-II

non-standard ssh port → *username* → *FQDN hostname*

```
/home/cis90/simben $ ssh -p 2220 simben90@son-of-opus.simms-teach.com
simben90@son-of-opus.simms-teach.com's password: ← password is typed
Last login: Mon Jan 27 18:14:32 2014 from oslab.cis.cabrillo.edu
```

```

      _
     ('v')
    //---\
   (\  _  /)
    ~~  ~~

```

Welcome to Son of Opus
Serving Cabrillo College

```
[simben90@son-of-opus ~]$ exit
logout
Connection to son-of-opus.simms-teach.com closed.
/home/cis90/simben $
```

Note how the prompt changes (highlighted above) when on different systems

exit command

```
/home/cis90/simben $ exit
```


*The **exit** command logs out and ends the session.*

Add Codes

- Available after class (stop by or email me).
- Please use them online ASAP!
- If you missed the first class obtaining an Add code will be conditional on catching up before the next class:
 - a) making a forum post.
 - b) answering one of the "first minute" quiz questions.
 - c) submitting the survey (part of the first assignment).
 - d) collecting at least one item on the scavenger hunt.

Planning on taking more Linux courses?


Be sure to add CIS 81 to your plans so you can take CIS 192 in the Spring


CIS 90 Introduction to UNIX/Linux 
Provides a technical overview of the UNIX/Linux operating system, including hands-on experience with commands, files, and tools. Prerequisite: CIS 72.
Transfer Credit: CSU.

CIS 81 Networking Fundamentals and Theory (Cisco CCNA 1)
Presents networking protocols, standards, concepts, and terminology including Ethernet, ARP, ICMP, IP addressing, subnetting, switches, hubs, routers, TCP, UDP, OSI Model and other standards and protocols. Hybrid Requisite: Completion of or concurrent enrollment in CIS 72. Recommended Preparation: Eligibility for MATH 154.
Transfer Credit: CSU.

CIS 98 UNIX/Linux Shell Programming
Presents an introduction to shell programming in a UNIX/Linux environment, and is designed for system administrators or technical users with little or no programming background. Prerequisite: CIS 90.
Transfer Credit: Transfers to CSU.

CIS 191AB UNIX/Linux Installation, Configuration and Administration 
Introduces skills required to administer UNIX/Linux systems. Prerequisite: CIS 90 or equivalent.

CIS 192AB UNIX/Linux Network Administration 
Teaches the building of network infrastructures, and the installation, configuration, and protection services on Linux TCP/IP networks.
Prerequisites: **CIS 81** and CIS 90 or equivalent skills.
Recommended Preparation: CIS 191AB.



CIS 193AB UNIX/Linux Security Administration 
Teaches how to perform the tasks and examine the strategies of UNIX/Linux host, files, and network security management. Prerequisite: CIS 192AB.
Recommended Preparation: CIS 175.

Cabrillo Networking Program Mailing list


Subscribe by sending an email (no subject or body) to:

networkers-subscribe@cabrillo.edu

- Program information
- Certification information
- Career and job information
- Short-term classes, events, lectures, tours, etc.
- Surveys
- Networking info and links



LinkedIn Computer Science and Computer Information Systems at Cabrillo College




For 3 points extra credit:

- 1) Join LinkedIn.com
- 2) Join this group
- 3) Send me an email when finished.

<https://www.linkedin.com/groups/6689142>


MSDN Academic Alliance



- Microsoft software for students registered in a CIS or CS class at Cabrillo
- Available after registration is final (two weeks after first class)

To get to this page, go to <http://simms-teach.com/resources> and click on the appropriate link in the Tools and Software section

VMware e-academy



- VMware software for students registered in a CIS or CS class at Cabrillo
- Available after registration is final (two weeks after first class)

To get to this page, go to <http://simms-teach.com/resources> and click on the appropriate link in the Tools and Software section

Study Groups

- Two heads are better than one!
- Great way to work lab assignments and prepare for tests.
- Excellent way to learn.
- Less time being in the "I'm stuck" zone.
- A great way to develop teamwork skills.
- Improves scheduling and organization skills.
- Let me know on the student survey if you are interested and would like my help finding study partners.

Additional Resources


- My office hours for additional hands-on help, feedback and development planning.
- Cabrillo CS/CIS LinkedIn group for students and alumni
<http://www.linkedin.com/groups/Computer-Science-Computer-Information-Systems-6689142>
- Society of Women Engineers (SWE) Facebook page
<https://www.facebook.com/SWEorg>
- Systems Listserv
<http://anitaborg.org/get-involved/systems/>

A photograph of a busy city street, likely in New York City, viewed from a low angle looking down the road. Tall buildings line both sides, with various signs and advertisements visible. A green traffic light is illuminated in the foreground. A street sign for 'W 53 St' is prominent. The scene is filled with urban details like traffic lights, street signs, and buildings.

Navigating the Internet using SSH


Second driving lesson

CIS 90 systems Roadmap



Class Activity

Follow me if you can!




Navigating the Internet using SSH

supplemental



Benji takes on a long walk



Note: hostnames are not case sensitive (any portion can be upper or lower case)


- 1 Putty or `ssh -p 2220 simben90@opus-ii.cis.cabrillo.edu`
- 2 `ssh -p 2221 simben90@defiant.cis.cabrillo.edu`
- 3 `ssh -p 2222 simben90@brienne.simms-teach.com`
- 4 `ssh -p 2220 simben90@son-of-opus.simms-teach.com`
- 5 `ssh simben90@giles.dreamhost.com`
- 6 `exit`
- 7 `exit`
- 8 `exit`
- 9 `exit`
- 10 `exit`



Benji takes on a long walk



**Opus-II
(Aptos)**



```
login as: simben90
simben90@opus-ii.cis.cabrillo.edu's password:
Last login: Sat Aug 19 11:02:46 2017 from oslab.cis.cabrillo.edu
```

```
( '_v' )
\ /-=-\ /
(\ _ _ /)
  ~ ~ ~ ~
```


Welcome to Opus II
Serving Cabrillo College

```
Terminal type? [xterm]
Terminal type is xterm.
/home/cis90/simben $ hostname
oslab.cis.cabrillo.edu
/home/cis90/simben $
```

Note: usernames and passwords are case sensitive



Benji takes on a long walk



```
[simben90@brienne ~]$ ssh -p 2220 simben90@son-of-opus.simms-teach.com
The authenticity of host '[son-of-opus.simms-teach.com]:2220 ([54.193.87.225]:2220)' can't
be established.
RSA key fingerprint is 05:02:f7:48:00:e6:af:a9:dd:47:33:c3:82:80:29:4d.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '[son-of-opus.simms-teach.com]:2220,[54.193.87.225]:2220' (RSA)
to the list of known hosts.
simben90@son-of-opus.simms-teach.com's password:
Permission denied, please try again.
simben90@son-of-opus.simms-teach.com's password:
Last login: Mon Aug 18 12:55:04 2014 from 207.62.187.227


      _
     ('v')
    //---\
   (\_=_/)
    ~~ ~~

Welcome to Son-of-Opus
Serving Cabrillo College

[simben90@son-of-opus ~]$
```




Benji takes on a long walk




```
[giles]$ exit
logout
Connection to giles.dreamhost.com closed.
[simben90@son-of-opus ~]$ hostname
son-of-opus.simms-teach.com
[simben90@son-of-opus ~]$
```



When you **exit** a server it's like you pop it off the top of a stack and return to the previous server underneath



Benji takes on a long walk




```
[simben90@son-of-opus ~]$ exit
logout
Connection to son-of-opus.simms-teach.com closed.
[simben90@brienne ~]$ hostname
brienne.simms-teach.com
[simben90@brienne ~]$
```



When you **exit** a server it's like you pop it off the top of a stack and return to the previous server underneath



Benji takes on a long walk



```
[simben90@brienne ~]$ exit
logout
Connection to brienne.simms-teach.com closed.
[defiant] $ hostname
defiant.cis.cabrillo.edu
[defiant] $
```



When you **exit** a server it's like you pop it off the top of a stack and return to the previous server underneath



Benji takes on a long walk



**Defiant
(Aptos)**



**Opus
(Aptos)**


```
[defiant] $ exit
Connection to defiant.cis.cabrillo.edu closed.
/home/cis90/simben $ hostname
oslab.cis.cabrillo.edu
/home/cis90/simben $
```



When you **exit** a server it's like you pop it off the top of a stack and return to the previous server underneath




Benji takes on a long walk



```
/home/cis90/simben $ exit
```

And the Putty terminal program closes



*When you **exit** a server it's like you pop it off the top of a stack and return to the previous server underneath*

Assignment



<http://simms-teach.com/cis90calendar.php>

| Lesson | Date | Topics | Chapter | Due* |
|--------|------|--|--|---|
| 1 | 8/30 | <p>Class and Linux Overview</p> <ul style="list-style-type: none"> Understand how this course will work <p>Materials</p> <ul style="list-style-type: none"> Presentation slides (download) Login Credentials Sheet (download) <p>Supplemental</p> <ul style="list-style-type: none"> Howto #144: Logging into Opus (download) <p>Assignment</p> <ul style="list-style-type: none"> Student Survey Lab 1 <p>CCC Confer</p> <ul style="list-style-type: none"> Enter virtual classroom Class archives | 1.1-1.15 (Gillay) 2,4,5, p113-115, p164-172 (Hahn) | |
| 2 | 9/6 | <p>Quiz 1</p> <p>Commands</p> <ul style="list-style-type: none"> Understand how the UNIX login operation works Meet John the Ripper and learn how vulnerable a poor password is Understand basic command syntax and operation Understand program files and what happens when they are run Understand how the shell works and environment variables Understand how to get online documentation <p>Materials</p> <ul style="list-style-type: none"> Presentation slides (download) Howto #106: Configuring Putty (download) <p>Assignment</p> <ul style="list-style-type: none"> Lab 2 <p>CCC Confer</p> <ul style="list-style-type: none"> Enter virtual classroom Class archives | 2,3-2.7 2.11 3.7-3.20 4.19-4.22 9.1-9.2 (Gillay) | Lab 1 Student Survey |

Assigned on 8/30

Survey

Introduction to UNIX/Linux (CIS 90)
Student Survey

Student Information

- Preferred first name: _____ Last name: _____
- Date: _____ Email address: _____
- Web site, if any: _____
- Grading choice: pass/no-pass grade (choose one, you may change your mind later)

Computer Background

- Previous computer classes or training taken: _____
- Work or other experience using computers: _____

Home equipment

- Do you have a computer with at least 2 GB of RAM? yes
- Operating system: Windows Mac Linux
- Internet connection? none dial-up DSL/cable

Course Objectives

- What are you hoping to learn in this class? _____
- Other comments or special learning needs? _____

(Please save & email completed survey to simms@cabrillo.edu)

Lab 1 Scavenger Hunt

In this lab you go on an electronic scavenger hunt to collect various items from different systems. These systems can be accessed remotely via a network connection. You will use the ssh command to log into each system and then use the Lesson 1 commands to answer each question. Once you correctly answer all the questions you will receive the scavenger hunt item for that system.

UNIX/Linux Systems

| System Name | Scavenger Hunt Item Location |
|-------------|--|
| Control | A file |
| Control2 | A movie |
| Control3 | A log file |
| Control4 | A text |
| Control5 | A medical instrument |
| Control6 | Two items to collect here. Start and end the scavenger hunt on Opus. |

Systems Readmap

Lab 1
Scavenger
Hunt

Both due by 11:59PM (Opus Time)
on Wednesday 9/6

Lab 1 - Scavenger Hunt

Starting on Opus you will log into several systems using ssh. On each system you will collect an item after answering correctly a series of questions.

Start and end here



opus-ii.cis.cabrillo.edu

Get a movie



Enterprise

Get a book



Freedom

Get a fruit



Intrepid

Get a star



Defiant

Get a musical instrument




Lexington

Get a dog



Excalibur

Lab 1 - Simplified Network Map



Lab 1 - Tips

```

simben90@excalibur:~
#####
# SCAVENGER HUNT #
#####

STAT
- Y
- Y
- Y

Nice work ... your answer to Q17 was: C O R R E C T !!

You are off to a good start Benji!

Since you correctly answered all questions for the excalibur
system here is your dog:

Redbone Coonhound copy

(Please record the system name and dog in your notes because
you will need them when submitting this lab!)

You are not done yet. Please continue on to the next system.

INSTRUCTIONS FOR THE NEXT SYSTEM:
With the ssh command login to the next Linux system using:
  Username: simben90
  Password: <the one assigned to you by the instructor>
  Hostname: freedom.cis.cabrillo.edu
  Port: 2225
You will be scavenging for books there.

Have fun scavenging!

[simben90@excalibur ~]$
  
```

To copy text in Putty just select it (left mouse button and drag)

copy

```

simben90@oslab:~
/home/cis90/simben $ submit
Which lab are you submitting? (1,2,3, ...) 1
Please stretch this window so it is a lot TALLER
Press Enter to continue

-----
                        Lab 1 Scavenger Hunt
Update the table below with your collected items then submit
-----

SYSTEM      ITEM      COLLECTED
defiant     star      <no entry>
lexington   instrument <no entry>
enterprise  movie     <no entry>
intrepid    fruit     <no entry>
freedom     book      <no entry>
excalibur   dog       Redbone Coonhound

BONUS QUESTION ANSWERS
Q1) <no entry>
Q2) <no entry>
Q3) <no entry>

SELECTION MENU
1) Set star
2) Set instrument
3) Set movie
4) Set fruit
5) Set book
6) Set dog
7) Answer bonus questions
8) Submit your work for grading
9) Quit without submitting
Enter selection (1-9): 6
Please enter your dog on excalibur: Redbone Coonhound
  
```

To paste in Putty just use a right mouse click


paste

Tip - use two login sessions. Use one to collect scavenger hunt items and the other to record your work using the **submit** script. Submit as many times as you wish. Only the last submittal will be graded.

Lab Assignments

Pearls of Wisdom:

- Don't wait till the last minute to start.
- The *slower* you go the *sooner* you will be finished.
- A few minutes reading the forum can save you hour(s).
- Line up materials, references, equipment and software ahead of time.
- It's best if you fully understand each step as you do it. Refer back to lesson slides to understand the commands you are using.
- Use Google when trouble-shooting
- Keep a growing cheat sheet of commands and examples.
- Study groups are very productive and beneficial.
- Use the forum to collaborate, ask questions, get clarifications and share tips you learned while doing a lab.
- Plan for things to go wrong and give yourself time to ask questions and get answers.
- **Late work is not accepted** so submit what you have for partial credit.





Wrap up

New shell commands:

| | |
|--------------------|--|
| cal | - show calendar |
| cat /etc/issue | - usually shows distro (distribution) name |
| cat /etc/*-release | - usually shows distro (distribution) name |
| clear | - clear the terminal screen |
| date | - show current time and date |
| exit | - terminate your shell and log off |
| history | - show previous commands |
| hostname | - show the name of the computer being accessed |
| id | - show user and group id information |
| ps | - show processes (loaded programs) being run |
| ssh | - secure login to a remote system |
| uname | - show kernel name |
| tty | - show terminal device |
| who | - show everyone logged in |
| who am i | - identifies which login session you are using |

New Files and Directories:

VMware:

Next Class

Assignment: Check the Calendar Page on the web site to see what is due next week.

**Lab 1
& Survey**

Quiz questions for next class:

- What part of UNIX/Linux is both a user interface and a programming language?
- What is the lowest level, inner-most component of a UNIX/Linux Operating System called?
- What command shows the other users logged in to the computer?



Backup

UNIX/Linux Commands on various systems

Apple iPad



```
ipa$ v.2.5.1 - Copyright 2013, Martino Orlandi (www.treehousetec.com)
```



```
Type 'help' for a list of available commands
```

```
August 25, 2014 at 5:25 PM logged on Mary's iPad
```

```
ipa$ date
Monday, August 25, 2014 at 5:25:49 PM Pacific Daylight Time
ipa$ hostname
Mary's iPad
ipa$ uname
Darwin
ipa$ ps
PID  PROCESS NAME      USER      PRIORITY
18   timed               mobile    17
21   mediaremoted        mobile    17
23   fairplayd.A1        mobile    17
25   iaptransportd       mobile    24
28   softwareupdated     mobile    17
29   backboardd          mobile    24
33   SpringBoard         mobile    17
34   routined             mobile    17
35   softwarebehavior    mobile    17
37   aggregated           mobile    17
42   aosnotifd           mobile    17
45   mediaserverd        mobile    24
54   identityservices    mobile    17
56   imagent              mobile    17
59   BTServer             mobile    24
60   installd             mobile    17
70   lsd                  mobile    17
72   xpcd                 mobile    17
73   MobileGestaltHel    mobile    17
74   BlueTool             mobile    24
80   IMDPersistenceAg    mobile    17
83   apsd                 mobile    24
85   accountsd           mobile    17
92   dataaccessd         mobile    24
94   itunescloudd        mobile    17
95   itunesstored        mobile    17
96   storebookkeeperd    mobile    17
97   gamed               mobile    24
99   medialibraryd       mobile    17
100  DuetLST              mobile    17
101  tccd                 mobile    17
104  kbd                  mobile    17
105  MobileMail          mobile    24
106  softwareupdatese    mobile    17
107  assetsd             mobile    17
108  librariand          mobile    17
111  calaccessd          mobile    17
115  Skype               mobile    17
118  MobileSlideShow     mobile    24
124  geod                 mobile    24
125  MobileCal           mobile    17
127  absd                 mobile    17
128  ipash               mobile    17
ipa$
```

Asus Router



```

172.30.1.1 - PuTTY
admin@RT-AC66U: /tmp/home/root# uname
Linux
admin@RT-AC66U: /tmp/home/root# date
Mon Aug 25 18:13:02 DST 2014
admin@RT-AC66U: /tmp/home/root# ps
  PID  USER      VSZ STAT COMMAND
    1  admin    2360 S   /sbin/init
    2  admin         0 SW<  [kthreadd]
    3  admin         0 SWN  [ksoftirqd/0]
    4  admin         0 SW<  [events/0]
    5  admin         0 SW<  [khelper]
   18  admin         0 SW<  [kblockd/0]
   49  admin         0 SW   [pdflush]
   50  admin         0 SW   [pdflush]
   51  admin         0 SW<  [kswapd0]
   52  admin         0 SW<  [aio/0]
   96  admin         0 SW<  [mtdblockd]
  125  admin         0 SW<  [kmmcd]
  129  admin     608 S   hotplug2 --persistent --no-coldplug
  162  admin    2344 S   console
  166  admin    1552 S   /bin/sh
  168  admin    1540 S   syslogd -m 0 -S -O /tmp/syslog.log -s 256 -l 6
  170  admin    1540 S   /sbin/klogd
  172  admin         0 SW<  [khubd]
  248  admin    2352 S   usbld
  320  admin    2352 S   /sbin/wanduck
  327  admin    1544 R   telnetd
  330  admin    1056 S   /bin/eapd
  335  admin    1492 S   nas
  336  admin    1860 S   /bin/wps_monitor
  337  admin    2352 S   wpsaide
  340  nobody   1100 S   dnsmasq --log-async
  341  admin    4356 S   httpd
  343  admin    1552 S   crond
  344  admin    1028 S   /usr/sbin/infosvr br0
  347  admin    3700 S   watchdog
  348  admin    2352 S   ots
  351  admin    1240 S   rstats
  365  admin    1072 S   lld2d br0
  375  admin    1376 S   /usr/sbin/acsd
  386  admin    2052 S   u2ec
  388  admin    1128 S   lpd
  391  admin    2052 S   u2ec
  395  admin    2052 S   u2ec
  412  admin    1016 S   rdnssd -u admin -i eth0
  413  admin    1084 S   rdnssd -u admin -i eth0
  461  admin    2352 S   ntp
  468  admin     748 S   dhcp6c -T LL eth0
  472  admin     744 S   dhcp6s -c /etc/dhcp6s.conf br0
  474  admin     768 S   radvd -u admin
  476  admin     768 S   radvd -u admin
  477  admin    1556 S   udhcpc -i eth0 -p /var/run/udhcpc0.pid -s /tmp/udhcp
  485  admin     760 S   miniupnpd -f /etc/upnp/config
  486  admin    2352 S   disk_monitor
  884  admin    1308 S   networkmap
 2734  admin    1692 S   -sh
 2794  admin    1544 R   ps
admin@RT-AC66U: /tmp/home/root# █

```

Samsung Galaxy smartphone



```

172.30.1.1 - PuTTY
u0_a61@d2vmu:/ $ clear
u0_a61@d2vmu:/ $ date
Wed Aug 27 17:52:55 PDT 2014
u0_a61@d2vmu:/ $ echo $SHELL
/system/bin/sh
u0_a61@d2vmu:/ $ id
uid=10061(u0_a61) gid=10061(u0_a61) groups=1015(sdcard_rw),1028(sdcard_r),3003(inet),50061(all_a61) context=u:
r:untrusted_app:s0
u0_a61@d2vmu:/ $ cat /proc/version
Linux version 3.4.0-1368792 (dpi@SWDD5612) (gcc version 4.7 (GCC) ) #1 SMP PREEMPT Wed Apr 30 20:46:12 KST 201
4
u0_a61@d2vmu:/ $ ps
USER      PID     PPID  VSIZE  RSS      WCHAN    PC         NAME
root       1         0    1372   888      ffffffff 00000000  S /init
root       2         0         0     0      ffffffff 00000000  S kthreadd
root       3         2         0     0      ffffffff 00000000  S ksoftirqd/0
root       6         2         0     0      ffffffff 00000000  S migration/0
root       7         2         0     0      ffffffff 00000000  S watchdog/0
root      12         2         0     0      ffffffff 00000000  S khelper
root      13         2         0     0      ffffffff 00000000  S suspend_sys_syn
root      14         2         0     0      ffffffff 00000000  S suspend
root      17         2         0     0      ffffffff 00000000  S irq/203-msmdata
root      18         2         0     0      ffffffff 00000000  S sync_supers
root      19         2         0     0      ffffffff 00000000  S bdi-default
root      20         2         0     0      ffffffff 00000000  S kblockd
root      21         2         0     0      ffffffff 00000000  S khudb
root      22         2         0     0      ffffffff 00000000  S l2cap
root      23         2         0     0      ffffffff 00000000  S a2mp
root      24         2         0     0      ffffffff 00000000  S cfg80211
root      25         2         0     0      ffffffff 00000000  S rpciod
root      26         2         0     0      ffffffff 00000000  S modem_notifier
root      27         2         0     0      ffffffff 00000000  S smd_channel_clo
root      28         2         0     0      ffffffff 00000000  S smsm_cb_wq
root      30         2         0     0      ffffffff 00000000  S qmi
root      31         2         0     0      ffffffff 00000000  S nmea
root      32         2         0     0      ffffffff 00000000  S msm_ipc_router
root      33         2         0     0      ffffffff 00000000  S apr_driver
root      34         2         0     0      ffffffff 00000000  S khungtaskd
root      35         2         0     0      ffffffff 00000000  S kswapd0
root      36         2         0     0      ffffffff 00000000  S fsnotify_mark
root      37         2         0     0      ffffffff 00000000  S ecryptfs-kthrea
root      38         2         0     0      ffffffff 00000000  S nfsiod
root      39         2         0     0      ffffffff 00000000  S cifsioc
root      40         2         0     0      ffffffff 00000000  S crypto
root      58         2         0     0      ffffffff 00000000  S mdp_dma_wq
    
```

VMware ESXi server




```

simben90@excalibur:~
~ # clear
~ # date
Thu Aug 28 00:59:38 UTC 2014
~ # hostname
vmserver3.cis.cabrillo.edu
~ # who
root          char/pty/t0    00:00   Aug 28 00:57:54  excalibur.cis.cabrillo.edu
~ # uname
VMkernel
~ # ps | head
WID  CID  World Name          Command

32769   idle1
32770   idle2
32771   idle3
32772   idle4
32773   idle5
32774   idle6
32775   idle7
32776   idle8
~ # ps | grep sh
32786   tlbflushcount
32787   tlbflushcountryflush
32788   vaSpaceTLBFlush
32873   pshare-est
32901   OCFlush
32903   BCFlush-0
33273 33273 sh                /bin/sh
33315 33315 sh                /bin/sh
33479 33479 sh                /bin/sh
33743 33743 sh                /bin/sh
33780 33780 sh                /bin/sh
33818 33818 sh                /bin/sh
33871 33871 sh                /bin/sh
33911 33911 sh                /bin/sh
33947 33947 sh                /bin/sh
33990 33990 sh                /bin/sh
34064 34064 sh                /bin/sh
34115 34115 sh                /bin/sh
34217 34217 sh                /bin/sh
34260 34260 sh                /bin/sh
34297 34297 sh                /bin/sh
34333 34333 sh                /bin/sh
34539 34539 sh                /bin/sh
34613 34613 sh                /bin/sh
34706 34706 sh                /bin/sh
35049 35049 sh                /bin/sh
4197333 4197333 sshd             sshd
4197376 4197376 sh                -sh
~ # █
  
```

HP-UX



```
cupsim98.cup.hp.com - PuTTY
restrictions as set forth in sub-paragraph (c)(1)(ii) of the Rights in
Technical Data and Computer Software clause in DFARS 252.227-7013.

Hewlett-Packard Company
3000 Hanover Street
Palo Alto, CA 94304 U.S.A.


Rights for non-DOD U.S. Government Departments and Agencies are as set
forth in FAR 52.227-19(c)(1,2).
You have mail.

Value of TERM has been set to "xterm".
WARNING: YOU ARE SUPERUSER !!

# ls /
.mozilla          .sw              home             sbin
.mozilla-license  bin              lib              stand
.profile          core             lost+found       tmp
.rnd              dev              net              usr
.ssh              etc              opt              var

# uname -a
HP-UX cupsim98 B.11.23 U ia64 0564465391 unlimited-user license
#
```

BSD Unix



```

root@FreeBSD-unixmen:/root # uname -a
FreeBSD FreeBSD-unixmen 9.1-RELEASE FreeBSD 9.1-RELEASE #0 r243826: Tue Dec  4 0
6:55:39 UTC 2012   root@obrian.cse.buffalo.edu:/usr/obj/usr/src/sys/GENERIC i
386
root@FreeBSD-unixmen:/root # ifconfig
em0: flags=8843<UP,BROADCAST,RUNNING,SIMPLEX,MULTICAST> metric 0 mtu 1500
    options=9b<RXCSUM, TXCSUM, VLAN_MTU, VLAN_HWTAGGING, VLAN_HWCSUM>
    ether 08:00:27:ca:cd:91
    inet 144.44.172.182 netmask 0xfffffe00 broadcast 144.44.173.255
    nd6 options=29<PERFORMNUD,IFDISABLED,AUTO_LINKLOCAL>
    media: Ethernet autoselect (1000baseT <full-duplex>)
    status: active
lo0: flags=8049<UP,LOOPBACK,RUNNING,MULTICAST> metric 0 mtu 16384
    options=600003<RXCSUM, TXCSUM, RXCSUM_IPV6, TXCSUM_IPV6>
    inet6 ::1 prefixlen 128
    inet6 fe80::1%lo0 prefixlen 64 scopeid 0x3
    inet 127.0.0.1 netmask 0xff000000
    nd6 options=21<PERFORMNUD,AUTO_LINKLOCAL>
root@FreeBSD-unixmen:/root # █
    
```

IBM AIX

