

```
[root@benji linux-2.6.27.8]# make bzImage
CHK      include/linux/version.h
UPD      include/linux/version.h
CHK      include/linux/utsrelease.h
UPD      include/linux/utsrelease.h
SYMLINK  include/asm -> include/asm-x86
CC       kernel/bounds.s
GEN      include/linux/bounds.h
CC       arch/x86/kernel/asm-offsets.s
GEN      include/asm/asm-offsets.h
CALL     scripts/checksyscalls.sh
HOSTCC   scripts/genksyms/genksyms.o
SHIPPED  scripts/genksyms/lex.c
SHIPPED  scripts/genksyms/parse.h
SHIPPED  scripts/genksyms/keywords.c
HOSTCC   scripts/genksyms/lex.o
SHIPPED  scripts/genksyms/parse.c
HOSTCC   scripts/genksyms/parse.o
HOSTLD   scripts/genksyms/genksyms
CC       scripts/mod/empty.o
HOSTCC   scripts/mod/mk_elfconfig
MKELF    scripts/mod/elfconfig.h
HOSTCC   scripts/mod/file2alias.o
HOSTCC   scripts/mod/modpost.o
HOSTCC   scripts/mod/sumversion.o
HOSTLD   scripts/mod/modpost
HOSTCC   scripts/kallsyms
HOSTCC   scripts/pnmtologo
HOSTCC   scripts/conmakehash
CC       init/main.o
CHK      include/linux/compile.h
UPD      include/linux/compile.h
CC       init/version.o
CC       init/do_mounts.o
CC       init/do_mounts_rd.o
CC       init/do_mounts_initrd.o
CC       init/do_mounts_md.o
LD       init/mounts.o
CC       init/initramfs.o
CC       init/calibrate.o
LD       init/built-in.o
HOSTCC   usr/gen_init_cpio
GEN      usr/initramfs_data.cpio.gz
AS       usr/initramfs_data.o
LD       usr/built-in.o
CC       arch/x86/mach-generic/probe.o
CC       arch/x86/mach-generic/default.o
LD       arch/x86/mach-generic/built-in.o
CC       arch/x86/kernel/process_32.o
CC       arch/x86/kernel/signal_32.o
AS       arch/x86/kernel/entry_32.o
CC       arch/x86/kernel/traps_32.o
CC       arch/x86/kernel/irq_32.o
CC       arch/x86/kernel/time_32.o
CC       arch/x86/kernel/ioport.o
CC       arch/x86/kernel/ldt.o
CC       arch/x86/kernel/setup.o
```

```
CC      arch/x86/kernel/i8259.o
CC      arch/x86/kernel/irqinit_32.o
CC      arch/x86/kernel/setup_percpu.o
CC      arch/x86/kernel/probe_roms_32.o
CC      arch/x86/kernel/sys_i386_32.o
CC      arch/x86/kernel/i386_ksyms_32.o
CC      arch/x86/kernel/bootflag.o
CC      arch/x86/kernel/e820.o
CC      arch/x86/kernel/pci-dma.o
CC      arch/x86/kernel/quirks.o
CC      arch/x86/kernel/i8237.o
CC      arch/x86/kernel/topology.o
CC      arch/x86/kernel/kdebugfs.o
CC      arch/x86/kernel/alternative.o
CC      arch/x86/kernel/i8253.o
CC      arch/x86/kernel/pci-nommu.o
CC      arch/x86/kernel/tsc.o
CC      arch/x86/kernel/io_delay.o
CC      arch/x86/kernel/rtc.o
CC      arch/x86/kernel/trampoline.o
CC      arch/x86/kernel/process.o
CC      arch/x86/kernel/i387.o
CC      arch/x86/kernel/ptrace.o
CC      arch/x86/kernel/ds.o
CC      arch/x86/kernel/tls.o
CC      arch/x86/kernel/step.o
CC      arch/x86/kernel/acpi/boot.o
CC      arch/x86/kernel/acpi/sleep.o
LDS     arch/x86/kernel/acpi/realmode/wakeup.lds
AS      arch/x86/kernel/acpi/realmode/wakeup.o
CC      arch/x86/kernel/acpi/realmode/wakemain.o
CC      arch/x86/kernel/acpi/realmode/video-mode.o
AS      arch/x86/kernel/acpi/realmode/copy.o
CC      arch/x86/kernel/acpi/realmode/video-vga.o
CC      arch/x86/kernel/acpi/realmode/video-vesa.o
CC      arch/x86/kernel/acpi/realmode/video-bios.o
LD      arch/x86/kernel/acpi/realmode/wakeup.elf
OBJCOPY arch/x86/kernel/acpi/realmode/wakeup.bin
AS      arch/x86/kernel/acpi/wakeup_rm.o
AS      arch/x86/kernel/acpi/wakeup_32.o
CC      arch/x86/kernel/acpi/cstate.o
CC      arch/x86/kernel/acpi/processor.o
LD      arch/x86/kernel/acpi/built-in.o
CC      arch/x86/kernel/cpu/intel_cacheinfo.o
CC      arch/x86/kernel/cpu/addon_cpuid_features.o
CC      arch/x86/kernel/cpu/proc.o
CC      arch/x86/kernel/cpu/feature_names.o
CC      arch/x86/kernel/cpu/common.o
CC      arch/x86/kernel/cpu/bugs.o
CC      arch/x86/kernel/cpu/amd.o
CC      arch/x86/kernel/cpu/cyrix.o
CC      arch/x86/kernel/cpu/centaur.o
CC      arch/x86/kernel/cpu/transmeta.o
CC      arch/x86/kernel/cpu/intel.o
CC      arch/x86/kernel/cpu/umc.o
CC      arch/x86/kernel/cpu/cpufreq/powernow-k7.o
CC      arch/x86/kernel/cpu/cpufreq/powernow-k8.o
```

CC arch/x86/kernel/cpu/cpufreq/longrun.o
CC arch/x86/kernel/cpu/cpufreq/speedstep-ich.o
CC arch/x86/kernel/cpu/cpufreq/speedstep-lib.o
CC arch/x86/kernel/cpu/cpufreq/speedstep-smi.o
CC arch/x86/kernel/cpu/cpufreq/speedstep-centrino.o
LD arch/x86/kernel/cpu/cpufreq/built-in.o
CC arch/x86/kernel/cpu/mcheck/mce_32.o
CC arch/x86/kernel/cpu/mcheck/therm_throt.o
CC arch/x86/kernel/cpu/mcheck/k7.o
CC arch/x86/kernel/cpu/mcheck/p4.o
CC arch/x86/kernel/cpu/mcheck/p5.o
CC arch/x86/kernel/cpu/mcheck/p6.o
CC arch/x86/kernel/cpu/mcheck/winchip.o
LD arch/x86/kernel/cpu/mcheck/built-in.o
CC arch/x86/kernel/cpu/mtrr/main.o
CC arch/x86/kernel/cpu/mtrr/if.o
CC arch/x86/kernel/cpu/mtrr/generic.o
CC arch/x86/kernel/cpu/mtrr/state.o
CC arch/x86/kernel/cpu/mtrr/amd.o
CC arch/x86/kernel/cpu/mtrr/cyrix.o
CC arch/x86/kernel/cpu/mtrr/centaur.o
LD arch/x86/kernel/cpu/mtrr/built-in.o
CC arch/x86/kernel/cpu/perfctr-watchdog.o
LD arch/x86/kernel/cpu/built-in.o
CC arch/x86/kernel/reboot.o
CC arch/x86/kernel/early-quirks.o
CC arch/x86/kernel/apm_32.o
LD arch/x86/kernel/apm.o
CC arch/x86/kernel/smp.o
CC arch/x86/kernel/smpboot.o
CC arch/x86/kernel/tsc_sync.o
CC arch/x86/kernel/ipi.o
CC arch/x86/kernel/tlb_32.o
CC arch/x86/kernel/smpcommon.o
AS arch/x86/kernel/trampoline_32.o
CC arch/x86/kernel/mpparse.o
CC arch/x86/kernel/apic_32.o
CC arch/x86/kernel/nmi.o
CC arch/x86/kernel/io_apic_32.o
CC arch/x86/kernel/machine_kexec_32.o
AS arch/x86/kernel/relocate_kernel_32.o
CC arch/x86/kernel/crash.o
CC arch/x86/kernel/crash_dump_32.o
CC arch/x86/kernel/vsmp_64.o
CC arch/x86/kernel/kprobes.o
CC arch/x86/kernel/module_32.o
CC arch/x86/kernel/efi.o
CC arch/x86/kernel/efi_32.o
AS arch/x86/kernel/efi_stub_32.o
CC arch/x86/kernel/doublefault_32.o
CC arch/x86/kernel/vm86_32.o
CC arch/x86/kernel/early_printk.o
CC arch/x86/kernel/hpet.o
CC arch/x86/kernel/k8.o
CC arch/x86/kernel/pcspeaker.o
LD arch/x86/kernel/built-in.o
AS arch/x86/kernel/head_32.o

```
CC      arch/x86/kernel/head32.o
CC      arch/x86/kernel/head.o
CC      arch/x86/kernel/init_task.o
LDS     arch/x86/kernel/vmlinux.lds
CC      arch/x86/mm/init_32.o
CC      arch/x86/mm/fault.o
CC      arch/x86/mm/ioremap.o
CC      arch/x86/mm/extable.o
CC      arch/x86/mm/pageattr.o
CC      arch/x86/mm/mmap.o
CC      arch/x86/mm/pat.o
CC      arch/x86/mm/pgtable.o
CC      arch/x86/mm/gup.o
CC      arch/x86/mm/pgtable_32.o
CC      arch/x86/mm/hugetlbpage.o
CC      arch/x86/mm/highmem_32.o
LD      arch/x86/mm/built-in.o
CC      arch/x86/mach-default/setup.o
LD      arch/x86/mach-default/built-in.o
LD      arch/x86/crypto/built-in.o
LDS     arch/x86/vdso/vdso32/vdso32.lds
AS      arch/x86/vdso/vdso32/note.o
AS      arch/x86/vdso/vdso32/int80.o
VDSO    arch/x86/vdso/vdso32-int80.so.dbg
OBJCOPY arch/x86/vdso/vdso32-int80.so
AS      arch/x86/vdso/vdso32/sysenter.o
VDSO    arch/x86/vdso/vdso32-sysenter.so.dbg
OBJCOPY arch/x86/vdso/vdso32-sysenter.so
AS      arch/x86/vdso/vdso32.o
CC      arch/x86/vdso/vdso32-setup.o
VDSOSYM arch/x86/vdso/vdso32-int80-syms.lds
VDSOSYM arch/x86/vdso/vdso32-sysenter-syms.lds
VDSOSYM arch/x86/vdso/vdso32-syms.lds
LD      arch/x86/vdso/built-in.o
CC      kernel/sched.o
CC      kernel/fork.o
CC      kernel/exec_domain.o
CC      kernel/panic.o
CC      kernel/printk.o
CC      kernel/cpu.o
CC      kernel/exit.o
CC      kernel/itimer.o
TIMEC   kernel/timeconst.h
CC      kernel/time.o
CC      kernel/softirq.o
CC      kernel/resource.o
CC      kernel/sysctl.o
CC      kernel/capability.o
CC      kernel/ptrace.o
CC      kernel/timer.o
CC      kernel/user.o
CC      kernel/signal.o
CC      kernel/sys.o
CC      kernel/kmod.o
CC      kernel/workqueue.o
CC      kernel/pid.o
CC      kernel/rcupdate.o
```

```
CC      kernel/extable.o
CC      kernel/params.o
CC      kernel/posix-timers.o
CC      kernel/kthread.o
CC      kernel/wait.o
CC      kernel/kfifo.o
CC      kernel/sys_ni.o
CC      kernel/posix-cpu-timers.o
CC      kernel/mutex.o
CC      kernel/hrtimer.o
CC      kernel/rwsem.o
CC      kernel/nsproxy.o
CC      kernel/srcu.o
CC      kernel/semaphore.o
CC      kernel/notifier.o
CC      kernel/ksysfs.o
CC      kernel/pm_qos_params.o
CC      kernel/sched_clock.o
CC      kernel/profile.o
CC      kernel/irq/handle.o
CC      kernel/irq/manage.o
CC      kernel/irq/spurious.o
CC      kernel/irq/resend.o
CC      kernel/irq/chip.o
CC      kernel/irq/devres.o
CC      kernel/irq/autoprobe.o
CC      kernel/irq/proc.o
CC      kernel/irq/migration.o
LD      kernel/irq/built-in.o
CC      kernel/power/main.o
CC      kernel/power/process.o
CC      kernel/power/console.o
CC      kernel/power/poweroff.o
LD      kernel/power/built-in.o
CC      kernel/time/timekeeping.o
CC      kernel/time/ntp.o
CC      kernel/time/clocksource.o
CC      kernel/time/jiffies.o
CC      kernel/time/timer_list.o
CC      kernel/time/clockevents.o
CC      kernel/time/tick-common.o
CC      kernel/time/tick-broadcast.o
LD      kernel/time/built-in.o
CC      kernel/futex.o
CC      kernel/rtmutex.o
CC      kernel/dma.o
CC      kernel/smp.o
CC      kernel/spinlock.o
CC      kernel/uid16.o
CC      kernel/module.o
CC      kernel/kallsyms.o
CC      kernel/acct.o
CC      kernel/kexec.o
CC      kernel/stop_machine.o
CC      kernel/audit.o
CC      kernel/auditfilter.o
CC      kernel/auditsc.o
```

```
CC      kernel/audit_tree.o
CC      kernel/kprobes.o
CC      kernel/softlockup.o
CC      kernel/rcuclassic.o
CC      kernel/relay.o
CC      kernel/utsname_sysctl.o
CC      kernel/delayacct.o
CC      kernel/taskstats.o
CC      kernel/tsacct.o
CC      kernel/dma-coherent.o
CC      kernel/sched_cpupri.o
LD      kernel/built-in.o
CC      mm/bootmem.o
CC      mm/filemap.o
CC      mm/mempool.o
CC      mm/oom_kill.o
CC      mm/fadvise.o
CC      mm/maccess.o
CC      mm/page_alloc.o
CC      mm/page-writeback.o
CC      mm/pdflush.o
CC      mm/readahead.o
CC      mm/swap.o
CC      mm/truncate.o
CC      mm/vmscan.o
CC      mm/prio_tree.o
CC      mm/util.o
CC      mm/mmzone.o
CC      mm/vmstat.o
CC      mm/backing-dev.o
CC      mm/page_isolation.o
CC      mm/mm_init.o
CC      mm/fremap.o
CC      mm/highmem.o
CC      mm/madvise.o
CC      mm/memory.o
CC      mm/mincore.o
CC      mm/mlock.o
CC      mm/mmap.o
CC      mm/mprotect.o
CC      mm/mremap.o
CC      mm/msync.o
CC      mm/rmap.o
CC      mm/vmalloc.o
CC      mm/pagewalk.o
CC      mm/bounce.o
CC      mm/page_io.o
CC      mm/swap_state.o
CC      mm/swapfile.o
CC      mm/thrash.o
CC      mm/dmapool.o
CC      mm/hugetlb.o
CC      mm/shmem.o
CC      mm/slab.o
CC      mm/filemap_xip.o
CC      mm/allocpercpu.o
LD      mm/built-in.o
```

```
CC      fs/open.o
CC      fs/read_write.o
CC      fs/file_table.o
CC      fs/super.o
CC      fs/char_dev.o
CC      fs/stat.o
CC      fs/exec.o
CC      fs/pipe.o
CC      fs/namei.o
CC      fs/fcntl.o
CC      fs/ioctl.o
CC      fs/readdir.o
CC      fs/select.o
CC      fs/fifo.o
CC      fs/locks.o
CC      fs/dcache.o
CC      fs/inode.o
CC      fs/attr.o
CC      fs/bad_inode.o
CC      fs/file.o
CC      fs/filesystems.o
CC      fs/namespace.o
CC      fs/aio.o
CC      fs/seq_file.o
CC      fs/xattr.o
CC      fs/libfs.o
CC      fs/fs-writeback.o
CC      fs/pnode.o
CC      fs/drop_caches.o
CC      fs/splice.o
CC      fs/sync.o
CC      fs/utimes.o
CC      fs/stack.o
CC      fs/buffer.o
CC      fs/bio.o
CC      fs/block_dev.o
CC      fs/direct-io.o
CC      fs/mpage.o
CC      fs/ioprio.o
CC      fs/inotify.o
CC      fs/inotify_user.o
CC      fs/eventpoll.o
CC      fs/anon_inodes.o
CC      fs/signalfd.o
CC      fs/timerfd.o
CC      fs/eventfd.o
CC      fs/nfsctl.o
CC      fs/binfmt_misc.o
CC      fs/binfmt_script.o
CC      fs/binfmt_elf.o
CC      fs/mbcache.o
CC      fs/posix_acl.o
CC      fs/xattr_acl.o
LD      fs/autofs4/built-in.o
LD      fs/cifs/built-in.o
LD      fs/configfs/built-in.o
LD      fs/cramfs/built-in.o
```

CC fs/debugfs/inode.o
CC fs/debugfs/file.o
LD fs/debugfs/debugfs.o
LD fs/debugfs/built-in.o
CC fs/devpts/inode.o
LD fs/devpts/devpts.o
LD fs/devpts/built-in.o
LD fs/dlm/built-in.o
LD fs/exportfs/built-in.o
CC fs/ext2/balloc.o
CC fs/ext2/dir.o
CC fs/ext2/file.o
CC fs/ext2/fsync.o
CC fs/ext2/ialloc.o
CC fs/ext2/inode.o
CC fs/ext2/ioctl.o
CC fs/ext2/namei.o
CC fs/ext2/super.o
CC fs/ext2/symlink.o
CC fs/ext2/xattr.o
CC fs/ext2/xattr_user.o
CC fs/ext2/xattr_trusted.o
CC fs/ext2/acl.o
CC fs/ext2/xattr_security.o
CC fs/ext2/xip.o
LD fs/ext2/ext2.o
LD fs/ext2/built-in.o
LD fs/ext3/built-in.o
LD fs/fat/built-in.o
LD fs/freevxfs/built-in.o
LD fs/gfs2/built-in.o
LD fs/gfs2/locking/dlm/built-in.o
LD fs/hfs/built-in.o
LD fs/hfsplus/built-in.o
CC fs/hugetlbfs/inode.o
LD fs/hugetlbfs/hugetlbfs.o
LD fs/hugetlbfs/built-in.o
CC fs/isofs/namei.o
CC fs/isofs/inode.o
CC fs/isofs/dir.o
CC fs/isofs/util.o
CC fs/isofs/rock.o
CC fs/isofs/export.o
CC fs/isofs/joliet.o
CC fs/isofs/compress.o
LD fs/isofs/isofs.o
LD fs/isofs/built-in.o
LD fs/jbd/built-in.o
LD fs/jffs2/built-in.o
LD fs/lockd/built-in.o
LD fs/msdos/built-in.o
LD fs/nfs/built-in.o
LD fs/nfs_common/built-in.o
LD fs/nfsd/built-in.o
CC fs/nls/nls_base.o
CC fs/nls/nls_cp437.o
CC fs/nls/nls_ascii.o

LD fs/nls/built-in.o
CC fs/partitions/check.o
CC fs/partitions/amiga.o
CC fs/partitions/mac.o
CC fs/partitions/msdos.o
CC fs/partitions/osf.o
CC fs/partitions/sgi.o
CC fs/partitions/sun.o
CC fs/partitions/efi.o
CC fs/partitions/karma.o
LD fs/partitions/built-in.o
CC fs/proc/mmu.o
CC fs/proc/task_mmu.o
CC fs/proc/inode.o
CC fs/proc/root.o
CC fs/proc/base.o
CC fs/proc/generic.o
CC fs/proc/array.o
CC fs/proc/proc_tty.o
CC fs/proc/proc_misc.o
CC fs/proc/proc_sysctl.o
CC fs/proc/proc_net.o
CC fs/proc/kcore.o
CC fs/proc/vmcore.o
CC fs/proc/kmsg.o
LD fs/proc/proc.o
LD fs/proc/built-in.o
CC fs/ramfs/inode.o
CC fs/ramfs/file-mmu.o
LD fs/ramfs/ramfs.o
LD fs/ramfs/built-in.o
CC fs/sysfs/inode.o
CC fs/sysfs/file.o
CC fs/sysfs/dir.o
CC fs/sysfs/symlink.o
CC fs/sysfs/mount.o
CC fs/sysfs/bin.o
CC fs/sysfs/group.o
LD fs/sysfs/built-in.o
LD fs/udf/built-in.o
LD fs/vfat/built-in.o
CC fs/dquot.o
CC fs/quota_v2.o
CC fs/quota.o
CC fs/dnotify.o
CC fs/dcookies.o
LD fs/built-in.o
CC ipc/util.o
CC ipc/msgutil.o
CC ipc/msg.o
CC ipc/sem.o
CC ipc/shm.o
CC ipc/ipcns_notifier.o
CC ipc/ipc_sysctl.o
CC ipc/mqueue.o
LD ipc/built-in.o
CC security/keys/key.o

CC security/keys/keyring.o
CC security/keys/keyctl.o
CC security/keys/permission.o
CC security/keys/process_keys.o
CC security/keys/request_key.o
CC security/keys/request_key_auth.o
CC security/keys/user_defined.o
CC security/keys/proc.o
CC security/keys/sysctl.o
LD security/keys/built-in.o
CC security/selinux/avc.o
CC security/selinux/hooks.o
CC security/selinux/selinuxfs.o
CC security/selinux/netlink.o
CC security/selinux/nlmsgtab.o
CC security/selinux/netif.o
CC security/selinux/netnode.o
CC security/selinux/netport.o
CC security/selinux/exports.o
CC security/selinux/xfrm.o
CC security/selinux/netlabel.o
LD security/selinux/selinux.o
CC security/selinux/ss/ebitmap.o
CC security/selinux/ss/hashtab.o
CC security/selinux/ss/symtab.o
CC security/selinux/ss/sidtab.o
CC security/selinux/ss/avtab.o
CC security/selinux/ss/policydb.o
CC security/selinux/ss/services.o
CC security/selinux/ss/conditional.o
CC security/selinux/ss/mls.o
LD security/selinux/ss/ss.o
LD security/selinux/ss/built-in.o
LD security/selinux/built-in.o
CC security/commoncap.o
CC security/security.o
CC security/capability.o
CC security/inode.o
LD security/built-in.o
CC crypto/api.o
CC crypto/cipher.o
CC crypto/digest.o
CC crypto/compress.o
CC crypto/algapi.o
CC crypto/scatterwalk.o
CC crypto/proc.o
CC crypto/hash.o
CC crypto/ahash.o
LD crypto/crypto.o
LD crypto/crypto_algapi.o
LD crypto/crypto_hash.o
CC crypto/cryptomgr.o
CC crypto/hmac.o
CC crypto/shal_generic.o
CC crypto/crc32c.o
LD crypto/built-in.o
LD crypto/async_tx/built-in.o

CC block/elevator.o
CC block/blk-core.o
CC block/blk-tag.o
CC block/blk-sysfs.o
CC block/blk-barrier.o
CC block/blk-settings.o
CC block/blk-ioc.o
CC block/blk-map.o
CC block/blk-exec.o
CC block/blk-merge.o
CC block/ioctl.o
CC block/genhd.o
CC block/scsi_ioctl.o
CC block/cmd-filter.o
CC block/noop-iosched.o
CC block/as-iosched.o
CC block/deadline-iosched.o
CC block/cfq-iosched.o
CC block/blktrace.o
LD block/built-in.o
CC drivers/acpi/tables.o
CC drivers/acpi/blacklist.o
CC drivers/acpi/osl.o
CC drivers/acpi/utils.o
CC drivers/acpi/reboot.o
CC drivers/acpi/dispatcher/dsfield.o
CC drivers/acpi/dispatcher/dsmthdat.o
CC drivers/acpi/dispatcher/dsopcode.o
CC drivers/acpi/dispatcher/dswexec.o
CC drivers/acpi/dispatcher/dswscope.o
CC drivers/acpi/dispatcher/dsmethod.o
CC drivers/acpi/dispatcher/dsobject.o
CC drivers/acpi/dispatcher/dsutils.o
CC drivers/acpi/dispatcher/dswload.o
CC drivers/acpi/dispatcher/dswstate.o
CC drivers/acpi/dispatcher/dsinit.o
LD drivers/acpi/dispatcher/built-in.o
CC drivers/acpi/events/evevent.o
CC drivers/acpi/events/evregion.o
CC drivers/acpi/events/evsci.o
CC drivers/acpi/events/evxfevnt.o
CC drivers/acpi/events/evmisc.o
CC drivers/acpi/events/evrgnini.o
CC drivers/acpi/events/evxface.o
CC drivers/acpi/events/evxfregn.o
CC drivers/acpi/events/evgpe.o
CC drivers/acpi/events/evgpeblk.o
LD drivers/acpi/events/built-in.o
CC drivers/acpi/executor/exconfig.o
CC drivers/acpi/executor/exfield.o
CC drivers/acpi/executor/exnames.o
CC drivers/acpi/executor/exoparg6.o
CC drivers/acpi/executor/exresolv.o
CC drivers/acpi/executor/exstorob.o
CC drivers/acpi/executor/exconvrt.o
CC drivers/acpi/executor/exfldio.o
CC drivers/acpi/executor/exoparg1.o

CC drivers/acpi/executer/exprep.o
CC drivers/acpi/executer/exresop.o
CC drivers/acpi/executer/exsystem.o
CC drivers/acpi/executer/excreate.o
CC drivers/acpi/executer/exmisc.o
CC drivers/acpi/executer/exoparg2.o
CC drivers/acpi/executer/exregion.o
CC drivers/acpi/executer/exstore.o
CC drivers/acpi/executer/exutils.o
CC drivers/acpi/executer/exdump.o
CC drivers/acpi/executer/exmutex.o
CC drivers/acpi/executer/exoparg3.o
CC drivers/acpi/executer/exresnte.o
CC drivers/acpi/executer/exstoren.o
LD drivers/acpi/executer/built-in.o
CC drivers/acpi/hardware/hwacpi.o
CC drivers/acpi/hardware/hwgpe.o
CC drivers/acpi/hardware/hwregs.o
CC drivers/acpi/hardware/hwsleep.o
LD drivers/acpi/hardware/built-in.o
CC drivers/acpi/namespace/nsaccess.o
CC drivers/acpi/namespace/nsload.o
CC drivers/acpi/namespace/nssearch.o
CC drivers/acpi/namespace/nsxfeval.o
CC drivers/acpi/namespace/nsalloc.o
CC drivers/acpi/namespace/nseval.o
CC drivers/acpi/namespace/nsnames.o
CC drivers/acpi/namespace/nsutils.o
CC drivers/acpi/namespace/nsxfname.o
CC drivers/acpi/namespace/nsdump.o
CC drivers/acpi/namespace/nsinit.o
CC drivers/acpi/namespace/nsobject.o
CC drivers/acpi/namespace/nswalk.o
CC drivers/acpi/namespace/nsxfobj.o
CC drivers/acpi/namespace/nsparse.o
LD drivers/acpi/namespace/built-in.o
CC drivers/acpi/parser/psargs.o
CC drivers/acpi/parser/psparse.o
CC drivers/acpi/parser/psloop.o
CC drivers/acpi/parser/pstree.o
CC drivers/acpi/parser/pswalk.o
CC drivers/acpi/parser/psopcode.o
CC drivers/acpi/parser/psscope.o
CC drivers/acpi/parser/psutils.o
CC drivers/acpi/parser/psxface.o
LD drivers/acpi/parser/built-in.o
CC drivers/acpi/resources/rsaddr.o
CC drivers/acpi/resources/rscreate.o
CC drivers/acpi/resources/rsinfo.o
CC drivers/acpi/resources/rsio.o
CC drivers/acpi/resources/rslist.o
CC drivers/acpi/resources/rsmisc.o
CC drivers/acpi/resources/rsxface.o
CC drivers/acpi/resources/rscalco.o
CC drivers/acpi/resources/rsirq.o
CC drivers/acpi/resources/rsmemory.o
CC drivers/acpi/resources/rsutils.o

```
LD      drivers/acpi/resources/built-in.o
CC      drivers/acpi/sleep/wakeup.o
CC      drivers/acpi/sleep/main.o
CC      drivers/acpi/sleep/proc.o
LD      drivers/acpi/sleep/built-in.o
CC      drivers/acpi/tables/tbxface.o
CC      drivers/acpi/tables/tbinstal.o
CC      drivers/acpi/tables/tbutils.o
CC      drivers/acpi/tables/tbfind.o
CC      drivers/acpi/tables/tbfadt.o
CC      drivers/acpi/tables/tbxfront.o
LD      drivers/acpi/tables/built-in.o
CC      drivers/acpi/utilities/utalloc.o
CC      drivers/acpi/utilities/utdebug.o
CC      drivers/acpi/utilities/uteval.o
CC      drivers/acpi/utilities/utinit.o
CC      drivers/acpi/utilities/utmisc.o
CC      drivers/acpi/utilities/utxface.o
CC      drivers/acpi/utilities/utcopy.o
CC      drivers/acpi/utilities/utdelete.o
CC      drivers/acpi/utilities/utglobal.o
CC      drivers/acpi/utilities/utmath.o
CC      drivers/acpi/utilities/utobject.o
CC      drivers/acpi/utilities/utstate.o
CC      drivers/acpi/utilities/utmutex.o
CC      drivers/acpi/utilities/utcache.o
CC      drivers/acpi/utilities/utresrc.o
LD      drivers/acpi/utilities/built-in.o
CC      drivers/acpi/bus.o
CC      drivers/acpi/glue.o
CC      drivers/acpi/scan.o
drivers/acpi/scan.c:1165: warning: `acpi_is_child_device' defined but not
used
CC      drivers/acpi/ec.o
CC      drivers/acpi/fan.o
CC      drivers/acpi/dock.o
CC      drivers/acpi/pci_root.o
CC      drivers/acpi/pci_link.o
CC      drivers/acpi/pci_irq.o
CC      drivers/acpi/pci_bind.o
CC      drivers/acpi/power.o
CC      drivers/acpi/processor_core.o
CC      drivers/acpi/processor_throttling.o
CC      drivers/acpi/processor_idle.o
CC      drivers/acpi/processor_thermal.o
CC      drivers/acpi/processor_perflib.o
LD      drivers/acpi/processor.o
CC      drivers/acpi/container.o
CC      drivers/acpi/thermal.o
CC      drivers/acpi/system.o
CC      drivers/acpi/event.o
CC      drivers/acpi/cm_sbs.o
LD      drivers/acpi/built-in.o
LD      drivers/atm/built-in.o
LD      drivers/auxdisplay/built-in.o
CC      drivers/base/core.o
CC      drivers/base/sys.o
```

```
CC      drivers/base/bus.o
CC      drivers/base/dd.o
CC      drivers/base/driver.o
CC      drivers/base/class.o
CC      drivers/base/platform.o
CC      drivers/base/cpu.o
CC      drivers/base/firmware.o
CC      drivers/base/init.o
CC      drivers/base/map.o
CC      drivers/base/devres.o
CC      drivers/base/attribute_container.o
CC      drivers/base/transport_class.o
CC      drivers/base/power/sysfs.o
CC      drivers/base/power/main.o
LD      drivers/base/power/built-in.o
CC      drivers/base/dma-mapping.o
CC      drivers/base/firmware_class.o
CC      drivers/base/topology.o
CC      drivers/base/module.o
LD      drivers/base/built-in.o
CC      drivers/block/brd.o
LD      drivers/block/built-in.o
LD      drivers/block/aoe/built-in.o
LD      drivers/block/paride/built-in.o
LD      drivers/bluetooth/built-in.o
LD      drivers/cdrom/built-in.o
CC      drivers/char/mem.o
CC      drivers/char/random.o
CC      drivers/char/tty_io.o
CC      drivers/char/n_tty.o
CC      drivers/char/tty_ioctl.o
CC      drivers/char/tty_ldisc.o
CC      drivers/char/pty.o
CC      drivers/char/misc.o
CC      drivers/char/vt_ioctl.o
CC      drivers/char/vc_screen.o
CC      drivers/char/selection.o
CC      drivers/char/keyboard.o
CC      drivers/char/consolemap.o
CONMK   drivers/char/consolemap_deftbl.c
CC      drivers/char/consolemap_deftbl.o
CC      drivers/char/vt.o
SHIPPED drivers/char/defkeymap.c
CC      drivers/char/defkeymap.o
CC      drivers/char/tty_audit.o
CC      drivers/char/sysrq.o
CC      drivers/char/raw.o
CC      drivers/char/hpet.o
CC      drivers/char/nvram.o
CC      drivers/char/agp/backend.o
CC      drivers/char/agp/frontend.o
CC      drivers/char/agp/generic.o
CC      drivers/char/agp/isoch.o
LD      drivers/char/agp/agpgart.o
CC      drivers/char/agp/ali-agp.o
CC      drivers/char/agp/ati-agp.o
CC      drivers/char/agp/amd-k7-agp.o
```

CC drivers/char/agp/amd64-agp.o
CC drivers/char/agp/efficeon-agp.o
CC drivers/char/agp/intel-agp.o
CC drivers/char/agp/nvidia-agp.o
CC drivers/char/agp/sis-agp.o
CC drivers/char/agp/sworks-agp.o
CC drivers/char/agp/via-agp.o
LD drivers/char/agp/built-in.o
CC drivers/char/hw_random/core.o
LD drivers/char/hw_random/rng-core.o
LD drivers/char/hw_random/built-in.o
LD drivers/char/ipmi/built-in.o
LD drivers/char/pcmcia/ipwireless/built-in.o
LD drivers/char/pcmcia/built-in.o
LD drivers/char/built-in.o
CC drivers/clocksource/cyclone.o
CC drivers/clocksource/acpi_pm.o
LD drivers/clocksource/built-in.o
CC drivers/connector/cn_queue.o
CC drivers/connector/connector.o
LD drivers/connector/cn.o
CC drivers/connector/cn_proc.o
LD drivers/connector/built-in.o
CC drivers/cpufreq/cpufreq.o
CC drivers/cpufreq/cpufreq_performance.o
CC drivers/cpufreq/cpufreq_userspace.o
CC drivers/cpufreq/freq_table.o
LD drivers/cpufreq/built-in.o
CC drivers/cpuidle/cpuidle.o
CC drivers/cpuidle/driver.o
CC drivers/cpuidle/governor.o
CC drivers/cpuidle/sysfs.o
CC drivers/cpuidle/governors/ladder.o
LD drivers/cpuidle/governors/built-in.o
LD drivers/cpuidle/built-in.o
LD drivers/crypto/built-in.o
CC drivers/edac/edac_stub.o
LD drivers/edac/built-in.o
CC drivers/firmware/dmi_scan.o
CC drivers/firmware/efivars.o
CC drivers/firmware/dmi-id.o
CC drivers/firmware/memmap.o
LD drivers/firmware/built-in.o
LD drivers/gpio/built-in.o
LD drivers/gpu/drm/built-in.o
LD drivers/gpu/drm/i810/built-in.o
LD drivers/gpu/drm/i830/built-in.o
LD drivers/gpu/drm/i915/built-in.o
LD drivers/gpu/drm/mga/built-in.o
LD drivers/gpu/drm/r128/built-in.o
LD drivers/gpu/drm/radeon/built-in.o
LD drivers/gpu/drm/savage/built-in.o
LD drivers/gpu/drm/via/built-in.o
LD drivers/gpu/built-in.o
CC drivers/hid/hid-core.o
CC drivers/hid/hid-input.o
CC drivers/hid/hid-input-quirks.o

CC drivers/hid/hid-debug.o
LD drivers/hid/hid.o
CC drivers/hid/usbhid/hid-core.o
CC drivers/hid/usbhid/hid-quirks.o
CC drivers/hid/usbhid/hiddev.o
CC drivers/hid/usbhid/hid-pidff.o
CC drivers/hid/usbhid/hid-lgff.o
CC drivers/hid/usbhid/hid-tmff.o
CC drivers/hid/usbhid/hid-ff.o
LD drivers/hid/usbhid/usbhid.o
LD drivers/hid/usbhid/built-in.o
LD drivers/hid/built-in.o
LD drivers/hwmon/built-in.o
CC drivers/i2c/i2c-boardinfo.o
LD drivers/i2c/algos/built-in.o
LD drivers/i2c/busses/built-in.o
LD drivers/i2c/chips/built-in.o
LD drivers/i2c/built-in.o
CC drivers/ide/pci/cmd640.o
CC drivers/ide/ide.o
CC drivers/ide/ide-io.o
CC drivers/ide/ide-iops.o
CC drivers/ide/ide-lib.o
CC drivers/ide/ide-probe.o
CC drivers/ide/ide-taskfile.o
CC drivers/ide/ide-pio-blacklist.o
CC drivers/ide/ide-timings.o
CC drivers/ide/ide-atapi.o
CC drivers/ide/setup-pci.o
CC drivers/ide/ide-dma.o
CC drivers/ide/ide-proc.o
LD drivers/ide/ide-core.o
LD drivers/ide/arm/built-in.o
LD drivers/ide/legacy/built-in.o
LD drivers/ide/mips/built-in.o
CC drivers/ide/pci/aec62xx.o
CC drivers/ide/pci/alim15x3.o
CC drivers/ide/pci/amd74xx.o
CC drivers/ide/pci/atiixp.o
CC drivers/ide/pci/cmd64x.o
CC drivers/ide/pci/cs5520.o
CC drivers/ide/pci/cs5530.o
CC drivers/ide/pci/cs5535.o
CC drivers/ide/pci/hpt366.o
CC drivers/ide/pci/it821x.o
CC drivers/ide/pci/pdc202xx_old.o
CC drivers/ide/pci/pdc202xx_new.o
CC drivers/ide/pci/piix.o
CC drivers/ide/pci/rz1000.o
CC drivers/ide/pci/serverworks.o
CC drivers/ide/pci/siimage.o
CC drivers/ide/pci/sis5513.o
CC drivers/ide/pci/triflex.o
CC drivers/ide/pci/via82cxxx.o
CC drivers/ide/pci/generic.o
LD drivers/ide/pci/ide-pci-generic.o
LD drivers/ide/pci/built-in.o

LD drivers/ide/ppc/built-in.o
CC drivers/ide/ide-scan-pci.o
LD drivers/ide/cmd640-core.o
CC drivers/ide/ide-generic.o
CC drivers/ide/ide-pnp.o
CC drivers/ide/ide-disk.o
CC drivers/ide/ide-floppy.o
LD drivers/ide/built-in.o
LD drivers/ieee1394/built-in.o
LD drivers/infiniband/built-in.o
LD drivers/infiniband/core/built-in.o
LD drivers/infiniband/hw/mthca/built-in.o
LD drivers/infiniband/ulp/ipoib/built-in.o
LD drivers/infiniband/ulp/iser/built-in.o
LD drivers/infiniband/ulp/srp/built-in.o
CC drivers/input/input.o
CC drivers/input/ff-core.o
LD drivers/input/input-core.o
CC drivers/input/ff-memless.o
CC drivers/input/mousedev.o
CC drivers/input/evdev.o
LD drivers/input/joystick/built-in.o
CC drivers/input/keyboard/atkbd.o
LD drivers/input/keyboard/built-in.o
LD drivers/input/misc/built-in.o
CC drivers/input/mouse/psmouse-base.o
CC drivers/input/mouse/synaptics.o
CC drivers/input/mouse/alps.o
CC drivers/input/mouse/logips2pp.o
CC drivers/input/mouse/lifebook.o
CC drivers/input/mouse/trackpoint.o
LD drivers/input/mouse/psmouse.o
LD drivers/input/mouse/built-in.o
LD drivers/input/touchscreen/built-in.o
LD drivers/input/built-in.o
LD drivers/input/gameport/built-in.o
CC drivers/input/serio/serio.o
CC drivers/input/serio/i8042.o
CC drivers/input/serio/serport.o
CC drivers/input/serio/libps2.o
LD drivers/input/serio/built-in.o
CC drivers/leds/led-core.o
CC drivers/leds/led-class.o
CC drivers/leds/led-triggers.o
CC drivers/leds/ledtrig-ide-disk.o
LD drivers/leds/built-in.o
LD drivers/lguest/built-in.o
LD drivers/macintosh/built-in.o
CC drivers/md/md.o
CC drivers/md/bitmap.o
LD drivers/md/md-mod.o
LD drivers/md/built-in.o
LD drivers/media/common/tuners/built-in.o
LD drivers/media/common/built-in.o
LD drivers/media/radio/built-in.o
LD drivers/media/video/built-in.o
LD drivers/media/video/bt8xx/built-in.o

```
LD      drivers/media/video/cpia2/built-in.o
LD      drivers/media/video/cx25840/built-in.o
LD      drivers/media/video/em28xx/built-in.o
LD      drivers/media/video/et61x251/built-in.o
LD      drivers/media/video/ovcamchip/built-in.o
LD      drivers/media/video/pvrusb2/built-in.o
LD      drivers/media/video/pwc/built-in.o
LD      drivers/media/video/sn9c102/built-in.o
LD      drivers/media/video/usbvideo/built-in.o
LD      drivers/media/video/zc0301/built-in.o
LD      drivers/media/built-in.o
LD      drivers/message/fusion/built-in.o
LD      drivers/message/i2o/built-in.o
LD      drivers/message/built-in.o
LD      drivers/mfd/built-in.o
LD      drivers/misc/built-in.o
LD      drivers/misc/ibmasm/built-in.o
LD      drivers/mmc/card/built-in.o
LD      drivers/mmc/core/built-in.o
LD      drivers/mmc/host/built-in.o
LD      drivers/mtd/chips/built-in.o
LD      drivers/mtd/devices/built-in.o
LD      drivers/mtd/maps/built-in.o
LD      drivers/mtd/nand/built-in.o
LD      drivers/mtd/onenand/built-in.o
LD      drivers/mtd/built-in.o
CC      drivers/net/Space.o
CC      drivers/net/loopback.o
LD      drivers/net/bonding/built-in.o
LD      drivers/net/chelsio/built-in.o
LD      drivers/net/e1000/built-in.o
LD      drivers/net/ixgb/built-in.o
LD      drivers/net/myril0ge/built-in.o
LD      drivers/net/pcmcia/built-in.o
LD      drivers/net/phy/built-in.o
LD      drivers/net/tokenring/built-in.o
LD      drivers/net/tulip/built-in.o
LD      drivers/net/usb/built-in.o
LD      drivers/net/wireless/built-in.o
LD      drivers/net/built-in.o
LD      drivers/parport/built-in.o
CC      drivers/pci/access.o
CC      drivers/pci/bus.o
CC      drivers/pci/probe.o
CC      drivers/pci/remove.o
CC      drivers/pci/pci.o
CC      drivers/pci/quirks.o
CC      drivers/pci/slot.o
CC      drivers/pci/pci-driver.o
CC      drivers/pci/search.o
drivers/pci/search.c:145: warning: `pci_find_slot' is deprecated (declared at
drivers/pci/search.c:134)
drivers/pci/search.c:145: warning: `pci_find_slot' is deprecated (declared at
drivers/pci/search.c:134)
drivers/pci/search.c:173: warning: `pci_find_device' is deprecated (declared
at drivers/pci/search.c:166)
```

drivers/pci/search.c:173: warning: 'pci_find_device' is deprecated (declared at drivers/pci/search.c:166)

```
CC      drivers/pci/pci-sysfs.o
CC      drivers/pci/rom.o
CC      drivers/pci/setup-res.o
CC      drivers/pci/proc.o
CC      drivers/pci/hotplug/pci_hotplug_core.o
CC      drivers/pci/hotplug/acpi_pcihp.o
LD      drivers/pci/hotplug/pci_hotplug.o
LD      drivers/pci/hotplug/built-in.o
CC      drivers/pci/pcie/portdrv_core.o
CC      drivers/pci/pcie/portdrv_pci.o
CC      drivers/pci/pcie/portdrv_bus.o
LD      drivers/pci/pcie/pcieportdrv.o
CC      drivers/pci/pcie/aer/aerdrv_errprint.o
CC      drivers/pci/pcie/aer/aerdrv_core.o
CC      drivers/pci/pcie/aer/aerdrv.o
CC      drivers/pci/pcie/aer/aerdrv_acpi.o
LD      drivers/pci/pcie/aer/aerdriver.o
LD      drivers/pci/pcie/aer/built-in.o
LD      drivers/pci/pcie/built-in.o
CC      drivers/pci/hotplug.o
CC      drivers/pci/hotplug-pci.o
CC      drivers/pci/msi.o
CC      drivers/pci/htirq.o
CC      drivers/pci/setup-bus.o
CC      drivers/pci/pci-acpi.o
LD      drivers/pci/built-in.o
CC      drivers/pcmcia/ds.o
CC      drivers/pcmcia/pcmcia_resource.o
CC      drivers/pcmcia/pcmcia_ioctl.o
CC      drivers/pcmcia/cs.o
CC      drivers/pcmcia/cistpl.o
CC      drivers/pcmcia/rsrc_mgr.o
CC      drivers/pcmcia/socket_sysfs.o
CC      drivers/pcmcia/cardbus.o
LD      drivers/pcmcia/pcmcia_core.o
LD      drivers/pcmcia/pcmcia.o
CC      drivers/pcmcia/rsrc_nonstatic.o
CC      drivers/pcmcia/yenta_socket.o
LD      drivers/pcmcia/built-in.o
CC      drivers/pnp/core.o
CC      drivers/pnp/card.o
CC      drivers/pnp/driver.o
CC      drivers/pnp/resource.o
CC      drivers/pnp/manager.o
CC      drivers/pnp/support.o
CC      drivers/pnp/interface.o
CC      drivers/pnp/quirks.o
CC      drivers/pnp/system.o
CC      drivers/pnp/pnpacpi/core.o
CC      drivers/pnp/pnpacpi/rsparser.o
LD      drivers/pnp/pnpacpi/built-in.o
LD      drivers/pnp/built-in.o
CC      drivers/power/power_supply_core.o
CC      drivers/power/power_supply_sysfs.o
CC      drivers/power/power_supply_leds.o
```

LD drivers/power/power_supply.o
LD drivers/power/built-in.o
LD drivers/rtc/built-in.o
LD drivers/scsi/aacraid/built-in.o
LD drivers/scsi/aic7xxx/built-in.o
LD drivers/scsi/aic94xx/built-in.o
LD drivers/scsi/libsas/built-in.o
LD drivers/scsi/lpfc/built-in.o
LD drivers/scsi/megaraid/built-in.o
LD drivers/scsi/pcmcia/built-in.o
LD drivers/scsi/qla2xxx/built-in.o
LD drivers/scsi/qla4xxx/built-in.o
LD drivers/scsi/sym53c8xx_2/built-in.o
LD drivers/scsi/built-in.o
CC drivers/serial/serial_core.o
CC drivers/serial/8250.o
CC drivers/serial/8250_pnp.o
CC drivers/serial/8250_pci.o
CC drivers/serial/8250_early.o
LD drivers/serial/built-in.o
LD drivers/serial/jsm/built-in.o
LD drivers/ssb/built-in.o
CC drivers/thermal/thermal_sys.o
LD drivers/thermal/built-in.o
LD drivers/usb/atm/built-in.o
LD drivers/usb/class/built-in.o
CC drivers/usb/core/usb.o
CC drivers/usb/core/hub.o
CC drivers/usb/core/hcd.o
CC drivers/usb/core/urb.o
CC drivers/usb/core/message.o
CC drivers/usb/core/driver.o
CC drivers/usb/core/config.o
CC drivers/usb/core/file.o
CC drivers/usb/core/buffer.o
CC drivers/usb/core/sysfs.o
CC drivers/usb/core/endpoint.o
CC drivers/usb/core/devio.o
CC drivers/usb/core/notify.o
CC drivers/usb/core/generic.o
CC drivers/usb/core/quirks.o
CC drivers/usb/core/hcd-pci.o
CC drivers/usb/core/inode.o
CC drivers/usb/core/devices.o
LD drivers/usb/core/usbcore.o
LD drivers/usb/core/built-in.o
CC drivers/usb/host/pci-quirks.o
LD drivers/usb/host/built-in.o
LD drivers/usb/image/built-in.o
LD drivers/usb/misc/built-in.o
LD drivers/usb/misc/sisusbvga/built-in.o
CC drivers/usb/mon/mon_main.o
CC drivers/usb/mon/mon_stat.o
CC drivers/usb/mon/mon_text.o
CC drivers/usb/mon/mon_bin.o
CC drivers/usb/mon/mon_dma.o
LD drivers/usb/mon/usbmon.o

LD drivers/usb/mon/built-in.o
LD drivers/usb/serial/built-in.o
LD drivers/usb/storage/built-in.o
LD drivers/usb/built-in.o
CC drivers/video/fb_notify.o
CC drivers/video/fbmem.o
CC drivers/video/fbmon.o
CC drivers/video/fbmap.o
CC drivers/video/fbsysfs.o
CC drivers/video/modedb.o
CC drivers/video/fbcvt.o
LD drivers/video/fb.o
CC drivers/video/backlight/backlight.o
LD drivers/video/backlight/built-in.o
CC drivers/video/console/dummycon.o
CC drivers/video/console/vgacon.o
CC drivers/video/console/fbcon.o
CC drivers/video/console/bitblit.o
CC drivers/video/console/fonts.o
CC drivers/video/console/font_8x8.o
CC drivers/video/console/font_8x16.o
LD drivers/video/console/font.o
CC drivers/video/console/softcursor.o
CC drivers/video/console/tileblit.o
CC drivers/video/console/fbcon_rotate.o
CC drivers/video/console/fbcon_cw.o
CC drivers/video/console/fbcon_ud.o
CC drivers/video/console/fbcon_ccw.o
LD drivers/video/console/built-in.o
LD drivers/video/display/built-in.o
LD drivers/video/kyro/built-in.o
CC drivers/video/logo/logo.o
LOGO drivers/video/logo/logo_linux_clut224.c
CC drivers/video/logo/logo_linux_clut224.o
LD drivers/video/logo/built-in.o
LOGO drivers/video/logo/logo_linux_mono.c
LOGO drivers/video/logo/logo_superh_mono.c
LOGO drivers/video/logo/clut_vga16.c
LOGO drivers/video/logo/logo_blackfin_vga16.c
LOGO drivers/video/logo/logo_linux_vga16.c
LOGO drivers/video/logo/logo_superh_vga16.c
LOGO drivers/video/logo/logo_blackfin_clut224.c
LOGO drivers/video/logo/logo_dec_clut224.c
LOGO drivers/video/logo/logo_m32r_clut224.c
LOGO drivers/video/logo/logo_mac_clut224.c
LOGO drivers/video/logo/logo_parisc_clut224.c
LOGO drivers/video/logo/logo_sgi_clut224.c
LOGO drivers/video/logo/logo_spe_clut224.c
LOGO drivers/video/logo/logo_sun_clut224.c
LOGO drivers/video/logo/logo_superh_clut224.c
LD drivers/video/nvidia/built-in.o
LD drivers/video/riva/built-in.o
LD drivers/video/savage/built-in.o
LD drivers/video/built-in.o
LD drivers/video/i810/built-in.o
LD drivers/video/intelfb/built-in.o
LD drivers/watchdog/built-in.o

LD drivers/built-in.o
LD sound/built-in.o
LD sound/arm/built-in.o
LD sound/core/oss/built-in.o
LD sound/core/seq/built-in.o
LD sound/core/seq/oss/built-in.o
LD sound/core/built-in.o
LD sound/drivers/built-in.o
LD sound/drivers/mpu401/built-in.o
LD sound/drivers/opl3/built-in.o
LD sound/drivers/opl4/built-in.o
LD sound/drivers/pcsp/built-in.o
LD sound/drivers/vx/built-in.o
LD sound/i2c/built-in.o
LD sound/i2c/other/built-in.o
LD sound/isa/built-in.o
LD sound/isa/ad1816a/built-in.o
LD sound/isa/ad1848/built-in.o
LD sound/isa/cs423x/built-in.o
LD sound/isa/es1688/built-in.o
LD sound/isa/gus/built-in.o
LD sound/isa/opti9xx/built-in.o
LD sound/isa/sb/built-in.o
LD sound/isa/wavefront/built-in.o
LD sound/mips/built-in.o
LD sound/parisc/built-in.o
LD sound/pci/built-in.o
LD sound/pci/ac97/built-in.o
LD sound/pci/ali5451/built-in.o
LD sound/pci/au88x0/built-in.o
LD sound/pci/aw2/built-in.o
LD sound/pci/ca0106/built-in.o
LD sound/pci/cs46xx/built-in.o
LD sound/pci/cs5535audio/built-in.o
LD sound/pci/echoaudio/built-in.o
LD sound/pci/emul0k1/built-in.o
LD sound/pci/hda/built-in.o
LD sound/pci/ice1712/built-in.o
LD sound/pci/korg1212/built-in.o
LD sound/pci/mixart/built-in.o
LD sound/pci/nm256/built-in.o
LD sound/pci/oxygen/built-in.o
LD sound/pci/pcxhr/built-in.o
LD sound/pci/riptide/built-in.o
LD sound/pci/rme9652/built-in.o
LD sound/pci/trident/built-in.o
LD sound/pci/vx222/built-in.o
LD sound/pci/ympci/built-in.o
LD sound/pcmcia/pdaudiocf/built-in.o
LD sound/pcmcia/vx/built-in.o
LD sound/ppc/built-in.o
LD sound/sh/built-in.o
LD sound/soc/built-in.o
LD sound/sparc/built-in.o
LD sound/spi/built-in.o
LD sound/synth/built-in.o
LD sound/synth/emux/built-in.o

LD sound/usb/built-in.o
LD sound/usb/caiaq/built-in.o
LD sound/usb/usx2y/built-in.o
MK_FW firmware/keyspan/mpr.fw.gen.S
HOSTCC firmware/ihex2fw
IHEX2FW firmware/keyspan/mpr.fw
AS firmware/keyspan/mpr.fw.gen.o
MK_FW firmware/keyspan/usa18x.fw.gen.S
IHEX2FW firmware/keyspan/usa18x.fw
AS firmware/keyspan/usa18x.fw.gen.o
MK_FW firmware/keyspan/usa19.fw.gen.S
IHEX2FW firmware/keyspan/usa19.fw
AS firmware/keyspan/usa19.fw.gen.o
MK_FW firmware/keyspan/usa19qi.fw.gen.S
IHEX2FW firmware/keyspan/usa19qi.fw
AS firmware/keyspan/usa19qi.fw.gen.o
MK_FW firmware/keyspan/usa19qw.fw.gen.S
IHEX2FW firmware/keyspan/usa19qw.fw
AS firmware/keyspan/usa19qw.fw.gen.o
MK_FW firmware/keyspan/usa19w.fw.gen.S
IHEX2FW firmware/keyspan/usa19w.fw
AS firmware/keyspan/usa19w.fw.gen.o
MK_FW firmware/keyspan/usa28.fw.gen.S
IHEX2FW firmware/keyspan/usa28.fw
AS firmware/keyspan/usa28.fw.gen.o
MK_FW firmware/keyspan/usa28xa.fw.gen.S
IHEX2FW firmware/keyspan/usa28xa.fw
AS firmware/keyspan/usa28xa.fw.gen.o
MK_FW firmware/keyspan/usa28xb.fw.gen.S
IHEX2FW firmware/keyspan/usa28xb.fw
AS firmware/keyspan/usa28xb.fw.gen.o
MK_FW firmware/keyspan/usa28x.fw.gen.S
IHEX2FW firmware/keyspan/usa28x.fw
AS firmware/keyspan/usa28x.fw.gen.o
MK_FW firmware/keyspan/usa49w.fw.gen.S
IHEX2FW firmware/keyspan/usa49w.fw
AS firmware/keyspan/usa49w.fw.gen.o
MK_FW firmware/keyspan/usa49wlc.fw.gen.S
IHEX2FW firmware/keyspan/usa49wlc.fw
AS firmware/keyspan/usa49wlc.fw.gen.o
LD firmware/built-in.o
CC arch/x86/pci/i386.o
CC arch/x86/pci/init.o
CC arch/x86/pci/pcbios.o
CC arch/x86/pci/mmconfig_32.o
CC arch/x86/pci/direct.o
CC arch/x86/pci/mmconfig-shared.o
CC arch/x86/pci/fixup.o
CC arch/x86/pci/acpi.o
CC arch/x86/pci/legacy.o
CC arch/x86/pci/irq.o
CC arch/x86/pci/common.o
CC arch/x86/pci/early.o
CC arch/x86/pci/amd_bus.o
LD arch/x86/pci/built-in.o
CC arch/x86/power/cpu_32.o
LD arch/x86/power/built-in.o

CC arch/x86/video/fbdev.o
LD arch/x86/video/built-in.o
LD arch/x86/oprofile/built-in.o
CC net/socket.o
CC net/802/p8022.o
CC net/802/psnap.o
CC net/802/tr.o
CC net/802/fc.o
CC net/802/fddi.o
LD net/802/built-in.o
CC net/8021q/vlan_core.o
LD net/8021q/built-in.o
LD net/atm/built-in.o
LD net/bluetooth/built-in.o
LD net/bluetooth/bnep/built-in.o
LD net/bluetooth/hidp/built-in.o
LD net/bluetooth/rfcomm/built-in.o
LD net/bridge/built-in.o
LD net/bridge/netfilter/built-in.o
CC net/core/sock.o
CC net/core/request_sock.o
CC net/core/skbuff.o
CC net/core/iovec.o
CC net/core/datagram.o
CC net/core/stream.o
CC net/core/scm.o
CC net/core/gen_stats.o
CC net/core/gen_estimator.o
CC net/core/net_namespace.o
CC net/core/sysctl_net_core.o
CC net/core/dev.o
CC net/core/ethtool.o
CC net/core/dev_mcast.o
CC net/core/dst.o
CC net/core/netevent.o
CC net/core/neighbour.o
CC net/core/rtnetlink.o
CC net/core/utils.o
CC net/core/link_watch.o
CC net/core/filter.o
CC net/core/flow.o
CC net/core/net-sysfs.o
CC net/core/netpoll.o
CC net/core/fib_rules.o
LD net/core/built-in.o
LD net/dccp/ccids/lib/built-in.o
LD net/dccp/ccids/built-in.o
LD net/dccp/built-in.o
CC net/ethernet/eth.o
LD net/ethernet/built-in.o
LD net/ieee80211/built-in.o
CC net/ipv4/route.o
CC net/ipv4/inetpeer.o
CC net/ipv4/protocol.o
CC net/ipv4/ip_input.o
CC net/ipv4/ip_fragment.o
CC net/ipv4/ip_forward.o

CC net/ipv4/ip_options.o
CC net/ipv4/ip_output.o
CC net/ipv4/ip_sockglue.o
CC net/ipv4/inet_hashtables.o
CC net/ipv4/inet_timewait_sock.o
CC net/ipv4/inet_connection_sock.o
CC net/ipv4/tcp.o
CC net/ipv4/tcp_input.o
CC net/ipv4/tcp_output.o
CC net/ipv4/tcp_timer.o
CC net/ipv4/tcp_ipv4.o
CC net/ipv4/tcp_minisocks.o
CC net/ipv4/tcp_cong.o
CC net/ipv4/datagram.o
CC net/ipv4/raw.o
CC net/ipv4/udp.o
CC net/ipv4/udplite.o
CC net/ipv4/arp.o
CC net/ipv4/icmp.o
CC net/ipv4/devinet.o
CC net/ipv4/af_inet.o
CC net/ipv4/igmp.o
CC net/ipv4/fib_frontend.o
CC net/ipv4/fib_semantics.o
CC net/ipv4/inet_fragment.o
CC net/ipv4/sysctl_net_ipv4.o
CC net/ipv4/fib_hash.o
CC net/ipv4/proc.o
CC net/ipv4/fib_rules.o
CC net/ipv4/ipmr.o
CC net/ipv4/syncookies.o
CC net/ipv4/xfrm4_mode_beet.o
CC net/ipv4/netfilter.o
LD net/ipv4/ipvs/built-in.o
LD net/ipv4/netfilter/built-in.o
CC net/ipv4/tcp_bic.o
CC net/ipv4/cipso_ipv4.o
CC net/ipv4/xfrm4_policy.o
CC net/ipv4/xfrm4_state.o
CC net/ipv4/xfrm4_input.o
CC net/ipv4/xfrm4_output.o
LD net/ipv4/built-in.o
LD net/ipv6/netfilter/built-in.o
CC net/ipv6/addrconf_core.o
CC net/ipv6/exthdrs_core.o
CC net/ipv6/inet6_hashtables.o
LD net/ipv6/built-in.o
LD net/key/built-in.o
CC net/llc/llc_core.o
CC net/llc/llc_input.o
CC net/llc/llc_output.o
LD net/llc/llc.o
LD net/llc/built-in.o
CC net/netfilter/core.o
CC net/netfilter/nf_log.o
CC net/netfilter/nf_queue.o
CC net/netfilter/nf_sockopt.o

```
LD net/netfilter/netfilter.o
LD net/netfilter/built-in.o
CC net/netlabel/netlabel_user.o
CC net/netlabel/netlabel_kapi.o
CC net/netlabel/netlabel_domainhash.o
CC net/netlabel/netlabel_mgmt.o
CC net/netlabel/netlabel_unlabeled.o
CC net/netlabel/netlabel_cipso_v4.o
LD net/netlabel/built-in.o
CC net/netlink/af_netlink.o
CC net/netlink/attr.o
CC net/netlink/genetlink.o
LD net/netlink/built-in.o
CC net/packet/af_packet.o
LD net/packet/built-in.o
CC net/sched/sch_generic.o
CC net/sched/sch_api.o
CC net/sched/sch_blackhole.o
CC net/sched/cls_api.o
CC net/sched/act_api.o
CC net/sched/sch_fifo.o
CC net/sched/ematch.o
LD net/sched/built-in.o
LD net/sctp/built-in.o
LD net/sunrpc/built-in.o
LD net/sunrpc/auth_gss/built-in.o
LD net/sunrpc/xprtrdma/built-in.o
LD net/tipc/built-in.o
CC net/unix/af_unix.o
CC net/unix/garbage.o
CC net/unix/sysctl_net_unix.o
LD net/unix/unix.o
LD net/unix/built-in.o
CC net/wireless/wext.o
LD net/wireless/built-in.o
CC net/xfrm/xfrm_policy.o
CC net/xfrm/xfrm_state.o
CC net/xfrm/xfrm_hash.o
CC net/xfrm/xfrm_input.o
CC net/xfrm/xfrm_output.o
CC net/xfrm/xfrm_algo.o
CC net/xfrm/xfrm_user.o
LD net/xfrm/built-in.o
CC net/sysctl_net.o
LD net/built-in.o
CC lib/bcd.o
CC lib/div64.o
CC lib/sort.o
CC lib/parser.o
CC lib/halfmd4.o
CC lib/debug_locks.o
CC lib/random32.o
CC lib/bust_spinlocks.o
CC lib/hexdump.o
CC lib/kasprintf.o
CC lib/bitmap.o
CC lib/scatterlist.o
```

```
CC      lib/iomap.o
CC      lib/iomap_copy.o
CC      lib/devres.o
CC      lib/check_signature.o
CC      lib/hweight.o
CC      lib/kernel_lock.o
CC      lib/plist.o
CC      lib/list_debug.o
CC      lib/bitrev.o
HOSTCC  lib/gen_crc32table
GEN     lib/crc32table.h
CC      lib/crc32.o
CC      lib/libcrc32c.o
LD      lib/reed_solomon/built-in.o
LD      lib/zlib_deflate/built-in.o
CC      lib/zlib_inflate/inffast.o
CC      lib/zlib_inflate/inflate.o
CC      lib/zlib_inflate/inftutil.o
CC      lib/zlib_inflate/inftrees.o
CC      lib/zlib_inflate/inflate_syms.o
LD      lib/zlib_inflate/zlib_inflate.o
LD      lib/zlib_inflate/built-in.o
CC      lib/textsearch.o
CC      lib/percpu_counter.o
CC      lib/audit.o
LD      lib/built-in.o
CC      lib/argv_split.o
CC      lib/bug.o
CC      lib/cmdline.o
CC      lib/cpumask.o
CC      lib/ctype.o
CC      lib/dec_and_lock.o
CC      lib/dump_stack.o
CC      lib/extable.o
CC      lib/find_next_bit.o
CC      lib/idr.o
CC      lib/int_sqrt.o
CC      lib/ioremap.o
CC      lib/irq_regs.o
CC      lib/klist.o
CC      lib/kobject.o
CC      lib/kobject_uevent.o
CC      lib/kref.o
CC      lib/prio_heap.o
CC      lib/prio_tree.o
CC      lib/proportions.o
CC      lib/radix-tree.o
CC      lib/ratelimit.o
CC      lib/rbtree.o
CC      lib/reciprocal_div.o
CC      lib/rwsem.o
CC      lib/sha1.o
CC      lib/show_mem.o
CC      lib/string.o
CC      lib/vsprintf.o
AR      lib/lib.a
CC      arch/x86/lib/msr-on-cpu.o
```

```
LD      arch/x86/lib/built-in.o
AS      arch/x86/lib/checksum_32.o
CC      arch/x86/lib/delay.o
AS      arch/x86/lib/getuser.o
CC      arch/x86/lib/memcpy_32.o
AS      arch/x86/lib/putuser.o
AS      arch/x86/lib/semaphore_32.o
CC      arch/x86/lib/string_32.o
CC      arch/x86/lib/strstr_32.o
AS      arch/x86/lib/thunk_32.o
CC      arch/x86/lib/usercopy_32.o
AR      arch/x86/lib/lib.a
LD      vmlinux.o
MODPOST vmlinux.o
```

WARNING: modpost: Found 2 section mismatch(es).

To see full details build your kernel with:

```
'make CONFIG_DEBUG_SECTION_MISMATCH=y'
```

```
GEN     .version
CHK     include/linux/compile.h
UPD     include/linux/compile.h
CC      init/version.o
LD      init/built-in.o
LD      .tmp_vmlinux1
KSYM    .tmp_kallsyms1.S
AS      .tmp_kallsyms1.o
LD      .tmp_vmlinux2
KSYM    .tmp_kallsyms2.S
AS      .tmp_kallsyms2.o
LD      .tmp_vmlinux3
KSYM    .tmp_kallsyms3.S
AS      .tmp_kallsyms3.o
LD      vmlinux
SYSMAP  System.map
SYSMAP  .tmp_System.map
CC      arch/x86/boot/a20.o
CC      arch/x86/boot/cmdline.o
AS      arch/x86/boot/copy.o
HOSTCC  arch/x86/boot/mkcpustr
CPUSTR  arch/x86/boot/cpustr.h
CC      arch/x86/boot/cpu.o
CC      arch/x86/boot/cpucheck.o
CC      arch/x86/boot/edd.o
AS      arch/x86/boot/compressed/head_32.o
CC      arch/x86/boot/compressed/misc.o
OBJCOPY arch/x86/boot/compressed/vmlinux.bin
HOSTCC  arch/x86/boot/compressed/relocs
RELOCS  arch/x86/boot/compressed/vmlinux.relocs
BUILD   arch/x86/boot/compressed/vmlinux.bin.all
GZIP    arch/x86/boot/compressed/vmlinux.bin.gz
LD      arch/x86/boot/compressed/piggy.o
LD      arch/x86/boot/compressed/vmlinux
OFFSETS arch/x86/boot/offsets.h
AS      arch/x86/boot/header.o
CC      arch/x86/boot/main.o
CC      arch/x86/boot/mca.o
CC      arch/x86/boot/memory.o
CC      arch/x86/boot/pm.o
```

```
AS      arch/x86/boot/pmjump.o
CC      arch/x86/boot/printf.o
CC      arch/x86/boot/string.o
CC      arch/x86/boot/tty.o
CC      arch/x86/boot/video.o
CC      arch/x86/boot/video-mode.o
CC      arch/x86/boot/version.o
CC      arch/x86/boot/apm.o
CC      arch/x86/boot/video-vga.o
CC      arch/x86/boot/video-vesa.o
CC      arch/x86/boot/video-bios.o
LD      arch/x86/boot/setup.elf
OBJCOPY arch/x86/boot/setup.bin
OBJCOPY arch/x86/boot/vmlinux.bin
HOSTCC  arch/x86/boot/tools/build
BUILD   arch/x86/boot/bzImage
Root device is (8, 1)
Setup is 12536 bytes (padded to 12800 bytes).
System is 1945 kB
CRC 3707130a
Kernel: arch/x86/boot/bzImage is ready  (#1)
[root@benji linux-2.6.27.8]#
```